Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 00432

NAME: 3-Methoxyphenol

SYNONYMS: 1-Hydroxy-3-methoxybenzene

3-Hydroxyanisole

Resorcinol monomethyl ether

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE TOXICITY, DERMAL (CATEGORY 3), H311 SKIN IRRITATION (CATEGORY 2), H315 SERIOUS EYE DAMAGE (CATEGORY 1), H318 ACUTE AQUATIC TOXICITY (CATEGORY 3), H402 CHRONIC AQUATIC TOXICITY (CATEGORY 3), H412

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED

H311 TOXIC IN CONTACT WITH SKIN.
 H315 CAUSES SKIN IRRITATION.
 H318 CAUSES SERIOUS EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P301 + P312 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN IF YOU FEEL UNWELL.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

REST IN A POSITION COMFORTABLE FOR BREATHING.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P310 IMMEDIATELY CALL A POISON CENTER OR DOCTOR/

PHYSICIAN.

P322 SPECIFIC MEASURES (SEE SUPPLEMENTAL FIRST AID

INSTRUCTIONS ON THIS LABEL).

P330 RINSE MOUTH.

P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P361 REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED

CLOTHING.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_7H_8O_2$

MW: 124.14

CAS-NO. 150-19-6

PURITY: \geq 98% (HPLC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
3-METHOXYPHENOL		
	ACUTE TOX. 4; ACUTE TOX. 3;	-
	SKIN IRRIT. 2; EYE DAM. 1;	
	AQUATIC ACUTE 3; AQUATIC	
	CHRONIC 3; H302 + H332, H311,	
	H315, H318, H412	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES

ARISING FROM THE SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID BREATHING

PRECAUTIONS, VAPOURS, MIST OR GAS. ENSURE ADEQUATE **PROTECTIVE** VENTILATION. EVACUATE PERSONNEL TO SAFE

EQUIPMENT AND AREAS.

EMERGENCY FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PROCEDURES

CLEANING UP

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS ANDSOAK UP WITH INERT ABSORBENT MATERIAL ANDMATERIALS FORDISPOSE OF AS HAZARDOUS WASTE. KEEP INCONTAINMENT ANDSUITABLE. CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER **SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. NORMAL MEASURES FOR PREVENTIVE FIRE PROTECTION.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL

PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL

EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY

AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: CHLOROPRENE MINIMUM LAYER THICKNESS: 0.6 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:CAMAPREN (KCL 722, SIZE M)

SPLASH CONTACT

MATERIAL: NATURE LATEX/CHLOROPRENE MINIMUM LAYER THICKNESS: 0.6 MM BREAK THROUGH TIME: 60

MIN

MATERIAL TESTED:LAPREN (KCL 706, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear, colorless to red brown liquid

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING -17 °C

POINT/FREEZING POINT

INITIAL BOILING POINT 113 - 115 °C/5mmHg

AND BOILING RANGE

FLASH POINT 112 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.13

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE BASES, ACID CHLORIDES, ACID ANHYDRIDES,

MATERIALS OXIDIZING AGENTS

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION AVAILABLE

PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 597 MG/KG

LC50 INHALATION - RAT - 4 H - 11,500 MG/M3

LD50 DERMAL - RAT - 682 MG/KG

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: SEVERE EYE IRRITATION

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY REPRODUCTIVE TOXICITY - RAT - ORAL

EFFECTS ON NEWBORN: GROWTH STATISTICS (E.G.,

REDUCED WEIGHT GAIN).

REPRODUCTIVE TOXICITY - HUMAN - FEMALE -

INHALATION

MATERNAL EFFECTS: MENSTRUAL CYCLE CHANGES

OR DISORDERS.

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: SL7524000

DEPENDING ON THE INTENSITY AND DURATION OF

EXPOSURE, EFFECTS MAY VARY FROM MILD IRRITATION TO SEVERE DESTRUCTION OF TISSUE., PROLONGED OR REPEATED EXPOSURE CAN CAUSE:,

DAMAGE TO THE EYES., TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN

THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW)

- 74 MG/L - 96 H

TOXICITY TO DAPHNIA AND

OTHER AQUATIC INVERTEBRATES

EC50 - DAPHNIA MAGNA (WATER FLEA) - 41.1 MG/L -

48 H

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND PBT/VPVB ASSESSMENT NOT AVAILABLE AS

VPVB ASSESSMENT CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL. HARMFUL TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE

TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: TOXIC, LIQUIDS, ORGANIC, N.O.S.(3-Methoxyphenol)

UN NUMBER: 2810
CLASS: 6.1
PACKING GROUP: III
MARINE POLLUTANT: NO
POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: TOXIC LIQUID, ORGANIC, N.O.S.(3-Methoxyphenol)

UN NUMBER: 2810
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A
MARINE POLLUTANT: NO

IATA

PROPER SHIPPING NAME: TOXIC LIQUID, ORGANIC, N.O.S.(3-Methoxyphenol)

UN NUMBER: 2810 CLASS: 6.1 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS SARA 302: NO CHEMICALS IN THIS MATERIAL ARE

SUBJECT TO THE REPORTING REQUIREMENTS OF SARA

TITLE III, SECTION 302.

SARA 313 COMPONENTS SARA 313: THIS MATERIAL DOES NOT CONTAIN ANY

CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS

THAT EXCEED THE THRESHOLD (DE MINIMIS)

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

3-Methoxyphenol 150-19-6

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

3-Methoxyphenol 150-19-6

CALIFORNIA PROP. 65

COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER,

BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE

HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY

AQUATIC ACUTE ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY
EYE DAM. SERIOUS EYE DAMAGE
H302 HARMFUL IF SWALLOWED.

H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED

H311 TOXIC IN CONTACT WITH SKIN. H315 CAUSES SKIN IRRITATION.

H318 CAUSES SERIOUS EYE DAMAGE.

HMIS RATING

HEALTH HAZARD: 2 CHRONIC HEALTH *

HAZARD:

FLAMMABILITY: 1 PHYSICAL HAZARD 0

NFPA RATING

HEALTH HAZARD: 2 FIRE HAZARD: 1 REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.