# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

| CATALOG #:           | 00707  |
|----------------------|--|
| NAME:                | Ammonium hydroxide solution<br>ACS reagent, 28.0 - 30.0% NH3 basis |
| SYNONYMS:            | Aqueous ammonia  |
| 24 HOUR EMERGENCY    | (800) 535-5053(USA)  |
| TELEPHONE:           | 352-323-3500 (INTERNATIONAL)                                       |
| TO REQUEST AN MSDS:  | (800) 869-9290   |
| CUSTOMER<br>SERVICE: | (630) 766-2112   |

## SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) CORROSIVE TO METALS (CATEGORY 1), H290 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN CORROSION (CATEGORY 1), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

#### SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



#### HAZARD STATEMENT(S)

| H290 | MAY BE CORROSIVE TO METALS.                      |
|------|--|
| H302 | HARMFUL IF SWALLOWED.                            |
| H314 | CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.         |
| H400 | VERY TOXIC TO AQUATIC LIFE.                      |
| H411 | TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. |
|      |  |

#### PRECAUTIONARY STATEMENT(S)

| $\mathbf{AIEWIEWI(S)}$                              |
|---|
| KEEP ONLY IN ORIGINAL CONTAINER.                    |
| WASH SKIN THOROUGHLY AFTER HANDLING.                |
| DO NOT EAT, DRINK OR SMOKE WHEN USING THIS          |
| PRODUCT.  |
| AVOID RELEASE TO THE ENVIRONMENT.                   |
| WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE    |
| PROTECTION/ FACE PROTECTION.                        |
| IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/       |
| PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.          |
| IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE            |
| VOMITING.   |
| IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL      |
| CONTAMINATED CLOTHING. RINSE SKIN WITH              |
| WATER/SHOWER.                                       |
| IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP     |
| COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A       |
| POISON CENTER/DOCTOR.                               |
| IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL |
| MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND      |
| EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A    |
| POISON CENTER OR DOCTOR/ PHYSICIAN.                 |
| WASH CONTAMINATED CLOTHING BEFORE REUSE.            |
| ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.         |
| COLLECT SPILLAGE.                                   |
| STORE LOCKED UP.                                    |
| STORE IN CORROSIVE RESISTANT CONTAINER WITH A       |
| RESISTANT INNER LINER.                              |
| DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED       |
| WASTE DISPOSAL PLANT.                               |
| LACHRYMATOR   |
|   |

OTHERWISE CLASSIFIED (HNOC)

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| MF: | NH <sub>4</sub> OH |
|-----|--------------------|
|-----|--------------------|

MW: 35.50

CAS-NO. 1336-21-6

PURITY: 28 - 30% (Assay by titration)

## HAZARDOUS COMPONENTS

| COMPONENT  | CLASSIFICATION               | CONCENTRATION  |  |  |
|--|------------------------------|----------------|--|--|
| Ammonium hydroxide solution  |                              |                |  |  |
| ACS reagent, 28.0 - 30.0% NH3 basis                                  |                              |                |  |  |
|  | MET. CORR. 1; ACUTE TOX. 4;  | >= 30 - < 50 % |  |  |
|  | SKIN CORR. 1B; EYE DAM. 1;   |                |  |  |
|  | AQUATIC ACUTE 1; AQUATIC     |                |  |  |
|  | CHRONIC 2; H290, H302, H314, |                |  |  |
|  | H318, H400, H411             |                |  |  |
|  | M-FACTOR - AQUATIC ACUTE:    |                |  |  |
|  | 1                            |                |  |  |
| FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE |                              |                |  |  |

SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

| GENERAL ADVICE             | MOVE OUT OF DANGEROUS AREA.CONSULT A<br>PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE<br>DOCTOR IN ATTENDANCE.                                     |
|----------------------------|--|
| IF INHALED                 | IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF<br>NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.<br>CONSULT A PHYSICIAN.                              |
| IN CASE OF SKIN<br>CONTACT | TAKE OFF CONTAMINATED CLOTHING AND SHOES<br>IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF<br>WATER. CONSULT A PHYSICIAN.                           |
| IN CASE OF EYE<br>CONTACT  | RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT<br>LEAST 15 MINUTES AND CONSULT A<br>PHYSICIAN.CONTINUE RINSING EYES DURING<br>TRANSPORT TO HOSPITAL. |

| IF SWALLOWED   | DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING<br>BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE<br>MOUTH WITH WATER. CONSULT A PHYSICIAN. |
|--|---|
| MOST IMPORTANT<br>SYMPTOMS AND<br>EFFECTS, BOTH ACUTE<br>AND DELAYED                   | THE MOST IMPORTANT KNOWN SYMPTOMS AND<br>EFFECTS ARE DESCRIBED IN THE LABELLING (SEE<br>SECTION 2.2) AND/OR IN SECTION 11         |
| INDICATION OF ANY<br>IMMEDIATE MEDICAL<br>ATTENTION AND<br>SPECIAL TREATMENT<br>NEEDED | NO DATA AVAILABLE   |

# SECTION 5. FIRE AND EXPLOSION DATA

### **EXTINGUISHING MEDIA**

| SUITABLE<br>EXTINGUISHING MEDIA                             | USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY<br>CHEMICAL OR CARBON DIOXIDE. |  |
|---|---|--|
| SPECIAL HAZARDS<br>ARISING FROM THE<br>SUBSTANCE OR MIXTURE | NITROGEN OXIDES (NOX)   |  |
| ADVICE FOR<br>FIREFIGHTERS                                  | WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.      |  |
| FURTHER INFORMATION   | NO DATA AVAILABLE   |  |

# SECTION 6. ACCIDENTAL RELEASE MEASURES

| PERSONAL      | WEAR RESPIRATORY PROTECTION. AVOID BREATHING |
|---------------|--|
| PRECAUTIONS,  | VAPOURS, MIST OR GAS. ENSURE ADEQUATE        |
| PROTECTIVE    | VENTILATION. EVACUATE PERSONNEL TO SAFE      |
| EQUIPMENT AND | AREAS.                                       |
| EMERGENCY     | FOR PERSONAL PROTECTION SEE SECTION 8.       |
| PROCEDURES    |  |
| ENVIRONMENTAL | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE  |
| PRECAUTIONS   | TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.   |
|               | DISCHARGE INTO THE ENVIRONMENT MUST BE       |
|               | AVOIDED.                                     |

| OAK UP WITH INERT ABSORBENT MATERIAL AND |
|--|
| SPOSE OF AS HAZARDOUS WASTE. KEEP IN     |
| JITABLE, CLOSED CONTAINERS FOR DISPOSAL. |
| I  |

**REFERENCE TO OTHER** FOR DISPOSAL SEE SECTION 13. **SECTIONS** 

# SECTION 7. HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE<br>HANDLING                                   | AVOID CONTACT WITH SKIN AND EYES. ALWAYS OPEN<br>CONTAINERS SLOWLY TO ALLOW ANY EXCESS<br>PRESSURE TO VENT.AVOID CONTACT WITH SKIN AND<br>EYES. AVOID INHALATION OF VAPOUR OR MIST.<br>FOR PRECAUTIONS SEE SECTION 2.2. |
|--|---|
| CONDITIONS FOR SAFE<br>STORAGE, INCLUDING<br>ANY INCOMPATIBILITIES | KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND<br>WELL-VENTILATED PLACE. CONTAINERS WHICH ARE<br>OPENED MUST BE CAREFULLY RESEALED AND KEPT<br>UPRIGHT TO PREVENT LEAKAGE.  |
|  | MAY DEVELOP PRESSURE. REFRIGERATE BEFORE<br>OPENING. HANDLE AND OPEN CONTAINER WITH<br>CARE.  |
|  | Store at RT   |
| SPECIFIC END USE(S)  | APART FROM THE USES MENTIONED IN SECTION 1.2<br>NO OTHER SPECIFIC USES ARE STIPULATED.  |

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

| COMPONENT  | CAS-NO.   | VALUE | CONTROL<br>PARAMETERS                            | BASIS   |  |
|--|-----------|-------|--|---|--|
| Ammonium hydroxide<br>solution<br>ACS reagent, 28.0 -<br>30.0% NH3 basis | 1336-21-6 | TWA   | 25 PPM   | USA. ACGIH<br>THRESHOLD LIMIT<br>VALUES (TLV) |  |
|  | REMARKS   | -     | UPPER RESPIRATORY TRACT IRRITATION<br>EYE DAMAGE |   |  |
|  |           | STEL  | 35 PPM   | USA. ACGIH<br>THRESHOLD LIMIT<br>VALUES (TLV) |  |

| UPPER R<br>EYE DAN |               | ACT IRRITATION                               |
|--------------------|---------------|--|
|                    | 18 MG/M3      | USA. NIOSH<br>RECOMMENDED<br>EXPOSURE LIMITS |
| OFTEN U            | SED IN AN AQU | EOUS SOLUTION.                               |
| ~ -                | 27 MG/M3      | USA. NIOSH<br>RECOMMENDED<br>EXPOSURE LIMITS |
| OFTEN U            | SED IN AN AQU | EOUS SOLUTION.                               |

## **EXPOSURE CONTROLS**

| APPROPRIATE | HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL |
|-------------|---|
| ENGINEERING | HYGIENE AND SAFETY PRACTICE. WASH HANDS   |
| CONTROLS    | BEFORE BREAKS AND AT THE END OF WORKDAY.  |

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

| SKIN PROTECTION                         | HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br>TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER<br>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br>GOOD LABORATORY PRACTICES. WASH AND DRY<br>HANDS.  |
|---|---|
|   | FULL CONTACT<br>MATERIAL: BUTYL-RUBBER<br>MINIMUM LAYER THICKNESS: 0.3 MM<br>BREAK THROUGH TIME: 480 MIN<br>MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)  |
|   | SPLASH CONTACT<br>MATERIAL: NITRILE RUBBER<br>MINIMUM LAYER THICKNESS: 0.11 MM<br>BREAK THROUGH TIME: 240 MIN<br>MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)  |
|   | IF USED IN SOLUTION, OR MIXED WITH OTHER<br>SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER<br>FROM EN 374, CONTACT THE SUPPLIER OF THE CE<br>APPROVED GLOVES. THIS RECOMMENDATION IS<br>ADVISORY ONLY AND MUST BE EVALUATED BY AN<br>INDUSTRIAL HYGIENIST AND SAFETY OFFICER<br>FAMILIAR WITH THE SPECIFIC SITUATION OF<br>ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT<br>BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY<br>SPECIFIC USE SCENARIO.                     |
| <b>BODY PROTECTION</b>                  | COMPLETE SUIT PROTECTING AGAINST CHEMICALS,<br>THE TYPE OF PROTECTIVE EQUIPMENT MUST BE<br>SELECTED ACCORDING TO THE CONCENTRATION AND<br>AMOUNT OF THE DANGEROUS SUBSTANCE AT THE<br>SPECIFIC WORKPLACE.   |
| <b>RESPIRATORY</b><br><b>PROTECTION</b> | WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING<br>RESPIRATORS ARE APPROPRIATE USE A FULLFACE<br>RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US)<br>OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS<br>A BACKUP TO ENGINEERING CONTROLS. IF THE<br>RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE<br>A FULL-FACE SUPPLIED AIR RESPIRATOR. USE<br>RESPIRATORS AND COMPONENTS TESTED AND<br>APPROVED UNDER APPROPRIATE GOVERNMENT<br>STANDARDS SUCH AS NIOSH (US) OR CEN (EU). |
| CONTROL OF<br>ENVIRONMENTAL<br>EXPOSURE | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO<br>DO SO. DO NOT LET PRODUCT ENTER DRAINS.<br>DISCHARGE INTO THE ENVIRONMENT MUST BE<br>AVOIDED.   |

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE             | Clear, colorless liquid        |
|------------------------|--------------------------------|
| ODOUR                  | NO DATA AVAILABLE              |
| ODOUR THRESHOLD        | NO DATA AVAILABLE              |
| PH                     | 11.7 AT 20 C                   |
| MELTING                | -72 °C (Lit.)                  |
| POINT/FREEZING POINT   |                                |
| INITIAL BOILING POINT  |                                |
| AND BOILING RANGE      |                                |
| FLASH POINT            |                                |
| EVAPORATION RATE       | NO DATA AVAILABLE              |
| FLAMMABILITY (SOLID,   | NO DATA AVAILABLE              |
| GAS)                   |                                |
| UPPER/LOWER            | UPPER EXPLOSION LIMIT: 27 %(V) |
| FLAMMABILITY OR        | LOWER EXPLOSION LIMIT: 16 %(V) |
| EXPLOSIVE LIMITS       |                                |
| VAPOUR PRESSURE        | 153 HPA AT 20 C                |
| VAPOUR DENSITY         | 1.21 - (AIR = 1.0)             |
| RELATIVE DENSITY       | 0.900 (Lit.)                   |
| WATER SOLUBILITY       | NO DATA AVAILABLE              |
| PARTITION COEFFICIENT: | NO DATA AVAILABLE              |
| N- OCTANOL/WATER       |                                |
| AUTO-IGNITION          | NO DATA AVAILABLE              |
| TEMPERATURE            |                                |
| DECOMPOSITION          | NO DATA AVAILABLE              |
| TEMPERATURE            |                                |
| VISCOSITY              | NO DATA AVAILABLE              |
| EXPLOSIVE PROPERTIES   | NO DATA AVAILABLE              |
| OXIDIZING PROPERTIES   | NO DATA AVAILABLE              |
|                        |                                |
| OTHED CAFETV INFORMA   | TION                           |

#### **OTHER SAFETY INFORMATION**

RELATIVE VAPOUR 1.21 - (AIR = 1.0) DENSITY

## SECTION 10. STABILITY AND REACTIVITY

#### **REACTIVITY** NO DATA AVAILABLE

| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE |
|--------------------|----------------------------------|
|                    | CONDITIONS.                      |

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

EACTIONS

**CONDITIONS TO AVOID** NO DATA AVAILABLE

| INCOMPATIBLE  | COPPER, IRON, ZINC                          |
|---------------|---|
| MATERIALS     |   |
|               |   |
| HAZARDOUS     | HAZARDOUS DECOMPOSITION PRODUCTS FORMED     |
| DECOMPOSITION | UNDER FIRE CONDITIONS NITROGEN OXIDES (NOX) |
| PRODUCTS      | OTHER DECOMPOSITION PRODUCTS - NO DATA      |
|               | AVAILABLE                                   |
|               | IN THE EVENT OF FIRE: SEE SECTION 5         |

# SECTION 11. TOXICOLOGICAL INFORMATION

| INFORMATION ON TOXICOLOGICAL EFFECTS |  |  |
|--------------------------------------|--|--|
| ACUTE TOXICITY                       | NO DATA AVAILABLE  |  |
|                                      | INHALATION: NO DATA AVAILABLE  |  |
|                                      | DERMAL: NO DATA AVAILABLE  |  |
|                                      | NO DATA AVAILABLE  |  |
| SKIN<br>CORROSION/IRRITATION         | NO DATA AVAILABLE  |  |
| SERIOUS EYE<br>DAMAGE/EYE IRRITATION | NO DATA AVAILABLE  |  |
| RESPIRATORY OR SKIN<br>SENSITISATION | NO DATA AVAILABLE  |  |
| GERM CELL<br>MUTAGENICITY            | NO DATA AVAILABLE  |  |
| CARCINOGENICITY                      |  |  |
| IARC:                                | NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS<br>IDENTIFIED AS PROBABLE, POSSIBLE OR<br>CONFIRMED HUMAN CARCINOGEN BY IARC. |  |
| NTP:                                 | NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS<br>IDENTIFIED AS A KNOWN OR ANTICIPATED<br>CARCINOGEN BY NTP.                 |  |
| OSHA:                                | NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON<br>OSHA S LIST OF REGULATED CARCINOGENS.                                   |  |
| DEDDODUCTIVE TOVICITY                |  |  |

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

| SPECIFIC TARGET ORGAN<br>TOXICITY - SINGLE<br>EXPOSURE   | NO DATA AVAILABLE   |
|--|---|
| SPECIFIC TARGET ORGAN<br>TOXICITY - REPEATED<br>EXPOSURE | NO DATA AVAILABLE   |
| ASPIRATION HAZARD  | NO DATA AVAILABLE   |
| ADDITIONAL<br>INFORMATION                                | RTECS: NOT AVAILABLE  |
|  | TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,<br>PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE<br>NOT BEEN THOROUGHLY INVESTIGATED. |

# SECTION 12. ECOLOGICAL INFORMATION

| ΤΟΧΙCITY                              | NO DATA AVAILABLE  |
|---------------------------------------|--|
| PERSISTENCE AND<br>DEGRADABILITY      | NO DATA AVAILABLE  |
| BIOACCUMULATIVE<br>POTENTIAL          | NO DATA AVAILABLE  |
| MOBILITY IN SOIL                      | NO DATA AVAILABLE  |
| RESULTS OF PBT AND<br>VPVB ASSESSMENT | PBT/VPVB ASSESSMENT NOT AVAILABLE AS<br>CHEMICAL SAFETY ASSESSMENT NOT<br>REQUIRED/NOT CONDUCTED                                     |
| OTHER ADVERSE EFFECTS                 | VERY TOXIC TO AQUATIC LIFE.<br>AN ENVIRONMENTAL HAZARD CANNOT BE<br>EXCLUDED IN THE EVENT OF UNPROFESSIONAL<br>HANDLING OR DISPOSAL. |

# SECTION 13. DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS

| PRODUCT      | OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS       |
|--------------|--|
|              | TO A LICENSED DISPOSAL COMPANY. CONTACT A        |
|              | LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE     |
|              | TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE |
|              | MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN     |
|              | IN A CHEMICAL INCINERATOR EQUIPPED WITH AN       |
|              | AFTERBURNER AND SCRUBBER.                        |
|              |  |
| CONTAMINATED | DISPOSE OF AS UNUSED PRODUCT.                    |
| PACKAGING    |  |

# SECTION 14. TRANSPORT INFORMATION

| AMMONIA SOLUTION |
|------------------|
| 2672             |
| 8                |
| III              |
| 3333 LBS         |
|                  |
| YES              |
| NO               |
|                  |
|                  |
|                  |
| AMMONIA SOLUTION |
| 2672             |
| 8                |
| III              |
| F-A, S-B         |
| YES              |
|                  |
|                  |
| AMMONIA SOLUTION |
| 2672             |
| 8                |
| III              |
|                  |

# SECTION 15. REGULATORY INFORMATION

| SARA 302 COMPONENTS | THIS MATERIAL DOES NOT CONTAIN ANY<br>COMPONENTS WITH A SECTION 302 EHS TPQ.   |
|---------------------|--|
| SARA 313 COMPONENTS | THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL<br>COMPONENTS WITH KNOWN CAS NUMBERS THAT<br>EXCEED THE THRESHOLD (DE MINIMIS) REPORTING<br>LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313. |

#### SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

#### MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO.

REVISION DATE 03-01-2007

# SECTION 16. OTHER INFORMATION

ACS reagent, 28.0 - 30.0% NH3

basis

Ammonium hydroxide solution 1336-21-6

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

| H290 | MAY BE CORROSIVE TO METALS.                      |
|------|--|
| H302 | HARMFUL IF SWALLOWED.                            |
| H314 | CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.         |
| H400 | VERY TOXIC TO AQUATIC LIFE.                      |
| H411 | TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. |

| MSDS LEGEND |  |
|-------------|--|
| MW:         | MOLECULAR WEIGHT                                 |
| MF:         | MOLECULAR FORMULA                                |
| VOC:        | VOLATILE ORGANIC COMPOUNDS                       |
| ACGIH:      | AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL |
|             | HYGINISTS  |
| CAS:        | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER        |
| OSHA:       | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION    |
| PEL:        | PERMISSIBLE EXPOSURE LIMIT (OSHA)                |
| TLV:        | THRESHOLD LIMIT VALUE (ACGIH)                    |
|             |  |

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION:3.1.

REVISION DATE: 01/27/2017