

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	01248
NAME:	Potassium dichromate
SYNONYMS:	Potassium bichromate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

OXIDIZING SOLIDS (CATEGORY 2), H272

ACUTE TOXICITY, ORAL (CATEGORY 3), H301

ACUTE TOXICITY, INHALATION (CATEGORY 2), H330

ACUTE TOXICITY, DERMAL (CATEGORY 4), H312

SKIN CORROSION (CATEGORY 1B), H314
 SERIOUS EYE DAMAGE (CATEGORY 1), H318
 RESPIRATORY SENSITISATION (CATEGORY 1), H334
 SKIN SENSITIZATION (CATEGORY 1), H317
 GERM CELL MUTAGENICITY (CATEGORY 1B), H340
 CARCINOGENICITY (CATEGORY 1B), H350
 REPRODUCTIVE TOXICITY (CATEGORY 1B), H360
 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335
 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE, INHALATION (CATEGORY 1), CARDIO-VASCULAR SYSTEM, H372
 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400
 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H272 MAY INTENSIFY FIRE; OXIDISER.
 H301 TOXIC IF SWALLOWED.
 H312 HARMFUL IN CONTACT WITH SKIN.
 H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
 H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
 H330 FATAL IF INHALED.
 H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.
 H335 MAY CAUSE RESPIRATORY IRRITATION.
 H340 MAY CAUSE GENETIC DEFECTS.
 H350 MAY CAUSE CANCER.
 H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
 H372 CAUSES DAMAGE TO ORGANS (CARDIO-VASCULAR SYSTEM) THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED.
 H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
 P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
 P210 KEEP AWAY FROM HEAT.
 P220 KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE MATERIALS.
 P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH COMBUSTIBLES.
 P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
 P264 WASH SKIN THOROUGHLY AFTER HANDLING.
 P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
 P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P284 WEAR RESPIRATORY PROTECTION.
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN. RINSE MOUTH.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P391 COLLECT SPILLAGE.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $K_2Cr_2O_7$
MW: 294.18
CAS-NO. 7778-50-9
PURITY: $\geq 99\%$ (Assay)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Potassium dichromate		

	OX. SOL. 2; ACUTE TOX. 3; ACUTE TOX. 2; ACUTE TOX. 4; SKIN CORR. 1B; EYE DAM. 1; RESP. SENS. 1; SKIN SENS. 1; MUTA. 1B; CARC. 1B; REPR. 1B; STOT SE 3; STOT RE 1; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360, H335, H372, H400, H410 CONCENTRATION LIMITS: >= 5 %: STOT SE 3, H335; M-FACTOR - AQUATIC ACUTE: 10 - AQUATIC CHRONIC: 1	<= 100 %
--	---	----------

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	FIRST AIDERS NEED TO PROTECT THEMSELVES. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. IMMEDIATELY CALL IN PHYSICIAN. IF BREATHING STOPS: IMMEDIATELY APPLY ARTIFICIAL RESPIRATION, IF NECESSARY ALSO OXYGEN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	IF SWALLOWED: GIVE WATER TO DRINK (TWO GLASSES AT MOST). SEEK MEDICAL ADVICE IMMEDIATELY. IN EXCEPTIONAL CASES ONLY, IF MEDICAL CARE IS NOT AVAILABLE WITHIN ONE HOUR, INDUCE VOMITING (ONLY IN PERSONS WHO ARE WIDE AWAKE AND FULLY CONSCIOUS), ADMINISTER ACTIVATED CHARCOAL (20 - 40 G IN A 10% SLURRY) AND CONSULT A DOCTOR AS QUICKLY AS POSSIBLE. DO NOT ATTEMPT TO NEUTRALISE.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA
USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

POTASSIUM OXIDES
CHROMIUM OXIDES
NOT COMBUSTIBLE.
HAS A FIRE-PROMOTING EFFECT DUE TO RELEASE OF OXYGEN.
AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION

PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES,

CONSULT AN EXPERT.
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS.
OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE
SECTIONS 7 AND 10). TAKE UP CAREFULLY. DISPOSE OF
PROPERLY. CLEAN UP AFFECTED AREA. AVOID
GENERATION OF DUSTS.

**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING**

WORK UNDER HOOD. DO NOT INHALE
SUBSTANCE/MIXTURE.
KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND
SOURCES OF IGNITION.
IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS
AND FACE AFTER WORKING WITH SUBSTANCE.
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE
STORAGE, INCLUDING
ANY INCOMPATIBILITIES**

TIGHTLY CLOSED. KEEP LOCKED UP OR IN AN AREA
ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED
PERSONS. DO NOT STORE NEAR COMBUSTIBLE
MATERIALS.

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO
OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS

Potassium dichromate	7778-50-9	CEIL	1MG/10M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-2
		TWA	0.0002 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	DERMAL SENSITIZATION RESPIRATORY SENSITIZATION CONFIRMED HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION		
		STEL	0.0005 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		DERMAL SENSITIZATION RESPIRATORY SENSITIZATION CONFIRMED HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION		
		PEL	0.005 MG/M3	OSHA SPECIFICALLY REGULATED CHEMICALS/CARCINOGENS
		OSHA SPECIFICALLY REGULATED CARCINOGEN		
		TWA	0.0002 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		POTENTIAL OCCUPATIONAL CARCINOGEN		
		PEL	0.005 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		C	0.1 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS	VALUE	BIOLOGICAL SPECIMEN	BASIS
Potassium dichromate	7778-50-9	TOTAL CHROMIUM	25 MG/L	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	END OF SHIFT AT END OF WORKWEEK			
		TOTAL CHROMIUM	10 MG/L	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
		INCREASE DURING SHIFT			

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY FITTING SAFETY GOGGLES
SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	PROTECTIVE CLOTHING
RESPIRATORY PROTECTION	REQUIRED WHEN DUSTS ARE GENERATED. OUR RECOMMENDATIONS ON FILTERING RESPIRATORY PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER ACCOMPANYING STANDARDS RELATING TO THE USED RESPIRATORY PROTECTION SYSTEM.
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Orange red solid
ODOUR	ODORLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	3.5 - 5.0 AT 29.4 G/L AT 25 C
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	500 °C (dec.)
FLASH POINT	
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	CA.29.4 G/L AT 20 C

PARTITION COEFFICIENT: N- OCTANOL/WATER	NOT APPLICABLE FOR INORGANIC SUBSTANCES
AUTO-IGNITION TEMPERATURE	DOES NOT IGNITE
DECOMPOSITION TEMPERATURE	CA.500 C
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS OXIDIZING WITH THE CATEGORY 2.

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	RISK OF EXPLOSION WITH: IRON MAGNESIUM HYDRAZINE AND DERIVATIVES HYDROXYLAMINE AMMONIUM NITRATE BORON ACETIC ANHYDRIDE OXIDISABLE SUBSTANCES REDUCING AGENTS SULFURIC ACID SILICON EXOTHERMIC REACTION WITH: ANHYDRIDES PHOSPHIDES SULFIDES NITRIDES FLUORINE RISK OF IGNITION OR FORMATION OF INFLAMMABLE GASES OR VAPOURS WITH: ORGANIC COMBUSTIBLE SUBSTANCES GLYCEROL POWDERED METALS HYDRIDES ALKALI COMPOUNDS ACETONE WITH SULFURIC ACID GENERATES DANGEROUS GASES OR FUMES IN CONTACT WITH: HYDROCHLORIC ACID

CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	NO DATA AVAILABLE
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - FEMALE - 90.5 MG/KG (OECD TEST GUIDELINE 401)
	LC50 INHALATION - RAT - FEMALE - 4 H - 0.083 MG/L (OECD TEST GUIDELINE 403)
	ACUTE TOXICITY ESTIMATE DERMAL - EXPERT JUDGMENT - 1,100 MG/KG
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: CAUSES BURNS. - 4 H (OECD TEST GUIDELINE 404)
SERIOUS EYE DAMAGE/EYE IRRITATION	CAUSES SERIOUS EYE DAMAGE.
RESPIRATORY OR SKIN SENSITISATION	PATCH TEST: - HUMAN RESULT: POSITIVE REMARKS: (IUCLID)
GERM CELL MUTAGENICITY	MAY CAUSE GENETIC DEFECTS.
CARCINOGENICITY	
	PRESUMED TO HAVE CARCINOGENIC POTENTIAL FOR HUMANS
IARC:	1 - GROUP 1: CARCINOGENIC TO HUMANS
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY	MAY DAMAGE THE UNBORN CHILD. MAY DAMAGE FERTILITY.
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	INHALATION - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. CARDIO - VASCULAR SYSTEM
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: HX7680000 ULCERATION, MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	LC50 - DANIO RERIO (ZEBRA FISH) - 58.5 MG/L - 96 H REMARKS: (ECHA)
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.035 MG/L - 48 H REMARKS: (ECHA)
TOXICITY TO ALGAE	STATIC TEST ERC50 - SELENASTRUM CAPRICORNUTUM (GREEN ALGAE) - 0.233 MG/L - 72 H REMARKS: (ECHA)
TOXICITY TO BACTERIA	IC50 - ACTIVATED SLUDGE - 30 MG/L - 3 H REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS) (ECHA)
PERSISTENCE AND DEGRADABILITY	THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.

BIOACCUMULATIVE POTENTIAL

BIOACCUMULATION	ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 180 D - 200 MG/L BIOCONCENTRATION FACTOR (BCF): 17.4
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOCAL REGULATIONS. LEAVE CHEMICALS IN ORIGINAL CONTAINERS. NO MIXING WITH OTHER WASTE.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME:	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate)
UN NUMBER:	3086
CLASS:	6.1 (5.1)
PACKING GROUP:	II
REPORTABLE QUANTITY (RQ):	10 LBS
POISON INHALATION HAZARD:	NO

IMDG

PROPER SHIPPING NAME:	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate)
UN NUMBER:	3086
CLASS:	6.1 (5.1)
PACKING GROUP:	II
EMS-NO:	F-A, S-Q
MARINE POLLUTANT :	YES

IATA

PROPER SHIPPING NAME:	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate)
-----------------------	--

UN NUMBER: 3086
CLASS: 6.1 (5.1)
PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Potassium dichromate	7778-50-9	02-16-1993

SARA 311/312 HAZARDS REACTIVITY HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H272	MAY INTENSIFY FIRE; OXIDISER.
H301	TOXIC IF SWALLOWED.
H312	HARMFUL IN CONTACT WITH SKIN.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H330	FATAL IF INHALED.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H340	MAY CAUSE GENETIC DEFECTS.
H350	MAY CAUSE CANCER.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H372	CAUSES DAMAGE TO ORGANS (CARDIO-VASCULAR SYSTEM) THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL
HYGINISTS
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION : 3.2

REVISION DATE : 02/08/2022