# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	02068
NAME:	Copper(II) acetate monohydrate
SYNONYMS:	Cupric acetate monohydrate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

SIGNAL WORD	DANGER	
HAZARD STATEMENT(S)		
H302	HARMFUL IF SWALLOWED.	
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	
H318	CAUSES SERIOUS EYE DAMAGE.	
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING	
	EFFECTS.	
PRECAUTIONARY STAT		
P260	DO NOT BREATHE DUST OR MIST.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS	
	PRODUCT.	
P273	AVOID RELEASE TO THE ENVIRONMENT.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE	
	PROTECTION/ FACE PROTECTION.	
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/	
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY	
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/	
	SHOWER.	
P304 + P340 + P310	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT	
	REST IN A POSITION COMFORTABLE FOR BREATHING.	
	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/	
	PHYSICIAN.	
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND	
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A	
	POISON CENTER OR DOCTOR/ PHYSICIAN.	
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.	
P391	COLLECT SPILLAGE.	
P405	STORE LOCKED UP.	
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED	
	WASTE DISPOSAL PLANT.	
HAZARDS NOT	NONE	
OTHERWISE		

OTHERWISE CLASSIFIED (HNOC) **OR NOT COVERED** BY GHS

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MW: 199.70

CAS-NO. 6046-93-1

PURITY:  $\geq$  99% (Titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
COPPER DI(ACETATE	)	
	ACUTE TOX. 4; SKIN CORR.	<= 100%
	1B; EYE DAM. 1; AQUATIC	
	ACUTE 1; AQUATIC CHRONIC	
	1; H302, H314, H318, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**INDICATION OF ANY** NO DATA AVAILABLE **IMMEDIATE MEDICAL** ATTENTION AND SPECIAL TREATMENT NEEDED

#### SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, COPPER OXIDES
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE.
ANY INCOMPATIBILITIES	STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE,
	CORROSIVE HAZARDOUS MATERIALS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

COMPANY ALS NO WE USE CONTROL DATE OF				
COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
COPPER	6046-93-1	TWA	1.000000 MG/M3	USA. NIOSH
DI(ACETATE)				RECOMMENDED
				EXPOSURE
				LIMITS
		TWA	1.000000 MG/M3	USA. NIOSH
				RECOMMENDED
				EXPOSURE
				LIMITS
		TWA	1 MG/M3	USA. NIOSH
				RECOMMENDED
				EXPOSURE
				LIMITS

# COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY<br/>HANDS.

FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYINGPROTECTIONRESPIRATORS ARE APPROPRIATE USE A FULL-FACE<br/>PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN<br/>143) RESPIRATOR CARTRIDGES AS A BACKUP TO<br/>ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE<br/>SOLE MEANS OF PROTECTION, USE A FULL-FACE<br/>SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND<br/>COMPONENTS TESTED AND APPROVED UNDER<br/>APPROPRIATE GOVERNMENT STANDARDS SUCH AS<br/>NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES				
APPEARANCE	Blue-green or dark green solid			
ODOUR	ODOURLESS			
ODOUR THRESHOLD	NO DATA AVAILABLE			
PH	5.2 - 5.5 AT 20 G/L AT 20 C			
MELTING				
POINT/FREEZING POINT				
INITIAL BOILING POINT				
AND BOILING RANGE				
FLASH POINT				
EVAPORATION RATE	NO DATA AVAILABLE			
FLAMMABILITY (SOLID,	NO DATA AVAILABLE			
GAS)				
UPPER/LOWER	NO DATA AVAILABLE			
FLAMMABILITY OR				
EXPLOSIVE LIMITS				
VAPOUR PRESSURE	NO DATA AVAILABLE			
VAPOUR DENSITY	NO DATA AVAILABLE			
RELATIVE DENSITY	1.88			
WATER SOLUBILITY	70 G/L AT 20 C - SOLUBLE			
PARTITION COEFFICIENT:	NO DATA AVAILABLE			
N- OCTANOL/WATER				
AUTO-IGNITION	NO DATA AVAILABLE			
TEMPERATURE				
DECOMPOSITION	NO DATA AVAILABLE			
TEMPERATURE				
VISCOSITY	NO DATA AVAILABLE			
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE			
OXIDIZING PROPERTIES	NO DATA AVAILABLE			
<b>OTHER SAFETY INFORM</b>	ATION			

OTHER SAFETY INFORMATION BULK DENSITY 1,000 KG/M3

#### SECTION 10. STABILITY AND REACTIVITY

#### REACTIVITY

#### NO DATA AVAILABLE

**CHEMICAL STABILITY** STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - > 300 - < 2,000 MG/KG (FIXED DOSE METHOD) INHALATION: NO DATA AVAILABLE LD50 DERMAL - RAT - > 2,000 MG/KG (OECD TEST GUIDELINE 402)
SKIN CORROSION/IRRITATION	SKIN - EPISKIN HUMAN SKIN MODEL TEST RESULT: CAUSES BURNS. (OECD TEST GUIDELINE 431)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: RISK OF SERIOUS DAMAGE TO EYES. (OECD TEST GUIDELINE 405)
RESPIRATORY OR SKIN SENSITISATION	MAXIMISATION TEST (GPMT) - GUINEA PIG DOES NOT CAUSE SKIN SENSITISATION. (OECD TEST GUIDELINE 406) REMARKS: NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC: ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NTP: OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: AG350000 SYMPTOMS OF SYSTEMIC COPPER POISONING MAY INCLUDE: CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, AND KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS SYSTEM EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, PARALYSIS, AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN DAMAGE AND DEMYELINATION, KIDNEY DEFECTS, AND COPPER DEPOSITION IN THE CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON''S DISEASE. IT HAS ALSO BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND ACCELERATES ARTERIOSCLEROSIS., COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING, GASTROINTESTINAL DISTURBANCE, BLOOD DISORDERS, LIVER INJURY MAY OCCUR., DAMAGE TO THE LUNGS. STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

# SECTION 12. ECOLOGICAL INFORMATION

TOXICITY TOXICITY TO FISH	LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW) - 0.39 MG/L - 96.0 H
PERSISTENCE AND DEGRADABILITY	THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS<br/>TO A LICENSED DISPOSAL COMPANY. CONTACT A<br/>LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE<br/>TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE<br/>MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN<br/>IN A CHEMICAL INCINERATOR EQUIPPED WITH AN<br/>AFTERBURNER AND SCRUBBER.

CONTAMINATED DISPOSE OF AS UNUSED PRODUCT. PACKAGING

### SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CORROSIVE SOLIDS, N.O.S.(Copper(II) acetate
	monohydrate)
UN NUMBER:	1759
CLASS:	8
PACKING GROUP:	II

REPORTABLE QUANTITY (RQ): POISON INHALATION HAZARD:	100 LBS NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO: MARINE POLLUTANT:	CORROSIVE SOLID, N.O.S.(Copper(II) acetate monohydrate) 1759 8 II F-A, S-B YES
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	CORROSIVE SOLID, N.O.S.(Copper(II) acetate monohydrate) 1759 8 II

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.	
SARA 313 COMPONENTS	THE FOLLOWING COMPONENTS ARE SUBJECT TO	
		BLISHED BY SARA TITLE III,
	SECTION 313:	DEVICION DATE
	CAS-NO.	REVISION DATE
Copper(II) acetate monohydrate	6046-93-1	4/24/1993
SARA 311/312 HAZARDS	ACUTE HEALTH HAZARD,	CHRONIC HEALTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Copper(II) acetate monohydrate	6046-93-1	4/24/1993
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Copper(II) acetate monohydrate	6046-93-1	4/24/1993
NEW JERSEY RIGHT TO KN	IOW COMPONENTS	
	CAS-NO.	REVISION DATE
Copper(II) acetate monohydrate	6046-93-1	4/24/1993
CALIFORNIA PROP. 65 COMPONENTS		CONTAIN ANY CHEMICALS FORNIA TO CAUSE CANCER, THER REPRODUCTIVE

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
EYE DAM.	SERIOUS EYE DAMAGE
H302	HARMFUL IF SWALLOWED.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H318	CAUSES SERIOUS EYE DAMAGE.
H400	VERY TOXIC TO AQUATIC LIFE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

#### HMIS RATING

HEALTH HAZARD:	3
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0

#### NFPA RATING

HEALTH HAZARD:	3
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

#### THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.