# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 02316

NAME: Heptafluorobutyric acid

SYNONYMS: HFBA

Perfluorobutyric acid

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION (CATEGORY 1A), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

**HAZARD STATEMENT(S)** 

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE

VOMITING.

P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY

ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER.

P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A

POISON CENTER/DOCTOR.

P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

P310 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER/DOCTOR.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_4HF_7O_2$ 

MW: 214.04

CAS-NO. 375-22-4

PURITY:  $\geq 99\%$  (GC)

COMPONENT	CLASSIFICATION	CONCENTRATION

Heptafluorobutyric acid		
	SKIN CORR. 1A; EYE DAM. 1;	<= 100 %
	H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

### SECTION 4. FIRST-AID MEASURES

### **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS MATERIAL SAFETY

DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE

OUT OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

TAKE OFF CONTAMINATED CLOTHING AND SHOES

IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. CONSULT A PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

CONTINUE RINSING EYES DURING TRANSPORT TO

HOSPITAL.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE

MOUTH WITH WATER. CONSULT A PHYSICIAN.

**MOST IMPORTANT** 

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND

SPECIAL TREATMENT

**NEEDED** 

NO DATA AVAILABLE

### SECTION 5. FIRE AND EXPLOSION DATA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE

CARBON OXIDES, HYDROGEN FLUORIDE

ADVICE FOR WEAR SELF CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

### SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL**USE PERSONAL PROTECTIVE EQUIPMENT. AVOID**PRECAUTIONS,**BREATHING VAPOURS, MIST OR GAS. ENSURE

PROTECTIVE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO

**EQUIPMENT AND** SAFE AREAS.

**EMERGENCY** FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

**PROCEDURES** 

DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP SOAK UP WITH INERT ABSORBENT MATERIAL AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

### SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE** AVOID INHALATION OF VAPOUR OR MIST. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

HYGROSCOPIC LIGHT SENSITIVE. STORE UNDER

INERT GAS. STENCH.

Store at RT

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### CONTROL PARAMETERS

### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS

### **EXPOSURE CONTROLS**

APPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIALENGINEERINGHYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

**CONTROLS** BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE** TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-PROTECTION INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION

TESTED AND APPROVED UNDER APPROPRIATE

GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN

166(EU).

### **SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)

SPLASH CONTACT

MATERIAL: FLUORINATED RUBBER
MINIMUM LAYER THICKNESS: 0.7 MM
BREAK THROUGH TIME: 240 MIN
MATERIAL TESTED: VITOLECT (VCL 800 S

MATERIAL TESTED: VITOJECT (KCL 890, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

### **BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT PROTECTIVE CLOTHING, AND THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE AXBEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Almost colorless clear liquid
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE

PH 1 MELTING -20 °C

POINT/FREEZING POINT

INITIAL BOILING POINT 120 °C (Lit.)

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE 13 HPA AT 25 C VAPOUR DENSITY 7.39 - (AIR = 1.0)

RELATIVE DENSITY 1.66

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

# OTHER SAFETY INFORMATION

RELATIVE VAPOUR 7.39 - (AIR = 1.0)

DENSITY

### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF NO DATA AVAILABLE HAZARDOUS

CONDITIONS TO AVOID

REACTIONS

NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

BASES, OXIDIZING AGENTS, REDUCING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES,

HYDROGEN FLUORIDE

OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

### SECTION 11. TOXICOLOGICAL INFORMATION

### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

LD50 INTRAPERITONEAL - MOUSE - 112 MG/KG

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO

SENSITISATION

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

**CARCINOGENICITY** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: ET4025000

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA

### SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

**POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT  $PBT/VPVB \ ASSESSMENT \ NOT \ AVAILABLE \ AS$ 

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

> TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

**CONTAMINATED PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

#### **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(Heptafluorobutyric acid)

UN NUMBER: 3265 CLASS: 8 PACKING GROUP: Ι

REPORTABLE QUANTITY (RO):

POISON INHALATION NO

HAZARD:

**IMDG** 

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. PROPER SHIPPING NAME:

(Heptafluorobutyric acid)

3265 UN NUMBER: 8 CLASS: PACKING GROUP:

F-A, S-B EMS-NO:

**IATA** 

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. PROPER SHIPPING NAME:

(Heptafluorobutyric acid)

3265 UN NUMBER: 8 CLASS: PACKING GROUP: Ι

#### **SECTION 15.** REGULATORY INFORMATION

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION

313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

### MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Heptafluorobutyric acid 375-22-4

# NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Heptafluorobutyric acid 375-22-4

# **CALIFORNIA PROP. 65 COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

# **SECTION 16. OTHER INFORMATION**

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.