Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 07373

NAME: Lead(IV) acetate

(Stabilized with 5-10% Acetic acid)

SYNONYMS: Lead(IV) tetraacetate

Pb(Acac)₄

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 REPRODUCTIVE TOXICITY (CATEGORY 1A), H360 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE

BEEN READ AND UNDERSTOOD.

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.

P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON CENTER

OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/

ATTENTION.

P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_8H_{12}O_8Pb$

MW: 443.4

CAS-NO. 546-67-8

PURITY: $\geq 90\%$ (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Lead(IV) acetate		
(Stabilized with 5-10%	Acetic acid)	
	ACUTE TOX. 4; REPR. 1A;	<= 100 %
	STOT RE 2; AQUATIC ACUT	E 1;
	AQUATIC CHRONIC 1; H302	, +
	H332, H360, H373, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

CONTACT

AND DELAYED

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

CONTACT CONSULT A PHYSICIAN.

IN CASE OF EYE FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT
THE MOST IMPORTANT KNOWN SYMPTOMS AND
SYMPTOMS AND
EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

EFFECTS, BOTH ACUTE SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY NO DATA AVAILABLE IMMEDIATE MEDICAL

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, LEAD OXIDES

ARISING FROM THE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOIDPRECAUTIONS,DUST FORMATION. AVOID BREATHING VAPOURS, MIST

PROTECTIVE OR GAS. ENSURE ADEQUATE VENTILATION. **EQUIPMENT AND** EVACUATE PERSONNEL TO SAFE AREAS. AVOID

EMERGENCY BREATHING DUST.

PROCEDURES FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND PICK UP AND ARRANGE DISPOSAL WITHOUT

MATERIALS FORCREATING DUST. SWEEP UP AND SHOVEL. KEEP INCONTAINMENT ANDSUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

CLEANING UP

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13.

SECTIONS

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS

SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

RECOMMENDED STORAGE TEMPERATURE 2 - 8 C STORE UNDER INERT GAS. AIR AND MOISTURE

SENSITIVE.

STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC

EFFECTS

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS		
			PARAMETERS			
LEAD	546-67-8	TWA	0.050000 MG/M3	USA. ACGIH		
TETRAACETATE				THRESHOLD		
				LIMIT VALUES		
				(TLV)		
	REMARKS	CENTRAL NERVOUS SYSTEM IMPAIRMENT				
		HEMATOLOGIC EFFECTS				
		PERIPHERAL NERVOUS SYSTEM IMPAIRMENT				
		SUBSTANCES FOR WHICH THERE IS A				
		BIOLOGICAL EXPOSURE INDEX OR INDICES				
		(SEE BEI SECTION)				
		CONFIRMED ANIMAL CARCINOGEN WITH				
		UNKNOWN RELEVANCE TO HUMANS VARIES				
		TWA	0.050000 MG/M3	USA. NIOSH		
				RECOMMENDED		
				EXPOSURE		
				LIMITS		
		SEE APPENDIX C				

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White to almost white crystalline powder turns blackish on

exposure to air.

ODOUR NO DATA AVAILABLE

ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

MELTING 175 °C (Lit.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE
VAPOUR DENSITY
RELATIVE DENSITY
WATER SOLUBILITY
PARTITION COEFFICIENT:
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID AIR AVOID MOISTURE.

INCOMPATIBLE ALCOHOLS, STRONG ACIDS, STRONG REDUCING

MATERIALS AGENTS

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION AVAILABLE

PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN SENSITISATION

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE **MUTAGENICITY**

CARCINOGENICITY FOUND POSITIVE FOR CARCINOGENICITY IN EPA

GENETOX PROGRAM.

IARC: 2A - GROUP 2A: PROBABLY CARCINOGENIC TO

HUMANS (LEAD TETRAACETATE)

NTP: REASONABLY ANTICIPATED TO BE A HUMAN

CARCINOGENTHE REFERENCE NOTE HAS BEEN ADDED BY TD BASED ON THE BACKGROUND

OSHA: INFORMATION OF THE NTP. (LEAD TETRAACETATE)
NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY MAY CAUSE CONGENITAL MALFORMATION IN THE

FETUS. KNOWN HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: AI5300000

LEAD SALTS HAVE BEEN REPORTED TO CROSS THE PLACENTA AND TO INDUCE EMBRYO- AND FETO-MORTALITY. THEY ALSO HAVE TERATOGENIC EFFECT IN SOME ANIMAL SPECIES. NO TERATOGENIC EFFECTS HAVE BEEN REPORTED WITH EXPOSURE TO ORGANOMETALLIC LEAD COMPOUNDS. ADVERSE EFFECTS OF LEAD ON HUMAN REPRODUCTION, EMBRYONIC AND FETAL DEVELOPMENT, AND POSTNATAL (E.G., MENTAL) DEVELOPMENT HAVE BEEN REPORTED. EXCESSIVE EXPOSURE CAN AFFECT BLOOD, NERVOUS, AND DIGESTIVE SYSTEMS. THE SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND RESULTS IN ANEMIA. IF LEFT UNTREATED, NEUROMUSCULAR DYSFUNCTION, POSSIBLE PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. ADDITIONAL SYMPTOMS OF OVEREXPOSURE INCLUDE: JOINT AND MUSCLE PAIN, WEAKNESS OF THE EXTENSOR MUSCLES (FREQUENTLY THE HAND AND WRIST), HEADACHE, DIZZINESS, ABDOMINAL PAIN, DIARRHEA, CONSTIPATION, NAUSEA, VOMITING, BLUE LINE ON THE GUMS, INSOMNIA, AND METALLIC TASTE. HIGH BODY LEVELS PRODUCE INCREASED CEREBROSPINAL PRESSURE, BRAIN DAMAGE, AND STUPOR LEADING TO COMA AND OFTEN DEATH., TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC

LIFE WITH LONG LASTING EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: LEAD ACETATE

UN NUMBER: 1616 CLASS: 6.1 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: LEAD ACETATE

UN NUMBER: 1616
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: LEAD ACETATE

UN NUMBER: 1616 CLASS: 6.1 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III.

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Lead(IV) acetate 546-67-8 4/24/1993

(Stabilized with 5-10% Acetic

acid)

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE REVISION DATE

Lead(IV) acetate 546-67-8 4/24/1993

(Stabilized with 5-10% Acetic

acid)

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE REVISION DATE

Lead(IV) acetate 546-67-8 4/24/1993

(Stabilized with 5-10% Acetic

acid)

CALIFORNIA PROP. 65

COMPONENTS KNOWN TO THE ST.

WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

CANCER.

CAS-NO. REVISION DATE REVISION DATE

Lead(IV) acetate 546-67-8 9/28/2007

(Stabilized with 5-10% Acetic

acid)

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY

AQUATIC ACUTE ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY
H302 HARMFUL IF SWALLOWED.

H302 + H332 HARMFUL IF SWALLOWED OR IF INHALED

H332 HARMFUL IF INHALED.

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD. H373 MAY CAUSE DAMAGE TO ORGANS THROUGH

PROLONGED OR REPEATED EXPOSURE.

H400 VERY TOXIC TO AQUATIC LIFE.

HMIS RATING

HEALTH HAZARD: 2 CHRONIC HEALTH *

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 0

NFPA RATING

HEALTH HAZARD: 2 FIRE HAZARD: 0 REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.