

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112

E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)

**Shipping and Correspondence:**

935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: [www.chemimpex.com](http://www.chemimpex.com)

**Manufacturing site:**

825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #: 24615

NAME: Nickel(II) nitrate hexahydrate

SYNONYMS:

24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)  
352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

OXIDIZING SOLIDS (CATEGORY 2), H272  
ACUTE TOXICITY, ORAL (CATEGORY 4), H302  
ACUTE TOXICITY, INHALATION (CATEGORY 4), H332  
SKIN IRRITATION (CATEGORY 2), H315  
SERIOUS EYE DAMAGE (CATEGORY 1), H318  
RESPIRATORY SENSITISATION (CATEGORY 1), H334

SKIN SENSITISATION (CATEGORY 1), H317  
GERM CELL MUTAGENICITY (CATEGORY 2), H341  
CARCINOGENICITY (CATEGORY 1A), H350  
REPRODUCTIVE TOXICITY (CATEGORY 1B), H360  
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE, INHALATION (CATEGORY 1), H372  
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400  
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS**

PICTOGRAM



SIGNAL WORD

DANGER

HAZARD STATEMENT(S)

|             |  |
|-------------|--|
| H272        | MAY INTENSIFY FIRE; OXIDIZER.  |
| H302 + H332 | HARMFUL IF SWALLOWED OR IF INHALED   |
| H315        | CAUSES SKIN IRRITATION.  |
| H317        | MAY CAUSE AN ALLERGIC SKIN REACTION.                                       |
| H318        | CAUSES SERIOUS EYE DAMAGE.   |
| H334        | MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. |
| H341        | SUSPECTED OF CAUSING GENETIC DEFECTS.                                      |
| H350        | MAY CAUSE CANCER.  |
| H360        | MAY DAMAGE FERTILITY OR THE UNBORN CHILD.                                  |
| H372        | CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED. |
| H410        | VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.                      |

PRECAUTIONARY STATEMENT(S)

|      |   |
|------|---|
| P201 | OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.                                       |
| P202 | DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.     |
| P210 | KEEP AWAY FROM HEAT.  |
| P220 | KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE MATERIALS.                         |
| P221 | TAKE ANY PRECAUTION TO AVOID MIXING WITH COMBUSTIBLES.                        |
| P260 | DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.                         |
| P264 | WASH SKIN THOROUGHLY AFTER HANDLING.  |
| P270 | DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.                           |
| P271 | USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.                               |
| P272 | CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.        |
| P273 | AVOID RELEASE TO THE ENVIRONMENT.   |
| P280 | WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION. |
| P285 | IN CASE OF INADEQUATE VENTILATION WEAR RESPIRATORY PROTECTION.                |

P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.

P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.

P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.

P391 COLLECT SPILLAGE.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:  $2\text{NO}_3 \cdot \text{Ni} \cdot 6\text{H}_2\text{O}$

MW: 290.79

CAS-NO. 13478-00-7

PURITY:  $\geq 98\%$  (Titration)

#### HAZARDOUS COMPONENTS

| COMPONENT                      | CLASSIFICATION   | CONCENTRATION |
|--------------------------------|--|---------------|
| Nickel(II) nitrate hexahydrate | OX. SOL. 2; ACUTE TOX. 4; SKIN IRRIT. 2; EYE DAM. 1; RESP. SENS. 1; SKIN SENS. 1; MUTA. 2; CARC. 1A; REPR. 1B; STOT RE 1; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H272, H302, H332, H315, H318, H334, H317, H341, H350, H360, H372, H400, H410 | $\leq 100\%$  |

|  |  |  |
|--|--|--|
|  | CONCENTRATION LIMITS: $\geq$ 1 %: STOT RE 1, H372; 0.1 - < 1 %: STOT RE 2, H373; $\geq$ 20 %: SKIN IRRIT. 2, H315; $\geq$ 0.01 %: SKIN SENS. 1, H317<br><br>M-FACTOR - AQUATIC ACUTE: 10 - AQUATIC CHRONIC: 10 |  |
|--|--|--|

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

## SECTION 4. FIRST-AID MEASURES

---

### DESCRIPTION OF FIRST AID MEASURES

|   |  |
|---|--|
| <b>GENERAL ADVICE</b>   | FIRST AIDER NEEDS TO PROTECT HIMSELF. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.                      |
| <b>IF INHALED</b>   | AFTER INHALATION: FRESH AIR. CALL IN PHYSICIAN.  |
| <b>IN CASE OF SKIN CONTACT</b>  | IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CONSULT A PHYSICIAN. |
| <b>IN CASE OF EYE CONTACT</b>   | AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.               |
| <b>IF SWALLOWED</b>   | AFTER SWALLOWING: IMMEDIATELY MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN.                            |
| <b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>                | THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.         |
| <b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b> | NO DATA AVAILABLE  |

---

## SECTION 5. FIRE AND EXPLOSION DATA

---

**EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA  
USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE  
TO LOCAL CIRCUMSTANCES AND THE SURROUNDING  
ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA  
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF  
EXTINGUISHING AGENTS ARE GIVEN.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE**

NICKEL/NICKEL OXIDES  
NOT COMBUSTIBLE.  
HAS A FIRE-PROMOTING EFFECT DUE TO RELEASE OF  
OXYGEN.  
AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

**ADVICE FOR  
FIREFIGHTERS**

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED  
BREATHING APPARATUS. PREVENT SKIN CONTACT BY  
KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE  
PROTECTIVE CLOTHING.

**FURTHER INFORMATION**

SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS WITH A  
WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER  
FROM CONTAMINATING SURFACE WATER OR THE  
GROUND WATER SYSTEM.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE EQUIPMENT  
AND EMERGENCY  
PROCEDURES**

ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID  
GENERATION AND INHALATION OF DUSTS IN ALL  
CIRCUMSTANCES. AVOID SUBSTANCE CONTACT. ENSURE  
ADEQUATE VENTILATION. EVACUATE THE DANGER AREA,  
OBSERVE EMERGENCY PROCEDURES, CONSULT AN  
EXPERT.

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS.  
OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE  
SECTIONS 7 AND 10). TAKE UP CAREFULLY. DISPOSE OF  
PROPERLY. CLEAN UP AFFECTED AREA. AVOID  
GENERATION OF DUSTS.

**REFERENCE TO OTHER  
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

## SECTION 7. HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING** WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES** KEEP LOCKED UP OR IN AN AREA ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED PERSONS. DO NOT STORE NEAR COMBUSTIBLE MATERIALS. HYGROSCOPIC.

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

| COMPONENT                      | CAS-NO.    | VALUE   | CONTROL PARAMETERS | BASIS  |
|--------------------------------|------------|---|--------------------|--|
| Nickel(II) nitrate hexahydrate | 13478-00-7 | TWA   | 1 MG/M3            | USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS |
|                                |            | TWA   | 0.1 MG/M3          | USA. ACGIH THRESHOLD LIMIT VALUES (TLV)  |
|                                | REMARKS    | LUNG DAMAGE<br>NASAL CANCER<br>NOT CLASSIFIABLE AS A HUMAN CARCINOGEN<br>VARIES |                    |  |
|                                |            | TWA   | 0.015 MG/M3        | USA. NIOSH RECOMMENDED EXPOSURE LIMITS   |
|                                |            | POTENTIAL OCCUPATIONAL CARCINOGEN<br>SEE APPENDIX A                             |                    |  |
|                                |            | PEL   | 0.05 MG/M3         | CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS                 |

## **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING CONTROLS IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

## **PERSONAL PROTECTIVE EQUIPMENT**

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION PROTECTIVE CLOTHING

RESPIRATORY PROTECTION REQUIRED WHEN DUSTS ARE GENERATED. OUR RECOMMENDATIONS ON FILTERING RESPIRATORY PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER ACCOMPANYING STANDARDS RELATING TO THE USED RESPIRATORY PROTECTION SYSTEM.

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

|   |                          |
|---|--------------------------|
| APPEARANCE                              | Green crystalline powder |
| ODOUR                                   | NO DATA AVAILABLE        |
| ODOUR THRESHOLD                         | NO DATA AVAILABLE        |
| PH                                      | NO DATA AVAILABLE        |
| MELTING POINT/FREEZING POINT            | 56 °C                    |
| INITIAL BOILING POINT AND BOILING RANGE |                          |
| FLASH POINT                             |                          |
| EVAPOURATION RATE                       | NO DATA AVAILABLE        |
| FLAMMABILITY (SOLID, GAS)               | NO DATA AVAILABLE        |

|  |   |
|--|---|
| UPPER/LOWER<br>FLAMMABILITY OR<br>EXPLOSIVE LIMITS | NO DATA AVAILABLE   |
| VAPOUR PRESSURE                                    | NO DATA AVAILABLE   |
| VAPOUR DENSITY                                     | NO DATA AVAILABLE   |
| RELATIVE DENSITY                                   | 2.05 g/mL at 25 °C  |
| WATER SOLUBILITY                                   | NO DATA AVAILABLE   |
| PARTITION COEFFICIENT:<br>N- OCTANOL/WATER         | NO DATA AVAILABLE   |
| AUTO-IGNITION<br>TEMPERATURE                       | NO DATA AVAILABLE   |
| DECOMPOSITION<br>TEMPERATURE                       | NO DATA AVAILABLE   |
| VISCOSITY  | NO DATA AVAILABLE   |
| EXPLOSIVE PROPERTIES                               | NO DATA AVAILABLE   |
| OXIDIZING PROPERTIES                               | THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS OXIDIZING<br>WITH THE CATEGORY 2. |
| <b>OTHER SAFETY<br/>INFORMATION</b>                | NO DATA AVAILABLE   |

---

## **SECTION 10. STABILITY AND REACTIVITY**

---

|   |   |
|---|---|
| <b>REACTIVITY</b>                               | NO DATA AVAILABLE   |
| <b>CHEMICAL STABILITY</b>                       | THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD<br>AMBIENT CONDITIONS   |
| <b>POSSIBILITY OF<br/>HAZARDOUS REACTIONS</b>   | NO DATA AVAILABLE   |
| <b>CONDITIONS TO AVOID</b>                      | NO DATA AVAILABLE   |
| <b>INCOMPATIBLE<br/>MATERIALS</b>               | ORGANIC MATERIALS, POWDERED METALS, STRONG<br>REDUCING AGENTS, ACIDS  |
| <b>HAZARDOUS<br/>DECOMPOSITION<br/>PRODUCTS</b> | HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER<br>FIRE CONDITIONS. - NICKEL/NICKEL OXIDES<br>OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE<br>IN THE EVENT OF FIRE: SEE SECTION 5 |

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

---

### **INFORMATION ON TOXICOLOGICAL EFFECTS**



|   |   |
|---|---|
| <b>ACUTE TOXICITY</b>   | LD50 ORAL - RAT - 1,620 MG/KG<br><br>INHALATION: NO DATA AVAILABLE<br><br>DERMAL: NO DATA AVAILABLE<br><br>NO DATA AVAILABLE  |
| <b>SKIN<br/>CORROSION/IRRITATION</b>                                      | NO DATA AVAILABLE   |
| <b>SERIOUS EYE<br/>DAMAGE/EYE IRRITATION</b>                              | NO DATA AVAILABLE   |
| <b>RESPIRATORY OR SKIN<br/>SENSITISATION</b>                              | NO DATA AVAILABLE   |
| <b>GERM CELL<br/>MUTAGENICITY</b>   | IN VITRO TESTS SHOWED MUTAGENIC EFFECTS WHICH WERE NOT OBSERVED WITH IN VIVO TEST.  |
| <b>CARCINOGENICITY</b><br>HUMAN CARCINOGEN.<br>IARC:<br>NTP:<br><br>OSHA: | 1 - GROUP 1: CARCINOGENIC TO HUMANS<br>NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.<br>NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS. |
| <b>REPRODUCTIVE TOXICITY</b>  | PRESUMED HUMAN REPRODUCTIVE TOXICANT  |
| <b>SPECIFIC TARGET ORGAN<br/>TOXICITY - SINGLE<br/>EXPOSURE</b>           | NO DATA AVAILABLE   |
| <b>SPECIFIC TARGET ORGAN<br/>TOXICITY - REPEATED<br/>EXPOSURE</b>         | INHALATION - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.  |
| <b>ASPIRATION HAZARD</b>  | NO DATA AVAILABLE   |
| <b>ADDITIONAL<br/>INFORMATION</b>   | RTECS: QR7300000<br><br>TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.<br><br>STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE   |

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

|   |   |
|---|---|
| <b>TOXICITY</b>                           | NO DATA AVAILABLE   |
| <b>PERSISTENCE AND DEGRADABILITY</b>      | NO DATA AVAILABLE   |
| <b>BIOACCUMULATIVE POTENTIAL</b>          | NO DATA AVAILABLE   |
| <b>MOBILITY IN SOIL</b>                   | NO DATA AVAILABLE   |
| <b>RESULTS OF PBT AND VPVB ASSESSMENT</b> | PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED. |
| <b>OTHER ADVERSE EFFECTS</b>              | NO DATA AVAILABLE   |

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

|                               |  |
|-------------------------------|--|
| <b>PRODUCT</b>                | WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOC NO MIXING WITH OTHER WASTE. |
| <b>CONTAMINATED PACKAGING</b> | DISPOSE OF AS UNUSED PRODUCT.  |

---

**SECTION 14. TRANSPORT INFORMATION**

---

|                           |                |
|---------------------------|----------------|
| <b>DOT (US)</b>           |                |
| PROPER SHIPPING NAME:     | NICKEL NITRATE |
| UN NUMBER:                | 2725           |
| CLASS:                    | 5.1            |
| PACKING GROUP:            | III            |
| REPORTABLE QUANTITY (RQ): |                |
| POISON INHALATION HAZARD: | NO             |
| <b>IMDG</b>               |                |
| PROPER SHIPPING NAME:     | NICKEL NITRATE |
| UN NUMBER:                | 2725           |

CLASS: 5.1  
PACKING GROUP: III  
EMS-NO: F-A, S-Q  
MARINE POLLUTANT: YES

**IATA**

PROPER SHIPPING NAME: NICKEL NITRATE  
UN NUMBER: 2725  
CLASS: 5.1  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

**SARA 313 COMPONENTS**

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

|                                | CAS-NO.    | REVISION DATE |
|--------------------------------|------------|---------------|
| Nickel(II) nitrate hexahydrate | 13478-00-7 | 04-24-1993    |

**SARA 311/312 HAZARDS** REACTIVITY HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

|             |  |
|-------------|--|
| H272        | MAY INTENSIFY FIRE; OXIDIZER.  |
| H302 + H332 | HARMFUL IF SWALLOWED OR IF INHALED   |
| H315        | CAUSES SKIN IRRITATION.  |
| H317        | MAY CAUSE AN ALLERGIC SKIN REACTION.                                       |
| H318        | CAUSES SERIOUS EYE DAMAGE.   |
| H334        | MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. |
| H341        | SUSPECTED OF CAUSING GENETIC DEFECTS.                                      |
| H350        | MAY CAUSE CANCER.  |
| H360        | MAY DAMAGE FERTILITY OR THE UNBORN CHILD.                                  |
| H372        | CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED. |
| H410        | VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.                      |

MSDS LEGEND

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL  
HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION : 3.2

REVISION DATE : 07/01/2020