

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	24621
NAME:	Copper(II) chloride
SYNONYMS:	Copper chloride
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 4), H302
ACUTE TOXICITY, DERMAL (CATEGORY 4), H312
SKIN IRRITATION (CATEGORY 2), H315
SERIOUS EYE DAMAGE (CATEGORY 1), H318
ACUTE AQUATIC TOXICITY (CATEGORY 1), H400

CHRONIC AQUATIC TOXICITY (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD

DANGER

HAZARD STATEMENT(S)

H302 + H312 HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
H315 CAUSES SKIN IRRITATION.
H318 CAUSES SERIOUS EYE DAMAGE.
H400 VERY TOXIC TO AQUATIC LIFE.
H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR EYE PROTECTION/ FACE PROTECTION.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING.
P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P391 COLLECT SPILLAGE.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS**

NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: Cl₂Cu
 MW: 134.45
 CAS-NO. 7447-39-4
 PURITY: ≥ 98%

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
COPPER DICHLORIDE		
	ACUTE TOX. 4; SKIN IRRIT. 2; EYE DAM. 1; AQUATIC ACUTE 1; AQUATIC CHRONIC 2; H302 + H312, H315, H318, H400, H411	≤ 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	MOVE OUT OF DANGEROUS AREA. CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

**SUITABLE
EXTINGUISHING MEDIA** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS
ARISING FROM THE
SUBSTANCE OR MIXTURE** NO DATA AVAILABLE

**ADVICE FOR
FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
DUST FORMATION. AVOID BREATHING VAPOURS, MIST
OR GAS. ENSURE ADEQUATE VENTILATION.
EVACUATE PERSONNEL TO SAFE AREAS. AVOID
BREATHING DUST.
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
DISCHARGE INTO THE ENVIRONMENT MUST BE
AVOIDED.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP** PICK UP AND ARRANGE DISPOSAL WITHOUT
CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER
SECTIONS** FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING** FURTHER PROCESSING OF SOLID MATERIALS MAY
RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS.

THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. HYGROSCOPIC. STORE UNDER INERT GAS. KEEP IN A DRY PLACE. STORAGE CLASS (TRGS 510): NON COMBUSTIBLE SOLIDS

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
COPPER DICHLORIDE	7447-39-4	TWA	1.000000 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Yellow to brown powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	620 °C
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY INFORMATION	NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE

**INCOMPATIBLE
MATERIALS**

STRONG BASES, ALKALI METALS

**HAZARDOUS
DECOMPOSITION
PRODUCTS**

OTHER DECOMPOSITION PRODUCTS - NO DATA
AVAILABLE
IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL - RAT - 584 MG/KG
LD50 DERMAL - RAT - MALE - > 2,000 MG/KG
(OECD TEST GUIDELINE 402)
LD50 DERMAL - RAT - FEMALE - 1,224 MG/KG
(OECD TEST GUIDELINE 402)
LD50 INTRAVENOUS - RAT - 5 MG/KG
LD50 INTRAPERITONEAL - RAT - 14.7 MG/KG

**SKIN
CORROSION/IRRITATION**

SKIN - RABBIT
RESULT: IRRITATING TO SKIN.

**SERIOUS EYE
DAMAGE/EYE IRRITATION**

EYES - RABBIT
RESULT: RISK OF SERIOUS DAMAGE TO EYES.

**RESPIRATORY OR SKIN
SENSITISATION**

MAXIMISATION TEST (GPMT) - GUINEA PIG DOES NOT
CAUSE SKIN SENSITISATION.
(OECD TEST GUIDELINE 406)

**GERM CELL
MUTAGENICITY**

NO DATA AVAILABLE

CARCINOGENICITY

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED
HUMAN CARCINOGEN BY IARC.

ACGIH:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A CARCINOGEN OR POTENTIAL
CARCINOGEN BY ACGIH.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A KNOWN OR ANTICIPATED
CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT
LEVELS GREATER THAN OR EQUAL TO 0.1% IS
IDENTIFIED AS A CARCINOGEN OR POTENTIAL
CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	<p>RTECS: GL7000000</p> <p>SYMPTOMS OF SYSTEMIC COPPER POISONING MAY INCLUDE: CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, AND KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS SYSTEM EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, PARALYSIS, AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN DAMAGE AND DEMYELINATION, KIDNEY DEFECTS, AND COPPER DEPOSITION IN THE CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON'S DISEASE. IT HAS ALSO BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND ACCELERATES ARTERIOSCLEROSIS., GASTROINTESTINAL DISTURBANCE, LOWERED BLOOD PRESSURE, DEPENDING ON THE INTENSITY AND DURATION OF EXPOSURE, EFFECTS MAY VARY FROM MILD IRRITATION TO SEVERE DESTRUCTION OF TISSUE., TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.</p> <p>STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE</p>

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	MORTALITY LC50 - CYPRINUS CARPIO (CARP) - 0.12 - 0.23 MG/L - 96.0 H
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	IMMOBILIZATION EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.04 MG/L - 48 H NOEC - DREISSENA POLYMORPHA (ZEBRA MUSSEL) - 0.013 MG/L - 63 D
TOXICITY TO ALGAE	EC50 - CHLORELLA VULGARIS (FRESH WATER ALGAE) - 0.2 MG/L - 96 H

PERSISTENCE AND DEGRADABILITY	THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME:	COPPER CHLORIDE
UN NUMBER:	2802
CLASS:	8
PACKING GROUP:	III
REPORTABLE QUANTITY (RQ):	10 LBS
POISON INHALATION HAZARD:	NO

IMDG

PROPER SHIPPING NAME:	COPPER CHLORIDE
UN NUMBER:	2802
CLASS:	8
PACKING GROUP:	III
EMS-NO:	F-A, S-B

MARINE POLLUTANT: YES

IATA
PROPER SHIPPING NAME: COPPER CHLORIDE
UN NUMBER: 2802
CLASS: 8
PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Copper(II) chloride	7447-39-4	4/24/1993

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Copper(II) chloride	7447-39-4	4/24/1993

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Copper(II) chloride	7447-39-4	4/24/1993

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Copper(II) chloride	7447-39-4	4/24/1993

CALIFORNIA PROP. 65 COMPONENTS THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
EYE DAM.	SERIOUS EYE DAMAGE
H302	HARMFUL IF SWALLOWED.
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN

H312	HARMFUL IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.
H400	VERY TOXIC TO AQUATIC LIFE.

HMIS RATING

HEALTH HAZARD:	1
CHRONIC HEALTH HAZARD:	*
FLAMMABILITY:	0
PHYSICAL HAZARD	0

NFPA RATING

HEALTH HAZARD:	1
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*