# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	24625
NAME:	Indium(III) chloride
SYNONYMS:	Indium trichloride
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

## SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)** ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S	5)		
H302	HARMFUL IF SWALLOWED.		
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.		
H318	CAUSES SERIOUS EYE DAMAGE.		
PRECAUTIONARY STAT	'EMENT(S)		
P260	DO NOT BREATHE DUST OR MIST.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS		
	PRODUCT.		
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE		
	PROTECTION/ FACE PROTECTION.		
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/		
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.		
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE		
	VOMITING.		
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY		
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/		
	SHOWER.		
P304 + P340 + P310	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT		
	REST IN A POSITION COMFORTABLE FOR BREATHING.		
	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/		
	PHYSICIAN.		
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL		
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND		
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A		
	POISON CENTER OR DOCTOR/ PHYSICIAN.		
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.		
P405	STORE LOCKED UP.		
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED		
	WASTE DISPOSAL PLANT.		
HAZARDS NOT	NONE		
OTHERWISE			
CLASSIFIED (HNOC)			
OD NOT COVEDED			

OR NOT COVERED

BY GHS

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

InCl<sub>3</sub>

MF:

MW: 221.18

CAS-NO. 10025-82-8

PURITY:  $\geq 99\% \ (\leq 53\% \text{ In content})$ 

### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
INDIUM TRICHLORID	Ε	
	ACUTE TOX. 4; SKIN CORR.	<= 100%
	1B; EYE DAM. 1; H302, H314,	
	H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	HYDROGEN CHLORIDE GAS, INDIUM/INDIUM OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES ENVIRONMENTAL PRECAUTIONS	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP REFERENCE TO OTHER SECTIONS	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2. KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. MOISTURE SENSITIVE. KEEP IN A DRY PLACE. STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, CORROSIVE HAZARDOUS MATERIALS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
INDIUM TRICHLORIDE	10025-82-8	TWA	0.100000 G/M3	USA. ACGIH THRESHOLD
Intelleonde				LIMIT VALUES
				(TLV)
	REMARKS	PULMONARY EDEMA		
		PNEUMONI	TIS	
		DENTAL EROSION		
		MALAISE		
		TWA	0.100000 MG/M3	USA. NIOSH
				RECOMMENDED
				EXPOSURE
				LIMITS

## COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY</b> <b>PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	White to off-white powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE

**INFORMATION** 

# SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE

INCOMPATIBLE MATERIALS	STRONG ACIDS, STRONG OXIDIZING AGENTS
HAZARDOUS	OTHER DECOMPOSITION PRODUCTS - NO DATA
DECOMPOSITION	AVAILABLE

**PRODUCTS** IN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 1,100 MG/KG INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NL1400000 COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

# SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

## SECTION 13. DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

# SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Indium(III) chloride)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II
REPORTABLE QUANTITY (RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Indium(III) chloride)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
IATA	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Indium(III) chloride)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II

# SECTION 15. REGULATORY INFORMATION

Indium(III) chloride

SARA 302 COMPONENTS	NO CHEMICALS IN THIS M THE REPORTING REQUIRE SECTION 302.	ATERIAL ARE SUBJECT TO MENTS OF SARA TITLE III,
SARA 313 COMPONENTS	COMPONENTS WITH KNOV EXCEED THE THRESHOLD	
SARA 311/312 HAZARDS	ACUTE HEALTH HAZARD,	CHRONIC HEALTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS	NO COMPONENTS ARE SU MASSACHUSETTS RIGHT 1	
PENNSYLVANIA RIGHT TO KNOW COMPONENTS CAS-NO. REVISION DATE		REVISION DATE

10025-82-8

#### NEW JERSEY RIGHT TO KNOW COMPONENTS

Indium(III) chloride	CAS-NO. 10025-82-8	REVISION DATE
CALIFORNIA PROP. 65 COMPONENTS		CONTAIN ANY CHEMICALS

COMPONENTS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX.	ACUTE TOXICITY
EYE DAM.	SERIOUS EYE DAMAGE
H302	HARMFUL IF SWALLOWED.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H318	CAUSES SERIOUS EYE DAMAGE.
SKIN CORR.	SKIN CORROSION

#### HMIS RATING

HEALTH HAZARD:	3
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0

#### NFPA RATING

HEALTH HAZARD:	3
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMDODTANT	

#### IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.