Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 26506

NAME: Di-tert-butyl dicarbonate, 2.0M solution in THF

SYNONYMS: Boc anhydride, 2.0M solution in THF

Di-tert-butyl pyrocarbonate, 2.0M solution in THF

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 2), H225 ACUTE TOXICITY, INHALATION (CATEGORY 1), H330 SKIN IRRITATION (CATEGORY 2), H315 SERIOUS EYE DAMAGE (CATEGORY 1), H318 SKIN SENSITISATION (CATEGORY 1), H317 CARCINOGENICITY (CATEGORY 2), H351 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, CENTRAL NERVOUS SYSTEM, H335, H336

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM









SIGNAL WORD **DANGER**

HAZARD STATEMENT(S)

H225	HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H318	CAUSES SERIOUS EYE DAMAGE.
H330	FATAL IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H336	MAY CAUSE DROWSINESS OR DIZZINESS.
H351	SUSPECTED OF CAUSING CANCER.

H351	SUSPECTED OF CAUSING CANCER.				
PRECAUTIONARY STATEMENT(S)					
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.				
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE				
	BEEN READ AND UNDERSTOOD.				
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT				
	SURFACES. NO SMOKING.				
P233	KEEP CONTAINER TIGHTLY CLOSED.				
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.				
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/				
	LIGHTING/ EQUIPMENT.				
P242	USE ONLY NON-SPARKING TOOLS.				
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC				
	DISCHARGE.				
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/				
	SPRAY.				
P264	WASH SKIN THOROUGHLY AFTER HANDLING.				
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.				
P272	CONTAMINATED WORK CLOTHING SHOULD NOT BE				
	ALLOWED OUT OF THE WORKPLACE.				
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE				
	PROTECTION/ FACE PROTECTION.				
P284	WEAR RESPIRATORY PROTECTION.				
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY				
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/				
	SHOWER.				
P304 + P340 + P310	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP				
	COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A				
	POISON CENTER/DOCTOR.				
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL				
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND				

	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A
	POISON CENTER/DOCTOR.
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/
	ATTENTION.
P333 + P313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL
	ADVICE/ ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR
	ALCOHOL-RESISTANT FOAM FOR EXTINCTION.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
	TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE

CLASSIFIED (HNOC)
OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

NONE

MF: $C_{10}H_{18}O_5$ MW: 218.25 CAS-NO. 24424-99-5 PURITY: \geq 99% (GC)

COMPONENT	CLASSIFICATION	CONCENTRATION			
DI(TERT-BUTYL) CARBONATE					
	FLAM. LIQ. 3; ACUTE TOX. 1;	>= 50 - < 70 %			
	SKIN IRRIT. 2; EYE DAM. 1;				
	SKIN SENS. 1; STOT SE 3; H226,				
	H330, H315, H318, H317, H335				
TETRAHYDROFURAN	TETRAHYDROFURAN				
	FLAM. LIQ. 2; ACUTE TOX. 4;	>= 30 - < 50 %			
	EYE IRRIT. 2A; CARC. 2; STOT				
	SE 3; H225, H302, H319, H351,				
	H335, H336				
	CONCENTRATION LIMITS:				
	>= 25 %: EYE IRRIT. 2, H319; >=				
	25 %: STOT SE 3, H335				

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE

VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND

SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

CARBON OXIDES

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES

WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE

SECTION 13).

LOW AREAS.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES

TO PREVENT THE BUILD UP OF ELECTROSTATIC

CHARGE.

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY

AFTER HANDLING THE PRODUCT. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

Store at 0-8 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS	
			PARAMETER	RS	
TETRAHYDROFURAN	109-99-9	TWA	50 PPM	USA. ACGIH	
				THRESHOLD LIMIT	
				VALUES (TLV)	
	REMARKS	CONFIRMED ANIMAL CARCINOGEN WITH			
		UNKNOW	O HUMANS		
		DANGER	ABSORPTION		
		STEL	100 PPM	USA. ACGIH	
				THRESHOLD LIMIT	
				VALUES (TLV)	
		CONFIRMED ANIMAL CARCINOGEN WITH			
		UNKNOW	N RELEVANCE T	O HUMANS	
		DANGER	OF CUTANEOUS	ABSORPTION	
		ST	250 PPM	USA. NIOSH	
			735 MG/M3	RECOMMENDED	
				EXPOSURE LIMITS	
		TWA	200 PPM	USA. NIOSH	
			590 MG/M3	RECOMMENDED	
				EXPOSURE LIMITS	
		TWA	200 PPM	USA.	
			590 MG/M3	OCCUPATIONAL	
				EXPOSURE LIMITS	
				(OSHA) - TABLE Z-1	
				LIMITS FOR AIR	
				CONTAMINANTS	
		TWA	200 PPM	USA. OSHA - TABLE	
			590 MG/M3	Z-1 LIMITS FOR AIR	
				CONTAMINANTS -	
				1910.1000	
		STEL	250 PPM	USA. OSHA - TABLE	
			735 MG/M3	Z-1 LIMITS FOR AIR	
				CONTAMINANTS -	
				1910.1000	
		PEL	200 PPM	CALIFORNIA	
			590 MG/M3	PERMISSIBLE	
				EXPOSURE LIMITS	
				FOR CHEMICAL	
				CONTAMINANTS	

STEL	250 PPM	CALIFORNIA
	735 MG/M3	PERMISSIBLE
		EXPOSURE LIMITS
		FOR CHEMICAL
		CONTAMINANTS

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS	VALUE	BIOLOGICAL	BASIS
				SPECIMEN	
TETRAHYDROFURAN	109-99-9	TETRAHYDROFURAN	2 MG/L	URINE	ACGIH -
					BIOLOGICAL
					EXPOSURE
					INDICES
					(BEI)
	REMARKS	ARKSEND OF SHIFT (AS SOON AS POSSIBLE AFTER EXPOSURE			
		CEASES)			

EXPOSURE CONTROLS

APPROPRIATE AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH **ENGINEERING** HANDS BEFORE BREAKS AND IMMEDIATELY AFTER

CONTROLS HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH

MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT

STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES, GLOVES MUST BE INSPECTED PRIOR

TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE

(WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES.

WASH AND DRY HANDS.

SPLASH CONTACT

MATERIAL: BUTYL-RUBBER

MINIMUM LAYER THICKNESS: 0.3 MM

BREAK THROUGH TIME: 10 MIN

MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC

USE SCENARIO.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME

RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE

OF PROTECTIVE EOUIPMENT MUST BE SELECTED

ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE

RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS

THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND

COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN

(EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless transparent liquid
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 65-67 °C

AND BOILING RANGE

FLASH POINT -17 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE
VAPOUR DENSITY
RELATIVE DENSITY
WATER SOLUBILITY
PARTITION COEFFICIENT:
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

CONDITIONS TO AVOID HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS ACIDS, BASES, OXIDIZING AGENTS, REDUCING AGENTS,

OXYGEN

HAZARDOUS DECOMPOSITION PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY ACUTE TOXICITY ESTIMATE ORAL - 3,780 MG/KG

(CALCULATION METHOD)

INHALATION: NO DATA AVAILABLE

ACUTE TOXICITY ESTIMATE INHALATION - 4 H - 0.1775

MG/L

(CALCULATION METHOD)

DERMAL: NO DATA AVAILABLE

ACUTE TOXICITY ESTIMATE DERMAL - 2,500 MG/KG

(CALCULATION METHOD)

NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN **SENSITISATION**

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EOUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

NO COMPONENT OF THIS PRODUCT PRESENT AT OSHA:

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: NOT AVAILABLE

CENTRAL NERVOUS SYSTEM DEPRESSION, COUGH, CHEST PAIN, DIFFICULTY IN BREATHING, EXPOSURE TO HIGH AIRBORNE CONCENTRATIONS CAN CAUSE ANESTHETIC EFFECTS. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND

TOXICOLOGICAL PROPERTIES HAVE NOT BEEN

THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

COMPONENTS

DI(TERT-BUTYL) CARBONATE

ACUTE TOXICITY LD50 ORAL - RAT - > 5,000 MG/KG

REMARKS:

(EXTERNAL MSDS)

LC50 INHALATION - RAT - 4 H - 0.1 MG/L

REMARKS: (ECHA)

LD50 DERMAL - RABBIT - > 2,000 MG/KG

REMARKS:

(EXTERNAL MSDS)

NO DATA AVAILABLE

SKIN SKIN - RABBIT

CORROSION/IRRITATION RESULT: SKIN IRRITATION

> REMARKS: (ECHA)

SERIOUS EYE EYES - RAT

DAMAGE/EYE IRRITATION **RESULT: CORROSIVE**

> REMARKS: (ECHA)

RESPIRATORY OR SKIN

PATCH TEST: - GUINEA PIG **SENSITISATION**

RESULT: POSITIVE

REMARKS: (ECHA)

GERM CELL AMES TEST

MUTAGENICITY S. TYPHIMURIUM **RESULT: NEGATIVE**

REMARKS: (ECHA)

CHROMOSOME ABERRATION TEST IN VITRO

CHINESE HAMSTER FIBROBLASTS

RESULT: NEGATIVE

IN VITRO MAMMALIAN CELL GENE MUTATION TEST

MOUSE LYMPHOMA CELLS

RESULT: NEGATIVE

OECD TEST GUIDELINE 474

MOUSE

RESULT: NEGATIVE

CARCINOGENICITY NO DATA AVAILABLE

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

TETRAHYDROFURAN

ACUTE TOXICITY LD50 ORAL - RAT - MALE AND FEMALE - 1,650 MG/KG

REMARKS: (ECHA)

SYMPTOMS: IRRITATION OF MUCOUS MEMBRANES

LC50 INHALATION - RAT - MALE AND FEMALE - 4 H ->

16.9 MG/L (US-EPA)

SYMPTOMS: MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES:

DAMAGE OF RESPIRATORY TRACT

INHALATION: IRRITATING TO RESPIRATORY SYSTEM.

LD50 DERMAL - RAT - MALE AND FEMALE - > 2,000

MG/KG

(OECD TEST GUIDELINE 402)

NO DATA AVAILABLE

SKIN - RABBIT

CORROSION/IRRITATION RESULT: NO SKIN IRRITATION - 72 H

(DRAIZE TEST)

REPEATED OR PROLONGED EXPOSURE MAY CAUSE

SKIN IRRITATION AND DERMATITIS, DUE TO DEGREASING PROPERTIES OF THE PRODUCT.

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: EYE IRRITATION

REMARKS: (ECHA)

(REGULATION (EC) NO 1272/2008, ANNEX VI)

LOCAL LYMPH NODE ASSAY (LLNA) - MOUSE

RESPIRATORY OR SKIN

SENSITISATION RESULT: NEGATIVE

(OECD TEST GUIDELINE 429)

(OECD TEST GOIDEEN (E 12))

GERM CELL IN VIVO TESTS DID NOT SHOW MUTAGENIC EFFECTS

MUTAGENICITY IN VITRO MAMMALIAN CELL GENE MUTATION TEST

CHINESE HAMSTER OVARY CELLS

RESULT: NEGATIVE

AMES TEST

SALMONELLA TYPHIMURIUM

RESULT: NEGATIVE

CARCINOGENICITY

SUSPECTED OF CAUSING CANCER.

NO COMPONENT OF THIS PRODUCT PRESENT AT IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

NO COMPONENT OF THIS PRODUCT PRESENT AT OSHA:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON

OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO TOXICITY TO REPRODUCTION

SPECIFIC TARGET ORGAN **TOXICITY - SINGLE**

EXPOSURE

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

- RESPIRATORY SYSTEM

MAY CAUSE DROWSINESS OR DIZZINESS. - NERVOUS

SYSTEM

ACUTE ORAL TOXICITY - IRRITATION OF MUCOUS

MEMBRANES

ACUTE INHALATION TOXICITY - MUCOSAL IRRITATIONS, COUGH, SHORTNESS OF BREATH, POSSIBLE DAMAGES: DAMAGE OF RESPIRATORY

TRACT

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED EXPOSURE

THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS

SPECIFIC TARGET ORGAN TOXICANT, REPEATED

EXPOSURE.

ASPIRATION HAZARD NO ASPIRATION TOXICITY CLASSIFICATION

SECTION 12. **ECOLOGICAL INFORMATION**

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND **DEGRADABILITY**

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

ASSESSMENT

RESULTS OF PBT AND VPVB PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT

CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

COMPONENTS

TETRAHYDROFURAN

TOXICITY TO FISH FLOW-THROUGH TEST LC50 - PIMEPHALES

PROMELAS (FATHEAD MINNOW) - 2,160 MG/L - 96 H

(OECD TEST GUIDELINE 203)

TOXICITY TO DAPHNIA AND

STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) -

OTHER AQUATIC

3,485 MG/L - 48 H

INVERTEBRATES TOXICITY TO BACTERIA

STATIC TEST EC20 - ACTIVATED SLUDGE - CA. 800

MG/L - 0.5 H

(OECD TEST GUIDELINE 209)

(OECD TEST GUIDELINE 202)

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE

SOLUTIONS TO A LICENSED DISPOSAL COMPANY.

CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL

SERVICE TO DISPOSE OF THIS MATERIAL.

CONTAMINATED

PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: FLAMMABLE LIQUID, TOXIC, N.O.S. (Di-tert-butyl

dicarbonate, 2.0M solution in THF)

UN NUMBER: 1992 CLASS: 3 (6.1) PACKING GROUP: II

REPORTABLE QUANTITY 2290 LBS

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: FLAMMABLE LIQUID, TOXIC, N.O.S. (Di-tert-butyl

dicarbonate, 2.0M solution in THF)

UN NUMBER: 1992 CLASS: 3 (6.1) PACKING GROUP: II EMS-NO: F-E, S-D

IATA

PROPER SHIPPING NAME: FLAMMABLE LIQUID, TOXIC, N.O.S. (Di-tert-butyl

dicarbonate, 2.0M solution in THF)

UN NUMBER: 1992 CLASS: 3 (6.1) PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD, CHRONIC

HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H318 CAUSES SERIOUS EYE DAMAGE.

H330 FATAL IF INHALED.

H335 MAY CAUSE RESPIRATORY IRRITATION. H336 MAY CAUSE DROWSINESS OR DIZZINESS.

H351 SUSPECTED OF CAUSING CANCER.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)

TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2. REVISION DATE: 07/01/2020