Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	26737
NAME:	$\alpha, \alpha, \alpha', \alpha'$ -Tetrabromo- <i>o</i> -xylene
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400

CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)		
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING	
	EFFECTS.	
PRECAUTIONARY STAT	EMENT(S)	
P260	DO NOT BREATHE DUST OR MIST.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.	
P273	AVOID RELEASE TO THE ENVIRONMENT.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE	
	PROTECTION/ FACE PROTECTION.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY	
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/	
	SHOWER.	
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT	
	REST IN A POSITION COMFORTABLE FOR BREATHING.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL	
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND	
	EASY TO DO. CONTINUE RINSING.	
P310	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/	
	PHYSICIAN.	
P321	SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID	
	INSTRUCTIONS ON THIS LABEL).	
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.	
P391	COLLECT SPILLAGE.	
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER	
	TIGHTLY CLOSED.	
P405	STORE LOCKED UP.	
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED	
	WASTE DISPOSAL PLANT.	
HAZADDO NOT		
HAZARDS NOT	LACHRYMATOR.	
OTHERWISE		
CLASSIFIED (HNOC)		

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$C_8H_6Br_4$
-----	--------------

MW: 421.75

CAS-NO. 13209-15-9

PURITY: \geq 99% (HPLC)

NO INGREDIENTS ARE HAZARDOUS ACCORDING TO OSHA CRITERIA. NO COMPONENTS NEED TO BE DISCLOSED ACCORDING TO THE APPLICABLE REGULATIONS. FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, HYDROGEN BROMIDE GAS
ADVICE FOR	WEAR SELF CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.NORMAL MEASURES FOR PREVENTIVE FIRE PROTECTION. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL
WORKPLACE CONTROL	EXPOSURE LIMIT VALUES.
PARAMETERS	

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Off-white to grey powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	112-118 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE

OTHER SAFETY NO DATA INFORMATION

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE

INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, STRONG BASES
HAZARDOUS	OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITIONAVAILABLEPRODUCTSIN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS ACUTE TOXICITY INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE SKIN NO DATA AVAILABLE **CORROSION/IRRITATION** SERIOUS EYE NO DATA AVAILABLE **DAMAGE/EYE IRRITATION RESPIRATORY OR SKIN** NO DATA AVAILABLE **SENSITISATION GERM CELL** NO DATA AVAILABLE **MUTAGENICITY** CARCINOGENICITY IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT ACGIH: LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH. NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA. **REPRODUCTIVE TOXICITY** NO DATA AVAILABLE **SPECIFIC TARGET ORGAN INHALATION - MAY CAUSE RESPIRATORY TOXICITY - SINGLE** IRRITATION. EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY TOXICITY TO FISH	LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW) - 0.437 MG/L - 96 H
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.(α,α,α', Tetrabromo- <i>o</i> -xylene)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	II
MARINE POLLUTANT:	NO
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.(α,α,α', Tetrabromo- <i>o</i> -xylene)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
MARINE POLLUTANT:	NO
IATA	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.(α,α,α', Tetrabromo- <i>o</i> -xylene)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	SARA 302: NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	SARA 313: THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
SARA 311/312 HAZARDS	NO SARA HAZARDS

MASSACHUSETTS RIGHT TO KNOW COMPONENTS	NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.		
PENNSYLVANIA RIGHT TO KNOW COMPONENTS			
	CAS-NO.	REVISION DATE	
$\alpha, \alpha, \alpha', \alpha'$ -Tetrabromo- <i>o</i> -xylene	13209-15-9		
NEW JERSEY RIGHT TO K α,α,α',α'-Tetrabromo- <i>o</i> -xylene	NOW COMPONENTS CAS-NO. 13209-15-9	REVISION DATE	
CALIFORNIA PROP. 65 COMPONENTS	THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.		

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-S H314 H318 H335 H400 H410	FATEME	NTS REFERRED TO UNDER SECTIONS 2 AND 3. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. CAUSES SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION. VERY TOXIC TO AQUATIC LIFE. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
HMIS RATING HEALTH HAZARD: CHRONIC HEALTH HAZARD: FLAMMABILITY: PHYSICAL HAZARD NFPA RATING HEALTH HAZARD: FIRE HAZARD: REACTIVITY HAZAF		0 0 0 0 0
MSDS LEGEND MW: MF: VOC: ACGIH: CAS: OSHA: PEL: TLV: IMPORTANT:	MOLEC VOLATI AMERIO HYGINI CHEMIO OCCUPA PERMIS	ULAR WEIGHT ULAR FORMULA ILE ORGANIC COMPOUNDS CAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL STS CAL ABSTRACTS SERIVE REGISTRY NUMBER ATIONAL SAFETY AND HEALTH ADMINISTRATION SIBLE EXPOSURE LIMIT (OSHA) HOLD LIMIT VALUE (ACGIH)

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.