# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

### SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 28501

NAME: Copper(II) oxide

SYNONYMS: Cupric oxide

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

# CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD WARNING

#### **HAZARD STATEMENT(S)**

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

**NONE** 

#### PRECAUTIONARY STATEMENT(S)

P273 AVOID RELEASE TO THE ENVIRONMENT.

P391 COLLECT SPILLAGE.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

**BY GHS** 

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: CuO

MW: 79.55

CAS-NO. 1317-38-0

PURITY:  $\geq 99.0\%$  (Titration)

COMPONENT	CLASSIFICATION	CONCENTRATION
Copper(II) oxide		•
	AQUATIC ACUTE 1; AQUATIC	<= 100 %
	CHRONIC 1; H400, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### **SECTION 4. FIRST-AID MEASURES**

## **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

WASH OFF WITH SOAP AND PLENTY OF WATER.

CONSULT A PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

FLUSH EYES WITH WATER AS A PRECAUTION.

**IF SWALLOWED** NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT

**NEEDED** 

NO DATA AVAILABLE

## SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**COPPER OXIDES** 

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND

AVOID DUST FORMATION. AVOID BREATHING VAPORS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. FOR PERSONAL PROTECTION SEE SECTION 8.

**EMERGENCY PROCEDURES** 

**ENVIRONMENTAL PRECAUTIONS** 

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO

DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

**METHODS AND** MATERIALS FOR **CONTAINMENT AND CLEANING UP** 

PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

**SECTIONS** 

FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

**HANDLING** 

FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE** STORAGE, INCLUDING

ANY INCOMPATIBILITIES

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE. KEEP IN A DRY PLACE

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Copper(II) oxide	1317-38-0	TWA		USA. NIOSH RECOMMENDED EXPOSURE LIMITS

# **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND

AT THE END OF WORKDAY.

#### PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** 

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

#### **BODY PROTECTION**

CHOOSE BODY PROTECTION IN RELATION TO ITS TYPE, TO THE CONCENTRATION AND AMOUNT OF DANGEROUS SUBSTANCES, AND TO THE SPECIFIC WORK-PLACE. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

RESPIRATORY PROTECTION IS NOT REQUIRED. WHERE PROTECTION FROM NUISANCE LEVELS OF DUSTS ARE DESIRED, USE TYPE N95 (US) OR TYPE P1 (EN 143) DUST MASKS. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**ENVIRONMENTAL** SO. DO NOT LET PRODUCT ENTER DRAINS.

**EXPOSURE** DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Blackish or brownish black powder

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE
MELTING 1026 °C (Approx.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY 0.0001 G/L AT 20 C - REGULATION (EC) NO. 440/2008,

ANNEX, A.6 - INSOLUBLE

NO DATA AVAILABLE

PARTITION COEFFICIENT:

N- OCTANOL/WATER

NOT APPLICABLE FOR INORGANIC SUBSTANCES

AUTO-IGNITION TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

# OTHER SAFETY INFORMATION

BULK DENSITY 1.25 G/L

# SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF NO DATA AVAILABLE

HAZARDOUS REACTIONS

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLEREDUCING AGENTS, HYDROGEN SULFIDE GAS,MATERIALSALUMINUM, ALKALI METALS, POWDERED METALS

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

DECOMPOSITION

PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED

UNDER FIRE CONDITIONS. - COPPER OXIDES IN THE EVENT OF FIRE: SEE SECTION 5

### SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - MALE - > 2,500 MG/KG

(OECD TEST GUIDELINE 423)

INHALATION: NO DATA AVAILABLE

LD50 DERMAL - RAT - MALE AND FEMALE - > 2,000

MG/KG

(OECD TEST GUIDELINE 402)

NO DATA AVAILABLE

SKIN - RABBIT

**CORROSION/IRRITATION** RESULT: NO SKIN IRRITATION - 4 H

(OECD TEST GUIDELINE 404)

**SERIOUS EYE** EYES - RABBIT

**DAMAGE/EYE IRRITATION** RESULT: NO EYE IRRITATION - 72 H

(OECD TEST GUIDELINE 405)

**RESPIRATORY OR SKIN** MAXIMIZATION TEST - GUINEA PIG

**SENSITISATION** RESULT: NEGATIVE

(OECD TEST GUIDELINE 406)

**GERM CELL** AMES TEST

**MUTAGENICITY** SALMONELLA TYPHIMURIUM

RESULT: NEGATIVE

**OECD TEST GUIDELINE 486 RAT - MALE - LIVER CELLS** 

**RESULT: NEGATIVE** 

DIRECTIVE 67/548/EEC, ANNEX V, B.12.

MOUSE - MALE AND FEMALE - RED BLOOD CELLS

(ERYTHROCYTES) **RESULT: NEGATIVE** 

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN** 

**TOXICITY - SINGLE** 

**EXPOSURE** 

ACUTE ORAL TOXICITY - POSSIBLE DAMAGES:

VOMITING, PAIN, DIARRHEA

ACUTE INHALATION TOXICITY - IRRITATION

SYMPTOMS IN THE RESPIRATORY TRACT.

**SPECIFIC TARGET ORGAN** 

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

# ADDITIONAL **INFORMATION**

RTECS: GL7900000

SYMPTOMS OF SYSTEMIC COPPER POISONING MAY INCLUDE: CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, AND KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS SYSTEM EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, PARALYSIS, AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN DAMAGE AND DEMYELINATION, KIDNEY DEFECTS. AND COPPER DEPOSITION IN THE CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON"S DISEASE. IT HAS ALSO BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND ACCELERATES ARTERIOSCLEROSIS. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

AFTER UPTAKE: SYSTEMIC EFFECTS: **CNS DISORDERS** 

OTHER DANGEROUS PROPERTIES CAN NOT BE

EXCLUDED.

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL

HYGIENE AND SAFETY PRACTICE.

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING THE BIOLOGICAL

DEGRADABILITY ARE NOT APPLICABLE TO

INORGANIC SUBSTANCES.

**BIOACCUMULATIVE POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

ASSESSMENT

RESULTS OF PBT AND VPVB PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT

CONDUCTED.

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

#### **SECTION 14.** TRANSPORT INFORMATION

**DOT (US)** NOT DANGEROUS GOODS

**IMDG** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Copper(II) oxide)

UN NUMBER: 3077
CLASS: 9
PACKING GROUP: III
EMS-NO: F-A, S-F
MARINE POLLUTANT: YES

**IATA** 

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Copper(II) oxide)

UN NUMBER: 3077 CLASS: 9 PACKING GROUP: III

**FURTHER INFORMATION** EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE

PACKAGINGS AND COMBINATION PACKAGINGS

CONTAINING INNER PACKAGINGS WITH DANGEROUS

GOODS > 5L FOR LIQUIDS OR > 5KG FOR

SOLIDS.PACKAGES SMALLER THAN OR EQUAL TO 5 KG

/ L, NOT DANGEROUS GOODS OF CLASS 9

### SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE

REPORTING REQUIREMENTS OF SARA TITLE III, SECTION

302.

**SARA 313 COMPONENTS** 

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

CAS-NO. REVISION DATE

Copper(II) oxide 1317-38-0 07-08-2015

SARA 311/312 HAZARDS NO SARA HAZARDS

MASSACHUSETTS RIGHT NO COMPONENTS ARE SUBJECT TO THE TO KNOW COMPONENTS MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Copper(II) oxide 1317-38-0 07-08-2015

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL

INDUSTRIAL HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH

**ADMINISTRATION** 

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.