Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30059
NAME:	Thiourea
SYNONYMS:	Sulfourea Thiocarbamide
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 CARCINOGENICITY (CATEGORY 2), H351 REPRODUCTIVE TOXICITY (CATEGORY 2), H361 ACUTE AQUATIC TOXICITY (CATEGORY 2), H401

CHRONIC AQUATIC TOXICITY (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)			
H302	HARMFUL IF SWALLOWED.		
H351	SUSPECTED OF CAUSING CANCER.		
H361	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN		
	CHILD.		
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.		
PRECAUTIONARY			
STATEMENT(S)			
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.		
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE		
	BEEN READ AND UNDERSTOOD.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS		
	PRODUCT.		
P273	AVOID RELEASE TO THE ENVIRONMENT.		
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE		
	PROTECTION/ FACE PROTECTION.		
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/		
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.		
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/		
	ATTENTION.		
P391	COLLECT SPILLAGE.		
P405	STORE LOCKED UP.		
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED		
	WASTE DISPOSAL PLANT.		
HAZARDS NOT	NONE		
OTHERWISE			

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	CH_4N_2S
MW:	76.12

CAS-NO. 62-56-6

PURITY:

 \geq 99% (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
THIOUREA		
	ACUTE TOX. 4; CARC. 2; REPR.	<= 100 %
	2; AQUATIC ACUTE 2;	
	AQUATIC CHRONIC 2;	
	H302, H351, H361, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	FLUSH EYES WITH WATER AS A PRECAUTION.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX), SULPHUR OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. HANDLE AND STORE UNDER INERT GAS.
	STORAGE CLASS (TRGS 510): NON COMBUSTIBLE SOLIDS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITHCONTAINS NO SUBSTANCES WITH OCCUPATIONALWORKPLACE CONTROLEXPOSURE LIMIT VALUES.PARAMETERSEXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	White crystalline powder or solid
ODOUR	ODOURLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	5.0 - 7 AT 50 G/L AT 20 C
MELTING	174 - 177 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	137 G/L AT 20 C
PARTITION COEFFICIENT:	LOG POW: -0.92 AT 20 C
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	
INFORMATION	

BULK DENSITY 640 KG/M3

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE

CONDITIONS TO AVOID HEAT

INCOMPATIBLESTRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG
MATERIALSMATERIALSBASES, HYDROGEN PEROXIDE, SULPHUR OXIDESHAZARDOUSOTHER DECOMPOSITION PRODUCTS - NO DATA
AVAILABLEPRODUCTSIN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 1,750 MG/KG LC50 INHALATION - RAT - 4 H - > 170 MG/M3 LD50 DERMAL - RABBIT - > 2,800 MG/KG
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: NO SKIN IRRITATION (OECD TEST GUIDELINE 404)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: MILD EYE IRRITATION (OECD TEST GUIDELINE 405)
RESPIRATORY OR SKIN SENSITISATION	MAXIMISATION TEST (GPMT) - GUINEA PIG DOES NOT CAUSE SKIN SENSITISATION.
GERM CELL MUTAGENICITY	IN VITRO ASSAY RESULT: NOT MUTAGENIC IN AMES TEST
CARCINOGENICITY	THIS PRODUCT IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE PROBABLY CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP, OR EPA CLASSIFICATION. LIMITED EVIDENCE OF CARCINOGENICITY IN ANIMAL STUDIES
IARC:	3 - GROUP 3: NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS (THIOUREA)
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN (THIOUREA)
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY SUSPECTED HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: YU2800000 TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. LIVER - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	LC50 - DANIO RERIO (ZEBRA FISH) - 10.000 MG/L - 96.0 H
TOXICITY TO DAPHNIA AND	EC50 - DAPHNIA MAGNA (WATER FLEA) - 5.6 - 18.0 MG/L - 48 H
OTHER AQUATIC INVERTEBRATES	MG/L - 48 H
TOXICITY TO ALGAE	EC50 - DESMODESMUS SUBSPICATUS (GREEN ALGAE) - 6.8 MG/L - 96 H
PERSISTENCE AND DEGRAD BIODEGRADABILITY	BIOTIC/AEROBIC - EXPOSURE TIME 31 D
	RESULT: < 1 % - NOT READILY BIODEGRADABLE.
BIOACCUMULATIVE	NO DATA AVAILABLE
POTENTIAL	
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND	PBT/VPVB ASSESSMENT NOT AVAILABLE AS
VPVB ASSESSMENT	CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	TOXIC TO AQUATIC LIFE WITH LONG LASTING
OTHER ADVERSE EFFECTS	EFFECTS.
	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL
	HANDLING OR DISPOSAL.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. CONTACT A
LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE
MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN
IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCES,
	SOLID, N.O.S.(Thiourea)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III
REPORTABLE QUANTITY	10 LBS
(RQ):	
POISON INHALATION	NO
HAZARD.	110
IMDG	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
I KOI EK SIIII I ING NAME.	SOLID, N.O.S.(Thiourea)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III
EMS-NO:	F-A, S-F
MARINE POLLUTANT:	YES
ІАТА	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S.(Thiourea)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III

FURTHER INFORMATIONEHS-MARK REQUIRED (ADR 2.2.9.1.10, IMDG CODE
2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION
PACKAGINGS CONTAINING INNER PACKAGINGS WITH
DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR
SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.	
SARA 313 COMPONENTS	THE FOLLOWING COMPO	
		BLISHED BY SARA TITLE III,
	SECTION 313:	
	CAS-NO.	REVISION DATE
Thiourea	62-56-6	7/1/2007
MASSACHUSETTS RIGHT	TO KNOW COMPONENTS	
	CAS-NO.	REVISION DATE
Thiourea	62-56-6	7/1/2007
PENNSYLVANIA RIGHT TO		
	CAS-NO.	REVISION DATE
Thiourea	62-56-6	7/1/2007
NEW JERSEY RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Thiourea	62-56-6	7/1/2007
CALIFORNIA PROP. 65 COMPONENTS	WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.	
	CAS-NO.	REVISION DATE
Thiourea	62-56-6	9/28/2007

SECTION 16. OTHER INFORMATION

relie relief of it stitlestill	
ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
CARC.	CARCINOGENICITY
H302	HARMFUL IF SWALLOWED.
H351	SUSPECTED OF CAUSING CANCER.
H361	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN
	CHILD.
H401	TOXIC TO AQUATIC LIFE.

TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

HMIS RATING

HEALTH HAZARD:	3
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0

NFPA RATING

HEALTH HAZARD:	0
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND MW: MOLECULAR WEIGHT MF: MOLECULAR FORMUL

101 00.	MOLLCOLAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IN (DODTANT	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

H411