# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30063
NAME:	1-Methyl-2-pyrrolidinone, distilled
SYNONYMS:	<i>N</i> -Methyl-2-ketopyrrolidine <i>N</i> -Methyl-2-pyrrolidinone
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)** FLAMMABLE LIQUIDS (CATEGORY 4), H227 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 REPRODUCTIVE TOXICITY (CATEGORY 1B), H360 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)					
H227	COMBUSTIBLE LIQUID.				
H315	CAUSES SKIN IRRITATION.				
H319	CAUSES SERIOUS EYE IRRITATION.				
H335	MAY CAUSE RESPIRATORY IRRITATION.				
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.				
PRECAUTIONARY STAT					
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.				
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE				
	BEEN READ AND UNDERSTOOD.				
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT				
	SURFACES NO SMOKING.				
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/				
	SPRAY.				
P264	WASH SKIN THOROUGHLY AFTER HANDLING.				
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.				
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE				
	PROTECTION/ FACE PROTECTION.				
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.				
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP				
	COMFORTABLE FOR BREATHING. CALL A POISON CENTER				
	OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.				
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL				
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND				
	EASY TO DO. CONTINUE RINSING.				
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/				
	ATTENTION.				
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/				
	ATTENTION.				
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/				
	ATTENTION.				
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE				
	REUSE.				
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR				
15/0 15/0	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.				
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER				
1 105 1 255	TIGHTLY CLOSED.				
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.				
P405	STORE IN A WELL-VENTILATED TEACE. REEF COOE.				
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED				
1.501	WASTE DISPOSAL PLANT.				
	WASTE DISTOSALTLANT.				

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	C <sub>5</sub> H <sub>9</sub> NO
MW:	99.13
CAS-NO.	872-50-4

PURITY:  $\geq 99\%$  (GC)

## HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION		
N-METHYL-2-PYRROI	<b>LIDONE INCLUDED IN THE CAN</b>	DIDATE LIST OF		
SUBSTANCES OF VER	Y HIGH CONCERN (SVHC) ACCC	<b>PRDING TO REGULATION</b>		
(EC) NO. 1907/2006 (REACH)				
	FLAM. LIQ. 4; SKIN IRRIT. 2;	<= 100%		
	EYE IRRIT. 2A; REPR. 1B; STOT			
	SE 3; H227, H315, H319, H335,			
	H360			

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX)
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS METHODS AND	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. CONTAIN SPILLAGE, AND THEN COLLECT WITH AN
MATERIALS FOR	ELECTRICALLY PROTECTED VACUUM CLEANER OR BY

CONTAINMENT AND CLEANING UP	WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. STORE UNDER INERT GAS. MOISTURE SENSITIVE. STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC EFFECTS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	eonnel	BASIS
			PARAMETERS	
N-METHYL-2- PYRROLIDONE	872-50-4	TWA		USA. WORKPLACE ENVIRONMENTAL EXPOSURE LEVELS (WEEL)
	REMARKS	SKIN	4	· · · · · · · · · · · · · · · · · · ·

#### **BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS**

COMPONENT	CAS-NO.	PARAMETERS		BIOLOGICAL SPECIMEN	BASIS
N-METHYL-2- PYRROLIDONE	872-50-4		100.0000 MG/L	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	END OF SHIFT ( CEASES)	AS SOON	NAS POSSIBLE A	FTER EXPOSURE

## **DERIVED NO EFFECT LEVEL (DNEL)**

APPLICATION	EXPOSURE	HEALTH EFFECT	VALUE
AREA	ROUTES		
WORKERS	SKIN CONTACT	ACUTE SYSTEMIC	208 MG/KG BW/D
		EFFECTS	
WORKERS	INHALATION	ACUTE SYSTEMIC	80 MG/M3
		EFFECTS	
WORKERS	SKIN CONTACT	LONG-TERM	19.8MG/KG BW/D
		SYSTEMIC EFFECTS	
WORKERS	INHALATION	LONG-TERM	40 MG/M3
		SYSTEMIC EFFECTS	

#### PREDICTED NO EFFECT CONCENTRATION (PNEC)

COMPARTMENT	VALUE
WATER	5 MG/L
SOIL	0.138 MG/KG
MARINE WATER	0.025 MG/KG
FRESH WATER	0.25 MG/L
FRESH WATER SEDIMENT	0.805 MG/KG
ONSITE SEWAGE TREATMENT PLANT	10 MG/L

#### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

# PERSONAL PROTECTIVE EQUIPMENT

EYE/FACESAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TOPROTECTIONEN166 USE EQUIPMENT FOR EYE PROTECTION TESTED ANDAPPROVED UNDER APPROPRIATE GOVERNMENTSTANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)
	SPLASH CONTACT MATERIAL: NATURE LATEX/CHLOROPRENE MINIMUM LAYER THICKNESS: 0.6 MM BREAK THROUGH TIME: 35 MIN MATERIAL TESTED:LAPREN (KCL 706, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	IMPERVIOUS CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY</b> <b>PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON DASIC	I II I SICALAI D'CHEMICALI KOI EKTIES
APPEARANCE	Clear, colorless liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	7.7 - 8
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	202 °C (Lit.)
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	UPPER EXPLOSION LIMIT: 9.5 %(V)
FLAMMABILITY OR	LOWER EXPLOSION LIMIT: 1.3 %(V)
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	0.39 - 0.43 HPA (0.29 - 0.32 MMHG) AT 20 C, 1.32 HPA (0.99
	MMHG) AT 40 C
VAPOUR DENSITY	3.42 - (AIR = 1.0)
RELATIVE DENSITY	1.03 (Lit.)
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	LOG POW: -0.46
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

# **OTHER SAFETY INFORMATION**

SURFACE TENSION	40.7 MN/M
RELATIVE VAPOUR	3.42 - (AIR = 1.0)
DENSITY	

# SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS	STRONG ACIDS, STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS
HAZARDOUS	OTHER DECOMPOSITION PRODUCTS - NO DATA
DECOMPOSITION	AVAILABLE
PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 3,914 MG/KG LDLO INHALATION - RAT - 4 H - > 5100 PPM LD50 DERMAL - RABBIT - 8,000 MG/KG
SKIN CORROSION/IRRITATION	CLASSIFIED ACCORDING TO REGULATION (EU) 1272/2008, ANNEX VI (TABLE 3.1/3.2)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: EYE IRRITATION
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
<b>REPRODUCTIVE TOXICITY</b>	DAMAGE TO FETUS POSSIBLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: UY5790000 PROLONGED OR REPEATED EXPOSURE CAN CAUSE:, VOMITING, DIARRHOEA, ABDOMINAL PAIN, RATS EXPOSED TO 1-METHYL-2- PYRROLIDINONE AT A CONCENTRATION OF 1 MG/L AS AN AEROSOL FOR 10 DAYS SHOWED DEPLETION OF HEMATOPOIETIC CELLS IN THE BONE MARROW AND ATROPHY OF THE LYMPHOID TISSUES OF THE THYMUS, SPLEEN, AND LYMPH NODES.
	BONE MARROW - IRREGULARITIES - BASED ON HUMAN EVIDENCE

# SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY		
TOXICITY TO FISH	LC50 - OTHER FISH - 4,000 MG/L - 96 H	
	LC50 - LEUCISCUS IDUS (GOLDEN ORFE) - > 500 MG/L - 96 H	
TOXICITY TO DAPHNIA AND	EC50 - DAPHNIA MAGNA (WATER FLEA) - > 1,000 MG/L	
OTHER AQUATIC	- 24 H	
INVERTEBRATES	- 24 11	
TOXICITY TO BACTERIA	LC50 DACTEDIA > 0.000 MC/I	
IOAICITY IO BACTERIA	LC50 - BACTERIA - > 9,000 MG/L	
PERSISTENCE AND DEGRADABILITY		
BIODEGRADABILITY	RESULT: 90 % - READILY BIODEGRADABLE	
BIOACCUMULATIVE	NO DATA AVAILABLE	
POTENTIAL		
MOBILITY IN SOIL		
	NO DATA AVAILABLE	
	NO DAIA AVAILABLE	
RESULTS OF PBT AND	NO DATA AVAILABLE PBT/VPVB ASSESSMENT NOT AVAILABLE AS	
RESULTS OF PBT AND	PBT/VPVB ASSESSMENT NOT AVAILABLE AS	
RESULTS OF PBT AND	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT	
RESULTS OF PBT AND	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED	
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED	

# SECTION 13. DISPOSAL CONSIDERATIONS

## WASTE TREATMENT METHODS

**PRODUCT**THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A<br/>CHEMICAL INCINERATOR EQUIPPED WITH AN<br/>AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND<br/>NON-RECYCLABLE SOLUTIONS TO A LICENSED<br/>DISPOSAL COMPANY. CONTACT A LICENSED<br/>PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE<br/>OF THIS MATERIAL.

CONTAMINATED DISPOSE OF AS UNUSED PRODUCT. PACKAGING

# SECTION 14. TRANSPORT INFORMATION

#### DOT (US)

PROPER SHIPPING NAME:	COMBUSTIBLE LIQUID, N.O.S.( 1-Methyl-2-pyrrolidinone, distilled )
NA-NUMBER:	1993
CLASS:	NONE
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	
NOT DANGEROUS GOODS	

#### IATA

NOT DANGEROUS GOODS

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS		S MATERIAL ARE SUBJECT TO REMENTS OF SARA TITLE III,
SARA 313 COMPONENTS		PONENTS ARE SUBJECT TO TABLISHED BY SARA TITLE III, REVISION DATE
1-Methyl-2-pyrrolidinone, distilled	872-50-4	7/1/2007
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD	

## MASSACHUSETTS RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
1-Methyl-2-pyrrolidinone,	872-50-4	7/1/2007
distilled		

## PENNSYLVANIA RIGHT TO KNOW COMPONENTS

		15
	CAS-NO.	<b>REVISION DATE</b>
1-Methyl-2-pyrrolidinone,	872-50-4	7/1/2007
distilled		

#### NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS-NO.	<b>REVISION DATE</b>
1-Methyl-2-pyrrolidinone,	872-50-4	7/1/2007
distilled		

CALIFORNIA PROP. 65	WARNING: THIS PRODUCT	CONTAINS A CHEMICAL
COMPONENTS	KNOWN TO THE STATE OF	CALIFORNIA TO CAUSE
	BIRTH DEFECTS OR OTHER	R REPRODUCTIVE HARM.
	CAS-NO.	<b>REVISION DATE</b>
1-Methyl-2-pyrrolidinone,	872-50-4	2/1/2009
distilled		

# SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

EYE IRRIT.	EYE IRRITATION
FLAM. LIQ.	FLAMMABLE LIQUIDS
H227	COMBUSTIBLE LIQUID.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
REPR.	REPRODUCTIVE TOXICITY
SKIN IRRIT.	SKIN IRRITATION

#### HMIS RATING

HEALTH HAZARD:	2
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	2
PHYSICAL HAZARD	0

#### NFPA RATING

HEALTH HAZARD:	2
FIRE HAZARD:	2
REACTIVITY HAZARD:	0
HEALTH HAZARD:	2
FIRE HAZARD:	2
REACTIVITY HAZARD:	0

MOLECULAR WEIGHT
MOLECULAR FORMULA
VOLATILE ORGANIC COMPOUNDS
AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
HYGINISTS
CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PERMISSIBLE EXPOSURE LIMIT (OSHA)
THRESHOLD LIMIT VALUE (ACGIH)

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.