

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30064
NAME:	Acetonitrile
SYNONYMS:	Methyl cyanide
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)
FLAMMABLE LIQUIDS (CATEGORY 2), H225
ACUTE TOXICITY, ORAL (CATEGORY 4), H302
ACUTE TOXICITY, INHALATION (CATEGORY 4), H332
ACUTE TOXICITY, DERMAL (CATEGORY 4), H312
EYE IRRITATION (CATEGORY 2A), H319

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF
INHALED
H319 CAUSES SERIOUS EYE IRRITATION.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P233 KEEP CONTAINER TIGHTLY CLOSED.
P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING/ EQUIPMENT.
P242 USE ONLY NON-SPARKING TOOLS.
P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P312 + P330 IF SWALLOWED: CALL A POISON CENTER/ DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/ DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₂H₃N
MW: 41.05
CAS-NO. 75-05-8
PURITY: ≥ 99.5% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Acetonitrile		
	FLAM. LIQ. 2; ACUTE TOX. 4; EYE IRRIT. 2A; H225, H302, H332, H312, H319	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

IF INHALED FRESH AIR. IF BREATHING STOPS: MOUTH-TO-MOUTH BREATHING OR ARTIFICIAL RESPIRATION. OXYGEN IF NECESSARY. IMMEDIATELY CALL IN PHYSICIAN.

IN CASE OF SKIN CONTACT TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CONSULT A PHYSICIAN.

IN CASE OF EYE CONTACT RINSE OUT WITH PLENTY OF WATER. CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.

IF SWALLOWED IMMEDIATELY MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA
WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

CARBON OXIDES
NITROGEN OXIDES (NOX)
COMBUSTIBLE.
PAY ATTENTION TO FLASHBACK.
VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD ALONG FLOORS.
DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR VAPOURS POSSIBLE IN THE EVENT OF FIRE.
FORMS EXPLOSIVE MIXTURES WITH AIR AT AMBIENT TEMPERATURES.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION

REMOVE CONTAINER FROM DANGER ZONE AND COOL WITH WATER. SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS WITH A WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES, CONSULT AN EXPERT. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	DO NOT LET PRODUCT ENTER DRAINS. RISK OF EXPLOSION.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP WITH LIQUID-ABSORBENT MATERIAL. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOR OR MIST. FILLED UNDER NITROGEN.WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. AVOID GENERATION OF VAPOURS/AEROSOLS. KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION.TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP AWAY FROM HEAT AND SOURCES OF IGNITION. Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Acetonitrile	75-05-8	TWA	20 PPM	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION		
		TWA	20 PPM 34 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		TWA	40 PPM 70 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		PEL	40 PPM 70 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		SKIN		
		STEL	60 PPM 105 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		SKIN		

DERIVED NO EFFECT LEVEL (DNEL)

APPLICATION AREA	EXPOSURE ROUTES	HEALTH EFFECT	VALUE
WORKERS	INHALATION	ACUTE LOCAL EFFECTS, ACUTE SYSTEMIC EFFECTS	68 MG/M3
WORKERS	SKIN CONTACT	LONG-TERM SYSTEMIC EFFECTS	32.2MG/KG BW/D
WORKERS	INHALATION	LONG-TERM LOCAL EFFECTS, LONG TERM SYSTEMIC EFFECTS	68 MG/M3
CONSUMERS	INHALATION	ACUTE LOCAL EFFECTS	220 MG/M3
CONSUMERS	INHALATION	ACUTE SYSTEMIC EFFECTS	22 MG/M3
CONSUMERS	INHALATION	LONG-TERM SYSTEMIC EFFECTS	4.8 MG/M3

PREDICTED NO EFFECT CONCENTRATION (PNEC)

COMPARTMENT	VALUE
WATER	10 MG/L
SOIL	2.41 MG/KG
MARINE WATER	1 MG/L

FRESH WATER	10 MG/L
FRESH WATER SEDIMENT	7.53 MG/KG
ONSITE SEWAGE TREATMENT PLANT	32 MG/L

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). SAFETY GLASSES

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT
MATERIAL: BUTYL-RUBBER
MINIMUM LAYER THICKNESS: 0.7 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED: BUTOJECT

SPLASH CONTACT
MATERIAL: CHLOROPRENE
MINIMUM LAYER THICKNESS: 0.65 MM
BREAK THROUGH TIME: 10 MIN
MATERIAL TESTED: KCL 720 CAMAPREN

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING, AND THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	DO NOT LET PRODUCT ENTER DRAINS. RISK OF EXPLOSION.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear, colorless liquid
ODOUR	ETHER-LIKE
ODOUR THRESHOLD	39.8 PPM
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	81 °C (Lit.)
FLASH POINT	
EVAPORATION RATE	5.8
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	UPPER EXPLOSION LIMIT: 16 %(V) LOWER EXPLOSION LIMIT: 4.4 %(V)
VAPOUR PRESSURE	98.64 HPA AT 20 C
VAPOUR DENSITY	1.42 - (AIR = 1.0)
RELATIVE DENSITY	
WATER SOLUBILITY	1,000 G/L AT 25 C - COMPLETELY SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: -0.54 AT 25 C - BIOACCUMULATION IS NOT EXPECTED.
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE

EXPLOSIVE PROPERTIES NO DATA AVAILABLE
OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

SURFACE TENSION 29.0 MN/M AT 20.0 C
RELATIVE VAPOUR 1.42 - (AIR = 1.0)
DENSITY

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY VAPORS MAY FORM EXPLOSIVE MIXTURE WITH AIR.

CHEMICAL STABILITY THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS (ROOM TEMPERATURE).

POSSIBILITY OF HAZARDOUS REACTIONS VIOLENT REACTIONS POSSIBLE WITH:
STRONG BASES
STRONG REDUCING AGENTS

RISK OF EXPLOSION WITH:
NITRATES
PERCHLORATES
PERCHLORIC ACID
CONC. SULFURIC ACID WITH HEAT.

RISK OF IGNITION OR FORMATION OF INFLAMMABLE GASES OR VAPOURS WITH:
OXIDIZING AGENTS
NITRIC ACID
NITROGEN DIOXIDE WITH CATALYST

GENERATES DANGEROUS GASES OR FUMES IN CONTACT WITH: ACIDS

CONDITIONS TO AVOID WARMING

INCOMPATIBLE MATERIALS NO DATA AVAILABLE

HAZARDOUS DECOMPOSITION PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

LD50 ORAL - MOUSE - MALE AND FEMALE - 617
MG/KG

LC50 INHALATION - MOUSE - MALE AND FEMALE - 4
H - 6.022 MG/L VAPOR

ACUTE TOXICITY ESTIMATE DERMAL - 1,500 MG/KG
(EXPERT JUDGMENT)
REMARKS: CLASSIFIED ACCORDING TO REGULATION
(EU) 1272/2008, ANNEX VI (TABLE 3.1/3.2)

NO DATA AVAILABLE

**SKIN
CORROSION/IRRITATION**

SKIN RABBIT
RESULT: NO SKIN IRRITATION - 4 H

**SERIOUS EYE
DAMAGE/EYE IRRITATION**

EYES RABBIT
RESULT: CAUSES SERIOUS EYE IRRITATION.
(OECD TEST GUIDELINE 405)
REMARKS: CLASSIFIED ACCORDING TO REGULATION
(EU) 1272/2008, ANNEX VI (TABLE 3.1/3.2)

**RESPIRATORY OR SKIN
SENSITISATION**

BUEHLER TEST - GUINEA PIG
RESULT: NEGATIVE

**GERM CELL
MUTAGENICITY**

TEST TYPE: AMES TEST
TEST SYSTEM: S. TYPHIMURIUM
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
RESULT: NEGATIVE
REMARKS: (ECHA)

TEST TYPE: IN VITRO MAMMALIAN CELL GENE
MUTATION TEST
TEST SYSTEM: CHINESE HAMSTER OVARY CELLS
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
METHOD: US-EPA
RESULT: NEGATIVE

TEST TYPE: MUTAGENICITY (MAMMAL CELL TEST):
CHROMOSOME ABERRATION.
TEST SYSTEM: CHINESE HAMSTER OVARY CELLS
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
RESULT: POSITIVE RESULTS WERE OBTAINED IN
SOME IN VITRO TESTS.
REMARKS: (NATIONAL TOXICOLOGY PROGRAM)

TEST TYPE: SISTER CHROMATID EXCHANGE ASSAY
TEST SYSTEM: CHINESE HAMSTER OVARY CELLS
METABOLIC ACTIVATION: METABOLIC ACTIVATION
RESULT: NEGATIVE
REMARKS: SISTER CHROMATID EXCHANGE
TEST SYSTEM: SACCHAROMYCES CEREVISIAE
METABOLIC ACTIVATION: WITHOUT METABOLIC
ACTIVATION
RESULT: POSITIVE
REMARKS: CYTOGENETIC ANALYSIS
(ECHA)

TEST TYPE: IN VITRO MAMMALIAN CELL GENE
MUTATION TEST
TEST SYSTEM: MOUSE LYMPHOMA TEST
METABOLIC ACTIVATION: WITH AND WITHOUT
METABOLIC ACTIVATION
METHOD: OECD TEST GUIDELINE 476
RESULT: NEGATIVE

TEST TYPE: MICRONUCLEUS TEST
SPECIES: MOUSE

APPLICATION ROUTE: INTRAPERITONEAL
METHOD: OECD TEST GUIDELINE 474
RESULT: NEGATIVE

CARCINOGENICITY

NO EVIDENCE OF CARCINOGENICITY IN ANIMAL
STUDIES.

IARC:	NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	ANIMAL TESTING DID NOT SHOW ANY EFFECTS ON FERTILITY.
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS SPECIFIC TARGET ORGAN TOXICANT, SINGLE EXPOSURE.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS SPECIFIC TARGET ORGAN TOXICANT, REPEATED EXPOSURE.
ASPIRATION HAZARD	NO ASPIRATION TOXICITY CLASSIFICATION
ADDITIONAL INFORMATION	RTECS: AL7700000 TREAT AS CYANIDE POISONING., ALWAYS HAVE ON HAND A CYANIDE FIRST-AID KIT, TOGETHER WITH PROPER INSTRUCTIONS., THE ONSET OF SYMPTOMS IS GENERALLY DELAYED PENDING CONVERSION TO CYANIDE., NAUSEA, VOMITING, DIARRHEA, HEADACHE, DIZZINESS, RASH, CYANOSIS, EXCITEMENT, DEPRESSION, DROWSINESS, IMPAIRED JUDGMENT, LACK OF COORDINATION, STUPOR, DEATH TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	FLOW-THROUGH TEST LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW) - 1,640 MG/L - 96 H REMARKS: (ECHA)
TOXICITY TO ALGAE	STATIC TEST NOEC - PHAEODACTYLUM TRICORNUTUM - 400 MG/L - 72 H

TOXICITY TO BACTERIA	STATIC TEST ERC50 - PHAEODACTYLUM TRICORNUTUM - 9,696 MG/L - 72 H
TOXICITY TO FISH(CHRONIC TOXICITY)	FLOW-THROUGH TEST NOEC - ORYZIAS LATIPES - 102 MG/L - 21 D

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY RESULT: 70 % - READILY BIODEGRADABLE.

**BIOACCUMULATIVE
POTENTIAL** NO BIOACCUMULATION IS TO BE EXPECTED (LOG
POW <= 4).

MOBILITY IN SOIL NOT EXPECTED TO ADSORB ON SOIL.

**RESULTS OF PBT AND
VPVB ASSESSMENT** PBT/VPVB ASSESSMENT NOT AVAILABLE AS
CHEMICAL SAFETY ASSESSMENT NOT
REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AVOID RELEASE TO THE ENVIRONMENT.
STABILITY IN WATER DT50 - > 9,999 D PH 7 AT 25 C
REMARKS: (CALCULATED)HYDROLYZES SLOWLY.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH
AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE
SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
CONTACT A LICENSED PROFESSIONAL WASTE
DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

**CONTAMINATED
PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME:	ACETONITRILE
UN NUMBER:	1648
CLASS:	3
PACKING GROUP:	II
REPORTABLE QUANTITY (RQ):	5000 LBS
POISON INHALATION HAZARD:	NO

IMDG

PROPER SHIPPING NAME: ACETONITRILE
UN NUMBER: 1648
CLASS: 3
PACKING GROUP: II
EMS-NO: F-E, S-D

IATA

PROPER SHIPPING NAME: ACETONITRILE
UN NUMBER: 1648
CLASS: 3
PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Acetonitrile	75-05-8	7/1/2007

SARA 311/312 HAZARDS FIRE HAZARD, ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Acetonitrile	75-05-8	7/1/2007

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Acetonitrile	75-05-8	7/1/2007

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H302 + H312 + H332 HARMFUL IF SWALLOWED, IN CONTACT WITH SKIN OR IF INHALED
H319 CAUSES SERIOUS EYE IRRITATION.

MSDS LEGEND

MW: MOLECULAR WEIGHT
MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL
HYGINISTS
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.2

REVISION DATE: 07/07/2023