# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30138

NAME: Picric acid

SYNONYMS: 2,4,6-Trinitrophenol

2-Hydroxy-1,3,5-trinitrobenzene

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE SOLIDS (CATEGORY 1), H228 ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 ACUTE TOXICITY, DERMAL (CATEGORY 3), H311

#### SKIN SENSITISATION (CATEGORY 1), H317

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD

HAZARD STATEMENT(S)

FLAMMABLE SOLID. H228

H301 + H311TOXIC IF SWALLOWED OR IN CONTACT WITH SKIN

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

HARMFUL IF INHALED. H332

PRECAUTIONARY STATEMENT(S)

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT P210

SURFACES. - NO SMOKING.

GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. P240

USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ P241

LIGHTING/ EQUIPMENT.

P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/

SPRAY.

WASH SKIN THOROUGHLY AFTER HANDLING. P264 P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. P272

CONTAMINATED WORK CLOTHING SHOULD NOT BE

ALLOWED OUT OF THE WORKPLACE.

P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P301 + P310 + P330IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/ PHYSICIAN. RINSE MOUTH.

P302 + P352IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P302 + P352 + P312

CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU

FEEL UNWELL.

P304 + P340 + P312IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

> REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL

UNWELL.

P333 + P313IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL

ADVICE/ ATTENTION.

REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED P361

CLOTHING.

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P370 + P378IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

EXPLOSIVE WHEN DRY.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_6H_3N_3O_7$ 

MW: 229.11

CAS-NO. 88-89-1

PURITY: 98 - 101% (Assay by titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
PICRIC ACID		
	EXPL. 1.1; ACUTE TOX. 3; SKIN	>= 70 - < 90 %
	SENS. 1; H201, H301 + H311 +	
	H331, H317	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

#### DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

**CONTACT** 

FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER, CONSULT A PHYSICIAN.

**MOST IMPORTANT SYMPTOMS AND** EFFECTS, BOTH ACUTE AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY **IMMEDIATE MEDICAL** ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

#### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

**SUITABLE** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, NITROGEN OXIDES (NOX)

ARISING FROM THE

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID DUST PRECAUTIONS, FORMATION. AVOID BREATHING VAPOURS, MIST OR **PROTECTIVE** GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO **EQUIPMENT AND EMERGENCY** SAFE AREAS. AVOID BREATHING DUST.

**PROCEDURES** FOR PERSONAL PROTECTION SEE SECTION 8.

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE **ENVIRONMENTAL PRECAUTIONS** TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND** SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND **MATERIALS FOR** THEN COLLECT WITH AN ELECTRICALLY PROTECTED **CONTAINMENT AND** VACUUM CLEANER OR BY WET- BRUSHING AND **CLEANING UP** PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13), KEEP IN

> SUITABLE, CLOSED CONTAINERS FOR DISPOSAL. CONTAIN SPILLAGE, PICK UP WITH AN ELECTRICALLY

PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND TRANSFER TO A CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM

SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF

ELECTROSTATIC CHARGE.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

KEEP WETTED WITH WATER. DO NOT ALLOW

MATERIAL TO BECOME DRY.

STORAGE CLASS (TRGS 510): FLAMMABLE SOLID

HAZARDOUS MATERIALS

**SPECIFIC END USE(S)** 

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
PICRIC ACID	88-89-1	TWA	0.100000 MG/M3	USA. ACGIH
				THRESHOLD
				LIMIT VALUES
				(TLV)

REMARK	S EYE IRRITA	ATION		
KLWAKK	DERMATIT			
		SKIN SENSITIZATION		
	TWA	0.1 MG/M3	USA. ACGIH	
			THRESHOLD	
			LIMIT VALUES	
			(TLV)	
	EYE IRRITA	EYE IRRITATION		
	DERMATIT	DERMATITIS		
	SKIN SENS	SKIN SENSITIZATION		
	TWA	0.1 MG/M3	USA.	
			OCCUPATIONAL	
			EXPOSURE	
			LIMITS	
			(OSHA) - TABLE	
			Z-1 LIMITS FOR	
			AIR	
			CONTAMINANTS	
	SKIN DESI	L GNATION	COTTINITUTION	
	TWA	0.100000 MG/M3	USA.	
	I WA	0.100000 MG/M3	OCCUPATIONAL	
			EXPOSURE	
			LIMITS	
			(OSHA) - TABLE	
			Z-1 LIMITS FOR	
			AIR	
			CONTAMINANTS	
	SKIN DESI			
	TWA	0.100000 MG/M3	USA. NIOSH	
			RECOMMENDED	
			EXPOSURE	
			LIMITS	
		AN OSHA CLASS A EXPLOSIVE (1910.109).		
		L FOR DERMAL ABSO		
	ST	0.300000 MG/M3	USA. NIOSH	
			RECOMMENDED	
			EXPOSURE	
			LIMITS	
	AN OSHA C	AN OSHA CLASS A EXPLOSIVE (1910.109).		
		POTENTIAL FOR DERMAL ABSORPTION		

# **EXPOSURE CONTROLS**

**APPROPRIATE** AVOID CONTACT WITH SKIN, EYES AND CLOTHING. **ENGINEERING** WASH HANDS BEFORE BREAKS AND IMMEDIATELY

**CONTROLS** AFTER HANDLING THE PRODUCT.

# PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT

FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

#### SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

#### **BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Moist yellow powder
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING 121 - 123 °C

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE SUBSTANCE OR MIXTURE IS A FLAMMABLE SOLID

AS) WITH THE CATEGORY 1.

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE 1 HPA (1 MMHG) AT 195 C VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY SOLUBLE PARTITION COEFFICIENT: LOG POW: 1.33

N- OCTANOL/WATER

AUTO-IGNITION 300 C

**TEMPERATURE** 

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

#### SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

#### **CONDITIONS TO AVOID**

PICRIC ACID FORMS SALTS WITH MANY METALS SOME OF WHICH ARE RATHER SENSITIVE TO HEAT, FRICTION, OR IMPACT, E.G., LEAD, IRON, ZINC, NICKEL, COPPER, ETC., AND SHOULD BE CONSIDERED DANGEROUSLY SENSITIVE. THE SALTS FORMED WITH AMMONIA AND AMINES, AND THE MOLECULAR COMPLEXES WITH AROMATIC HYDROCARBONS, ETC, ARE IN GENERAL NOT SO SENSITIVE. CONTACT OF PICRIC ACID

WITH CONCRETE FLOORS MAY FORM THE FRICTION-SENSITIVE CALCIUM SALT. DRY MIXTURES OF PICRIC ACID AND ALUMINUM POWDER ARE INERT, BUT THE ADDITION OF WATER CAUSES IGNITION AFTER A DELAY DEPENDENT UPON THE QUANTITY ADDED. STORAGE CONDITIONS: RECORDS OF PURCHASE DATES

SHOULD BE MAINTAINED FOR EACH CONTAINER. MATERIAL OLDER THAN 2 YEARS SHOULD BE DISPOSED. INSPECT AND ADD WATER EVERY SIX MONTHS AS NEEDED. ROTATE CONTAINERS TO DISTRIBUTE WATER EVERY THREE MONTHS.

HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS

STRONG BASES, REDUCING AGENTS, HEAVY METALS,

HEAVY METAL SALTS, AMMONIA

HAZARDOUS DECOMPOSITION PRODUCTS OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION
RESPIRATORY OR SKIN

NO DATA AVAILABLE

GERM CELL

**SENSITISATION** 

MUTAGENICITY

NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

ACGIH: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY ACGIH.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

**ADDITIONAL** RTECS: NOT AVAILABLE

**INFORMATION** DISCOLORATION OF THE SKIN., PICRIC ACID DUST

CAUSES SENSITIZATION DERMATITIS. THIS USUALLY OCCURS ON THE FACE, ESPECIALLY AROUND THE

MOUTH AND THE SIDES OF THE NOSE; THE

CONDITION PROGRESSES FROM EDEMA, THROUGH THE FORMATION OF PAPULES AND VESICLES, TO ULTIMATE DESQUAMATION. INHALATION OF HIGH

CONCENTRATIONS OF DUST HAS CAUSED

UNCONSCIOUSNESS, WEAKNESS, MUSCLE PAIN, AND KIDNEY PROBLEMS. SWALLOWING PICRIC ACID MAY CAUSE A BITTER TASTE, HEADACHE, DIZZINESS, NAUSEA, VOMITING, AND DIARRHEA. HIGH DOSES MAY CAUSE DESTRUCTION OF THE RED BLOOD CELLS AND DAMAGE TO THE KIDNEYS AND LIVER

WITH BLOOD IN THE URINE.

STOMACH - IRREGULARITIES - BASED ON HUMAN

**EVIDENCE** 

#### **SECTION 12. ECOLOGICAL INFORMATION**

**TOXICITY** 

NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

VE NO DATA AVAILABLE

**POTENTIAL** 

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT** BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH

AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA

CARE IN IGNITING AS THIS MATERIAL IS HIGHLY

FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY

SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

DISSOLVE OR MIX THE MATERIAL WITH A

COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND

SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

### **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: TRINITROPHENOL, WETTED

UN NUMBER: 1344 CLASS: 4.1 PACKING GROUP: I

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: TRINITROPHENOL, WETTED

UN NUMBER: 1344 CLASS: 4.1 PACKING GROUP: I

EMS-NO: F-B, S-J

**IATA** 

PROPER SHIPPING NAME: TRINITROPHENOL, WETTED

UN NUMBER: 1344 CLASS: 4.1 Ι PACKING GROUP:

#### **SECTION 15.** REGULATORY INFORMATION

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. **REVISION DATE** 

Picric acid 88-89-1 7/1/2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

> CAS-NO. **REVISION DATE**

Picric acid 88-89-1 7/1/2007

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

> CAS-NO. **REVISION DATE**

88-89-1 7/1/2007 Picric acid WATER 7732-18-5

**NEW JERSEY RIGHT TO** KNOW COMPONENTS

> CAS-NO. **REVISION DATE**

Picric acid 88-89-1 7/1/2007 WATER 7732-18-5

CALIFORNIA PROP. 65

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS **COMPONENTS** KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER,

BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE

HARM.

#### **SECTION 16. OTHER INFORMATION**

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY EXPL. EXPLOSIVES

H201 EXPLOSIVE; MASS EXPLOSION HAZARD.

H228 FLAMMABLE SOLID. H301 TOXIC IF SWALLOWED.

H301 + H311 + H331 TOXIC IF SWALLOWED, IN CONTACT WITH SKIN OR IF

**INHALED** 

H311 TOXIC IN CONTACT WITH SKIN.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H332 HARMFUL IF INHALED. SKIN SENS. SKIN SENSITISATION

#### **HMIS RATING**

HEALTH HAZARD: 2 CHRONIC HEALTH \*

HAZARD:

FLAMMABILITY: 4 PHYSICAL HAZARD 4

#### NFPA RATING

HEALTH HAZARD: 2
FIRE HAZARD: 4
REACTIVITY HAZARD: 4
HEALTH HAZARD: 2
FIRE HAZARD: 1
REACTIVITY HAZARD: 0

#### MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

# IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.