Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30148

NAME: Acetic anhydride

SYNONYMS: Ethanoic anhydride

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 3), H331 SKIN CORROSION (CATEGORY 1B), H314

SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



DANGER SIGNAL WORD

| HAZARD STATEMENT(S) | HAZARD | STATEMENT(| (2) |
|---------------------|--------|------------|-----|
|---------------------|--------|------------|-----|

H226 FLAMMABLE LIQUID AND VAPOUR.

H302 HARMFUL IF SWALLOWED.

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. H314

CAUSES SERIOUS EYE DAMAGE. H318

TOXIC IF INHALED. H331

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT

SURFACES. - NO SMOKING.

P233 KEEP CONTAINER TIGHTLY CLOSED.

P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.

USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ P241

LIGHTING/ EOUIPMENT.

P242 USE ONLY NON-SPARKING TOOLS.

P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC

DISCHARGE.

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. P280

WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P312 + P330IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/

PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.

P301 + P330 + P331IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE

VOMITING.

IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL P303 + P361 + P353

CONTAMINATED CLOTHING. RINSE SKIN WITH

WATER/SHOWER.

P304 + P340 + P310IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL P305 + P351 + P338 +

P310 MINUTES. REMOVE CONTACT LENSES. IF PRESENT AND

EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

WASH CONTAMINATED CLOTHING BEFORE REUSE. P363

P370 + P378IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM TO EXTINGUISH.

P403 + P233STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE LACHRYMATOR., REACTS VIOLENTLY WITH WATER.

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $C_4H_6O_3$

MW: 102.09

CAS-NO. 108-24-7

PURITY: $\geq 99\%$ (Assay)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|------------------|-----------------------------|---------------|
| ACETIC ANHYDRIDE | | |
| | FLAM. LIQ. 3; ACUTE TOX. 4; | <= 100 % |
| | ACUTE TOX. 3; SKIN CORR. | |
| | 1B; EYE DAM. 1; H226, H302, | |
| | H314, H318, H331 | |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL.

CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING

TRANSPORT TO HOSPITAL.

IF SWALLOWED

DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

THE MOST IMPORTANT KNOWN SYMPTOMS AND

MOST IMPORTANT **SYMPTOMS AND**

EFFECTS, BOTH ACUTE

EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

AND DELAYED

INDICATION OF ANY IMMEDIATE MEDICAL **ATTENTION AND** SPECIAL TREATMENT **NEEDED**

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS

ARISING FROM THE

SUBSTANCE OR MIXTURE

CARBON OXIDES

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS. **PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

WEAR RESPIRATORY PROTECTION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN

LOW AREAS.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE

SECTION 13).

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID

INHALATION OF VAPOUR OR MIST.

KEEP AWAY FROM SOURCES OF IGNITION - NO

SMOKING. TAKE MEASURES TO PREVENT THE BUILD

UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE. REACTS VIOLENTLY WITH WATER.

STORAGE CLASS (TRGS 510): FLAMMABLE LIQUIDS

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

| COMPONENT | CAS-NO. | VALUE | CONTROL PARAMETEI | BASIS | |
|-----------|----------|------------|--|--------------|--|
| ACETIC | 108-24-7 | TWA | 1 PPM | USA. ACGIH | |
| ANHYDRIDE | | | | THRESHOLD | |
| | | | | LIMIT VALUES | |
| | | | | (TLV) | |
| | REMARKS | UPPER RESI | UPPER RESPIRATORY TRACT IRRITATION | | |
| | | | EYE IRRITATION | | |
| | | NOT CLASS | NOT CLASSIFIABLE AS A HUMAN CARCINOGEN | | |

| TWA | 1.000000 PPM | USA. ACGIH |
|--|-----------------|----------------|
| | | THRESHOLD |
| | | LIMIT VALUES |
| | | (TLV) |
| UPPER RESPIRA | TORY TRACT IRR | |
| EYE IRRITATION | | |
| NOT CLASSIFIABLE AS A HUMAN CARCINOGEN | | |
| TWA | 5.000000 PPM | USA. |
| | 20.000000 MG/M3 | OCCUPATIONAL |
| | | EXPOSURE |
| | | LIMITS |
| | | (OSHA) - TABLE |
| | | Z-1 LIMITS FOR |
| | | AIR |
| | | CONTAMINANTS |
| THE VALUE IN I | MG/M3 IS APPROX | IMATE. |
| C | 5.000000 PPM | USA. NIOSH |
| | 20.000000 MG/M3 | RECOMMENDED |
| | | EXPOSURE |
| | | LIMITS |
| STEL | 3.000000 PPM | USA. ACGIH |
| | | THRESHOLD |
| | | LIMIT VALUES |
| | | (TLV) |
| UPPER RESPIRA | TORY TRACT IRR | ITATION |
| EYE IRRITATION | | |
| NOT CLASSIFIA | BLE AS A HUMAN | CARCINOGEN |

EXPOSURE CONTROLS

APPROPRIATE AVOID CONTACT WITH SKIN, EYES AND CLOTHING. **ENGINEERING** WASH HANDS BEFORE BREAKS AND IMMEDIATELY

CONTROLS AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-

INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: BUTYL-RUBBER
MINIMUM LAYER THICKNESS: 0.3 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)

SPLASH CONTACT

MATERIAL: NATURE LATEX/CHLOROPRENE MINIMUM LAYER THICKNESS: 0.6 MM BREAK THROUGH TIME: 60 MIN MATERIAL TESTED:LAPREN (KCL 706, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING., THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear colorless liquid

ODOUR PUNGENT

ODOUR THRESHOLD NO DATA AVAILABLE NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT 139 °C (Approx.)

AND BOILING RANGE

FLASH POINT 49 °C

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER UPPER EXPLOSION LIMIT: 10.3 %(V) FLAMMABILITY OR LOWER EXPLOSION LIMIT: 2.7 %(V)

EXPLOSIVE LIMITS

VAPOUR PRESSURE 5 HPA (4 MMHG) AT 20 C, 13 HPA (10 MMHG) AT 36 C,

6.69 HPA (5.02 MMHG)

VAPOUR DENSITY 3.52 - (AIR = 1.0)

RELATIVE DENSITY 1.08

WATER SOLUBILITY SLIGHTLY SOLUBLE PARTITION COEFFICIENT: LOG POW: CA.-0.27

N- OCTANOL/WATER

AUTO-IGNITION 316 C

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

SURFACE TENSION 32.7 MN/M AT 20 C RELATIVE VAPOUR 3.52 - (AIR = 1.0)

DENSITY

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID DO NOT ALLOW WATER TO ENTER CONTAINER

BECAUSE OF VIOLENT REACTION. HEAT, FLAMES AND

SPARKS.

INCOMPATIBLE ACIDS, ALCOHOLS, BASES, OXIDIZING AGENTS,

MATERIALS REDUCING AGENTS, POWDERED METALS

HAZARDOUS OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION AVAILABLE

PRODUCTS IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 630 MG/KG

LC50 INHALATION - RAT - 4 H - 4,200 MG/M3 LD50 DERMAL - RABBIT - 4,320 MG/KG

SKIN SKIN - IN VITRO ASSAY CORROSION/IRRITATION RESULT: CAUSES BURNS.

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: SEVERE EYE IRRITATION

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD

NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: AK1925000

BURNING SENSATION, COUGH, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH LC50 - LEUCISCUS IDUS MELANOTUS - 265 MG/L - 48

Н

TOXICITY TO DAPHNIA AND

OTHER AQUATIC INVERTEBRATES

TOXICITY TO ALGAE EC10 - DESMODESMUS SUBSPICATUS (GREEN

ALGAE) - 3,400 MG/L - 192 H

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY ZAHN-WELLENS TEST - EXPOSURE TIME 5 D

RESULT: - READILY BIODEGRADABLE

(OECD TEST GUIDELINE 302B)

BIOACCUMULATIVE

POTENTIAL

NO BIOACCUMULATION IS TO BE EXPECTED (LOG

EC50 - DAPHNIA (WATER FLEA) - 55 MG/L - 96 H

 $POW \le 4$).

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH

AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA

CARE IN IGNITING AS THIS MATERIAL IS HIGHLY

FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE

SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ACETIC ANHYDRIDE

UN NUMBER: 1715 CLASS: 8 (3) PACKING GROUP: II

REPORTABLE QUANTITY 5000 LBS

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: ACETIC ANHYDRIDE

UN NUMBER: 1715 CLASS: 8 (3) PACKING GROUP: II EMS-NO: F-E, S-C

IATA

PROPER SHIPPING NAME: ACETIC ANHYDRIDE

UN NUMBER: 1715 CLASS: 8 (3) PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

> COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE**

Acetic anhydride 108-24-7 3/1/2007

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE**

108-24-7 3/1/2007 Acetic anhydride

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE**

Acetic anhydride 108-24-7 3/1/2007

CALIFORNIA PROP. 65

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS **COMPONENTS** KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER,

BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE

HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX. ACUTE TOXICITY EYE DAM. SERIOUS EYE DAMAGE FLAM. LIQ. FLAMMABLE LIQUIDS

H226 FLAMMABLE LIQUID AND VAPOUR.

H302 HARMFUL IF SWALLOWED.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE.

H331 TOXIC IF INHALED. SKIN CORR. SKIN CORROSION

HMIS RATING

HEALTH HAZARD: 3

CHRONIC HEALTH

HAZARD:

FLAMMABILITY: 2 PHYSICAL HAZARD 0

NFPA RATING

HEALTH HAZARD: 3 FIRE HAZARD: 2 REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.