Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30182
NAME:	Lead(II) oxide
SYNONYMS:	Lead monoxide
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 CARCINOGENICITY, ORAL (CATEGORY 2), H351 REPRODUCTIVE TOXICITY (CATEGORY 1A), H360

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD	DANGER
HAZARD STATEMENT(S	5)
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED
H351	SUSPECTED OF CAUSING CANCER IF
11551	SWALLOWED.
H360	MAY DAMAGE FERTILITY OR THE UNBORN
11000	CHILD.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH
	PROLONGED OR REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG
	LASTING EFFECTS.
PRECAUTIONARY STAT	TEMENT(S)
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202	DO NOT HANDLE UNTIL ALL SAFETY
	PRECAUTIONS HAVE BEEN READ AND
	UNDERSTOOD.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/
	VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING
	THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-
	VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE
	CLOTHING/ EYE PROTECTION/ FACE
	PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR
	DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
	RINSE MOUTH.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR
	AND KEEP COMFORTABLE FOR BREATHING.
	CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN IF YOU FEEL UNWELL.
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL
	ADVICE/ ATTENTION.
P391	COLLECT SPILLAGE.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN
	APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: PbO

MW: 223.19

CAS-NO. 1317-36-8

PURITY: \geq 99% (Assay by titration)

HAZARDOUS COMPONENTS

COMPONENTCLASSIFICATIONCONCENTRATIONLEAD MONOXIDE INCLUDED IN THE CANDIDATE LIST OF SUBSTANCES OF VERYHIGH CONCERN (SVHC) ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

ACUTE TOX. 4; CARC. 2; REPR.	<= 100 %
1A; STOT RE 2; AQUATIC	
ACUTE 1; AQUATIC CHRONIC	
1; H302 + H332, H351, H360,	
H373, H410	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES		
GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA	
	SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT	
	OF DANGEROUS AREA.	
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF	
	NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.	
	CONSULT A PHYSICIAN.	
IN CASE OF SKIN	WASH OFF WITH SOAP AND PLENTY OF WATER.	
CONTACT	CONSULT A PHYSICIAN.	
IN CASE OF EYE	FLUSH EYES WITH WATER AS A PRECAUTION.	
CONTACT		
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN	
	UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.	
	CONSULT A PHYSICIAN.	

MOST IMPORTANT	THE MOST IMPORTANT KNOWN SYMPTOMS AND
SYMPTOMS AND	EFFECTS ARE DESCRIBED IN THE LABELLING (SEE
EFFECTS, BOTH ACUTE	SECTION 2.2) AND/OR IN SECTION 11
AND DELAYED	
INDICATION OF ANY	NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	LEAD OXIDES
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST
PROTECTIVE EQUIPMENT	FORMATION. AVOID BREATHING VAPOURS, MIST OR
AND EMERGENCY	GAS. ENSURE ADEQUATE VENTILATION. EVACUATE
PROCEDURES	PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.
	FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
PRECAUTIONS	TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
	DISCHARGE INTO THE ENVIRONMENT MUST BE
	AVOIDED.
METHODS AND	PICK UP AND ARRANGE DISPOSAL WITHOUT
MATERIALS FOR	CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
CONTAINMENT AND	SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
CLEANING UP	
REFERENCE TO OTHER	FOR DISPOSAL SEE SECTION 13.
SECTIONS	

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE.
ANY INCOMPATIBILITIES	KEEP IN A DRY PLACE.
	STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE,
	ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS
	OR HAZARDOUS MATERIALS CAUSING CHRONIC
	EFFECTS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS				
COMPONENTS WITH WORKPLACE CONTROL PARAMETERS				
COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
LEAD	1317-36-8	TWA	0.05 MG/M3	USA. ACGIH THRESHOLD
MONOXIDE				LIMIT VALUES
				(TLV)
	REMARKS	CENTRAL	NERVOUS SYSTE	M IMPAIRMENT
		HEMATOL	OGIC EFFECTS	
		PERIPHER	AL NERVOUS SYS	STEM IMPAIRMENT
				THERE IS A BIOLOGICAL
				CES(SEE BEI SECTION)
		CONFIRM	ED ANIMAL CARC	CINOGEN WITH UNKNOWN
		RELEVAN	<u>CE TO HUMANS V</u>	ARIES
		TWA	0.050000 MG/M3	USA. ACGIH THRESHOLD
				LIMIT VALUES
				(TLV)
			NERVOUS SYSTE	M IMPAIRMENT
		HEMATOL	OGIC EFFECTS	
		PERIPHER	AL NERVOUS SYS	STEM IMPAIRMENT
				THERE IS A BIOLOGICAL
				CES(SEE BEI SECTION)
				CINOGEN WITH UNKNOWN
		RELEVAN	CE TO HUMANS V	ARIES

r		
	TWA	0.050000 MG/M3 USA. NIOSH
		RECOMMENDED
		EXPOSURE LIMITS
	SEE APPI	
	PEL	0.050000 MG/M3 OSHA SPECIFICALLY
		REGULATED
		CHEMICALS/CARCINOGENS
	1910.1025	5
	IF AN EN	IPLOYEE IS EXPOSED TO LEAD FOR MORE
	THAN 8 I	HOURS IN ANY WORK DAY, THE PERMISSIBLE
	EXPOSU	RE LIMIT, AS A TIME WEIGHTED AVERAGE
	(TWA) FO	OR THAT DAY, SHALL BE REDUCED ACCORDING
	TO THE I	FOLLOWING FORMULA: MAXIMUM
	PERMISS	SIBLE LIMIT (IN MG/M3)=400 HOURS WORKED
	IN THE D	DAY
	THIS SEC	CTION APPLIES TO ALL OCCUPATIONAL
		RE TO LEAD, EXCEPT AS PROVIDED IN
		APH (A)(2). IT DOES NOT APPLY TO THE
	CONSTR	UCTION INDUSTRY OR TO AGRICULTURAL
	OPERATI	ONS COVERED BY 29 CFR PART 1928.
	OSHA SP	ECIFICALLY REGULATED CARCINOGEN
	PEL	0.050000 MG/M3 OSHA SPECIFICALLY
		REGULATED
		CHEMICALS/CARCINOGENS
	1910.1025	5
	IF AN EM	IPLOYEE IS EXPOSED TO LEAD FOR MORE
	THAN 8 I	HOURS IN ANY WORK DAY, THE PERMISSIBLE
	EXPOSU	RE LIMIT, AS A TIME WEIGHTED AVERAGE
		OR THAT DAY, SHALL BE REDUCED ACCORDING
	TO THE I	FOLLOWING FORMULA: MAXIMUM
	PERMISS	SIBLE LIMIT (IN MG/M3)=400 HOURS WORKED
	IN THE D	DAY
	THIS SEC	CTION APPLIES TO ALL OCCUPATIONAL
		RE TO LEAD, EXCEPT AS PROVIDED IN
		APH (A)(2). IT DOES NOT APPLY TO THE
		UCTION INDUSTRY OR TO AGRICULTURAL
		IONS COVERED BY 29 CFR PART 1928.
		ECIFICALLY REGULATED CARCINOGEN
EXPOSURE CONTR		
APPROPRIATE		CCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING		SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND	AT THE END OF WORKDAY.
PERSONAL PROTEC		
EYE/FACE PROTECT		SES WITH SIDE-SHIELDS CONFORMING TO
	-	UIPMENT FOR EYE PROTECTION TESTED AND
		NDER APPROPRIATE GOVERNMENT
		UCULAR NUCCUL(UR) OD EN 1(((EU))

STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON DASIC I	In Sical and Chemical I Koi Ekiles
APPEARANCE	Yellow powder or crystalline powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	9.9 AT 100 G/L AT 20 C
MELTING	888 °C (Approx.)
POINT/FREEZING POINT	
BOILING POINT	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	0.0702 G/L AT 20 C - OECD TEST GUIDELINE 105 -
	SLIGHTLY SOLUBLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	HYDROGEN PEROXIDE, STRONG OXIDIZING AGENTS, ACIDS
HAZARDOUS DECOMPOSITION PRODUCTS	OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICO ACUTE TOXICITY	DLOGICAL EFFECTS NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE	
SKIN CORROSION/IRRITATION	SKIN RABBIT RESULT: MILD SKIN IRRITATION - 24 H	
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES RABBIT RESULT: NO EYE IRRITATION	
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE	
GERM CELL MUTAGENICITY	HAMSTER EMBRYO MORPHOLOGICAL TRANSFORMATION.	
CARCINOGENICITY	THIS PRODUCT IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE PROBABLY CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP, OR EPA CLASSIFICATION. LIMITED EVIDENCE OF CARCINOGENICITY IN ANIMAL STUDIES (ORAL)	
IARC:	2A - GROUP 2A: PROBABLY CARCINOGENIC TO HUMANS (LEAD MONOXIDE)	
NTP:	REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BEEN ADDED BY TD BASED ON THE BACKGROUND	
OSHA:	INFORMATION OF THE NTP. (LEAD MONOXIDE) OSHA SPECIFICALLY REGULATED CARCINOGEN (LEAD MONOXIDE)	
REPRODUCTIVE TOXICITY	MAY CAUSE CONGENITAL MALFORMATION IN THE FETUS. KNOWN HUMAN REPRODUCTIVE TOXICANT	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE	
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.	
ASPIRATION HAZARD	NO DATA AVAILABLE	

ADDITIONAL RTECS: OG1750000 **INFORMATION** LEAD SALTS HAVE BEEN REPORTED TO CROSS THE PLACENTA AND TO INDUCE EMBRYO- AND FETO-MORTALITY. THEY ALSO HAVE TERATOGENIC EFFECT IN SOME ANIMAL SPECIES. NO TERATOGENIC EFFECTS HAVE BEEN REPORTED WITH EXPOSURE TO ORGANOMETALLIC LEAD COMPOUNDS. ADVERSE EFFECTS OF LEAD ON HUMAN REPRODUCTION, EMBRYONIC AND FETAL DEVELOPMENT, AND POSTNATAL (E.G., MENTAL) DEVELOPMENT HAVE BEEN REPORTED. EXCESSIVE EXPOSURE CAN AFFECT BLOOD, NERVOUS, AND DIGESTIVE SYSTEMS. THE SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND RESULTS IN ANEMIA. IF LEFT UNTREATED, NEUROMUSCULAR DYSFUNCTION, POSSIBLE PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. ADDITIONAL SYMPTOMS OF OVEREXPOSURE INCLUDE: JOINT AND MUSCLE PAIN, WEAKNESS OF THE EXTENSOR MUSCLES (FREQUENTLY THE HAND AND WRIST), HEADACHE, DIZZINESS, ABDOMINAL PAIN, DIARRHEA, CONSTIPATION, NAUSEA, VOMITING, BLUE LINE ON THE GUMS, INSOMNIA, AND METALLIC TASTE. HIGH BODY LEVELS PRODUCE INCREASED CEREBROSPINAL PRESSURE, BRAIN DAMAGE, AND STUPOR LEADING TO COMA AND OFTEN DEATH., ANOREXIA., VOMITING, CONVULSIONS, NAUSEA, HEADACHE, WEAKNESS, ANEMIA, TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW) - 0.298 MG/L - 96 H
TOXICITY TO DAPHNIA AND	EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.132 MG/L -
OTHER AQUATIC	48 H
INVERTEBRATES	
PERSISTENCE AND	NO DATA AVAILABLE
DEGRADABILITY	
BIOACCUMULATIVE	NO DATA AVAILABLE
POTENTIAL	
MOBILITY IN SOIL	NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

SECTION 13. DISPOSAL CONSIDERATIONS

	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
PRODUCT	
	TO A LICENSED DISPOSAL COMPANY. CONTACT A
	LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
	TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX T
	MATERIAL WITH A COMBUSTIBLE SOLVENT AND BUF
	IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER.
CONTAMINATED	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	LEAD COMPOUNDS, SOLUBLE, N.O.S. (Lead(II) oxide)
UN NUMBER:	2291
CLASS:	6.1
PACKING GROUP:	III
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	LEAD COMPOUND, SOLUBLE, N.O.S. (Lead(II) oxide)
UN NUMBER:	2291
CLASS:	6.1
PACKING GROUP:	III
EMS-NO:	F-A, S-A
MARINE POLLUTANT:	YES
IATA	
PROPER SHIPPING NAME:	LEAD COMPOUND, SOLUBLE, N.O.S. (Lead(II) oxide)
UN NUMBER:	2291
CLASS:	6.1
PACKING GROUP:	III

SARA 302 COMPONENTS		MATERIAL ARE SUBJECT TO EMENTS OF SARA TITLE III,
	SECTION 302.	
SARA 313 COMPONENTS		OT CONTAIN ANY CHEMICAL
	• • • • • • • • • • • • • • • • • • • •	OWN CAS NUMBERS THAT
		D (DEMINIMIS) REPORTING
MASSACHUSETTS RIGHT		Y SARA TITLE III, SECTION 313
MASSACHUSETTS KIGHT	CAS # REVISION DATE	REVISION DATE
Lead(II) oxide	1317-36-8	4/24/1993
PENNSYLVANIA RIGHT TO	O KNOW COMPONENTS	
	CAS # REVISION DATE	REVISION DATE
Lead(II) oxide	1317-36-8	4/24/1993
NEW JERSEY RIGHT TO K	NOW COMPONENTS	
	CAS #	REVISION DATE
Lead(II) oxide	1317-36-8	4/24/1993
CALIFORNIA PROP. 65	WARNING! THIS PRODUC	T CONTAINS A CHEMICAL
COMPONENTS	KNOWN TO THE STATE OF CALIFORNIA TO CAUSE	
	CANCER.	
	CAS #	REVISION DATE
Lead(II) oxide	1317-36-8	9/28/2007

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATE	EMENTS REFERRED TO UNDER SECTIONS 2 AND 3.
ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
CARC.	CARCINOGENICITY
H302	HARMFUL IF SWALLOWED.
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED
H332	HARMFUL IF INHALED.
H351	SUSPECTED OF CAUSING CANCER IF SWALLOWED
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH
	PROLONGED OR REPEATED EXPOSURE.
HMIS RATING	
HEALTH HAZARD:	2
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0
NFPA RATING	
HEALTH HAZARD:	2

FIRE HAZARD:0REACTIVITY HAZARD:0

MSDS LEGEND			
MW:	MOLECULAR WEIGHT		
MF:	MOLECULAR FORMULA		
VOC:	VOLATILE ORGANIC COMPOUNDS		
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL		
	HYGINISTS		
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER		
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION		
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)		
TLV:	THRESHOLD LIMIT VALUE (ACGIH)		
IMPORTANT:			

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.