

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	30201
NAME:	Arsenic(III) oxide
SYNONYMS:	Arsenic trioxide Arsenous oxide
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 2), H300  
SKIN CORROSION (CATEGORY 1B), H314  
SERIOUS EYE DAMAGE (CATEGORY 1), H318  
CARCINOGENICITY (CATEGORY 1A), H350

ACUTE AQUATIC TOXICITY (CATEGORY 1), H400  
CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H300 FATAL IF SWALLOWED.  
H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H318 CAUSES SERIOUS EYE DAMAGE.  
H350 MAY CAUSE CANCER.  
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**PRECAUTIONARY STATEMENT(S)**

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.  
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
P260 DO NOT BREATHE DUST OR MIST.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN. RINSE MOUTH.  
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.  
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.  
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.  
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.  
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.  
P391 COLLECT SPILLAGE.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE** NONE

**CLASSIFIED (HNOC)  
OR NOT COVERED  
BY GHS**

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF: As<sub>2</sub>O<sub>3</sub>  
MW: 197.84  
CAS-NO. 1327-53-3  
PURITY: 99.95-100.05% (Titration)

**HAZARDOUS COMPONENTS**

COMPONENT	CLASSIFICATION	CONCENTRATION
ARSENIC TRIOXIDE INCLUDED IN THE CANDIDATE LIST OF SUBSTANCES OF VERY HIGH CONCERN (SVHC) ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)		
	ACUTE TOX. 2; SKIN CORR. 1B; EYE DAM. 1; CARC. 1A; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H300, H314, H318, H350, H410	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

**SECTION 4. FIRST-AID MEASURES**

---

**DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

**IN CASE OF SKIN CONTACT** TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.

**IN CASE OF EYE CONTACT** RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.

<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

<b>EXTINGUISHING MEDIA</b>	
<b>SUITABLE EXTINGUISHING MEDIA</b>	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	ARSENIC OXIDES
<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
<b>FURTHER INFORMATION</b>	NO DATA AVAILABLE

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	WEAR RESPIRATORY PROTECTION. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
<b>ENVIRONMENTAL PRECAUTIONS</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP IN A DRY PLACE. STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT. 1 AND 2 / VERY TOXIC HAZARDOUS MATERIALS

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
ARSENIC TRIOXIDE	1327-53-3	TWA	0.01 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)

	REMARKS	SUBSTANCE LISTED; FOR MORE INFORMATION SEE OSHA DOCUMENT 1910.1018 LUNG CANCER SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) CONFIRMED HUMAN CARCINOGEN VARIES		
		TWA	0.010000 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		LUNG CANCER SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) CONFIRMED HUMAN CARCINOGEN VARIES		
		C	0.002000 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		POTENTIAL OCCUPATIONAL CARCINOGEN OSHA CONSIDERS "INORGANIC ARSENIC" TO MEAN COPPER ACETOARSENITE & ALL INORGANIC COMPOUNDS CONTAINING ARSENIC EXCEPT ARSINE. SEE APPENDIX A 15 MINUTE CEILING VALUE		
		PEL	0.010000 MG/M3	OSHA SPECIFICALLY REGULATED CHEMICALS/CARCINOGENS
		1910.1018 THIS SECTION APPLIES TO ALL OCCUPATIONAL EXPOSURES TO INORGANIC ARSENIC EXCEPT THAT THIS SECTION DOES NOT APPLY TO EMPLOYEE EXPOSURES IN AGRICULTURE OR RESULTING FROM PESTICIDE APPLICATION, THE TREATMENT OF WOOD WITH PRESERVATIVES OR THE UTILIZATION OF ARSENICALLY PRESERVED WOOD. OSHA SPECIFICALLY REGULATED CARCINOGEN SUBSTANCE LISTED; FOR MORE INFORMATION SEE OSHA DOCUMENT 1910.1018		
		TWA	10.000000 PPM 25.000000 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		THE VALUE IN MG/M3 IS APPROXIMATE.		
		TWA	10 PPM	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)

		PULMONARY FUNCTION UPPER RESPIRATORY TRACT IRRITATION EYE IRRITATION
--	--	--

## **EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS** AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

## **PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

### **FULL CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

### **SPLASH CONTACT**

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

<b>RESPIRATORY PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White powder
ODOUR	ODOURLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	655 °C (Approx.)
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	0.000001 HPA (0.000001 MMHG) AT 66 °C
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	17.8 G/L AT 20 °C - OECD TEST GUIDELINE 105
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 5
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
<b>OTHER SAFETY INFORMATION</b>	NO DATA AVAILABLE



---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT
<b>INCOMPATIBLE MATERIALS</b>	OXIDIZING AGENTS, METALS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - 14.6 MG/KG INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	NO DATA AVAILABLE
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	THIS IS OR CONTAINS A COMPONENT THAT HAS BEEN REPORTED TO BE CARCINOGENIC BASED ON ITS IARC, OSHA, ACGIH, NTP, OR EPA CLASSIFICATION. HUMAN CARCINOGEN.
IARC:	1 - GROUP 1: CARCINOGENIC TO HUMANS (ARSENIC TRIOXIDE)

NTP:	KNOWN TO BE HUMAN CARCINOGEN (ARSENIC TRIOXIDE)
OSHA:	OSHA SPECIFICALLY REGULATED CARCINOGEN (ARSENIC TRIOXIDE)
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: CG3325000 TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED., MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., COUGH, SHORTNESS OF BREATH, HEADACHE STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

---

## SECTION 12. ECOLOGICAL INFORMATION

---

<b>TOXICITY</b>	
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	EC50 - DAPHNIA MAGNA (WATER FLEA) - 8.23 MG/L - 24 H
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	
BIOACCUMULATION	LEPOMIS CYANELLUS BIOCONCENTRATION FACTOR (BCF): 236
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS** VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.  
AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

**CONTAMINATED PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: ARSENIC TRIOXIDE  
UN NUMBER: 1561  
CLASS: 6.1  
PACKING GROUP: II  
REPORTABLE QUANTITY (RQ): 1 LBS  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: ARSENIC TRIOXIDE  
UN NUMBER: 1561  
CLASS: 6.1  
PACKING GROUP: II  
EMS-NO: F-A, S-A  
MARINE POLLUTANT: YES

**IATA**

PROPER SHIPPING NAME: ARSENIC TRIOXIDE  
UN NUMBER: 1561  
CLASS: 6.1  
PACKING GROUP: II

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 302:

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	11/3/2008

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	11/3/2008

**SARA 311/312 HAZARDS** ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	11/3/2008

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	11/3/2008

**CALIFORNIA PROP. 65 COMPONENTS** WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	9/28/2007

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

	CAS-NO.	REVISION DATE
Arsenic(III) oxide	1327-53-3	9/28/2007

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
CARC.	CARCINOGENICITY
EYE DAM.	SERIOUS EYE DAMAGE
H300	FATAL IF SWALLOWED.

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H318 CAUSES SERIOUS EYE DAMAGE.  
H350 MAY CAUSE CANCER.  
H400 VERY TOXIC TO AQUATIC LIFE.  
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**HMIS RATING**

HEALTH HAZARD: 4  
CHRONIC HEALTH HAZARD: \*  
FLAMMABILITY: 0  
PHYSICAL HAZARD 0

**NFPA RATING**

HEALTH HAZARD: 3  
FIRE HAZARD: 0  
REACTIVITY HAZARD: 0

**MSDS LEGEND**

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS  
CAS: CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*