Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30223

NAME: Aluminum nitrate nonahydrate

SYNONYMS: Sodium dihydrogen phosphate monohydrate

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H318 CAUSES SERIOUS EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

NONE

P310

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER/DOCTOR.

HAZARDS NOT

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $Al_3(NO_3)_3 \cdot 9H_2O$

MW: 375.13

CAS-NO. 7784-27-2

PURITY: 98.0-102.0% (Titration)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION			
Aluminum nitrate nonahydrate					
	EYE DAM. 1; H318	<= 100 %			
	M-FACTOR AQUATIC				
	ACUTE: 1 - AQUATIC				
	CHRONIC: 1				

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE MOVE OUT OF DANGEROUS AREA.CONSULT A

PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE

DOCTOR IN ATTENDANCE.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER.

CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND

SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE

NITROGEN OXIDES (NOX), ALUMINUM OXIDE

ADVICE FOR WEAR SELF CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONALUSE PERSONAL PROTECTIVE EQUIPMENT. AVOID**PRECAUTIONS,**DUST FORMATION. AVOID BREATHING VAPOURS, MIST

PROTECTIVE OR GAS. ENSURE ADEQUATE VENTILATION. **EQUIPMENT AND** EVACUATE PERSONNEL TO SAFE AREAS. AVOID

EMERGENCY BREATHING DUST.

PROCEDURES

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AV HANDLING PR

AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

SHOULD BE TAKEN INTO CONSIDERATION BEFORE

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Aluminum nitrate	7784-27-2	TWA	2 MG/M3	USA. NIOSH
nonahydrate				RECOMMENDED
				EXPOSURE LIMITS
		PEL	2 MG/M3	CALIFORNIA PERMISSIBLE
				EXPOSURE LIMITS FOR
				CHEMICAL
				CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIALENGINEERINGHYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

CONTROLS BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL

TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT.

DISPOSE OF CONTAMINATED GLOVES AFTER USE IN

ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER

SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE

APPROVED GLOVES. THIS RECOMMENDATION IS

ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR

WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS

OFFERING AN APPROVAL FOR ANY SPECIFIC USE

SCENARIO.

BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE

> TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF

THE DANGEROUS SUBSTANCE AT THE SPECIFIC

WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN

143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White crystals

ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE 2.5 - 3.5 AT 50 G/L AT 25 C PH

MELTING 73 °C (Approx.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

NO DATA AVAILABLE **EVAPORATION RATE** FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

NO DATA AVAILABLE **AUTO-IGNITION**

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

CONDITIONS TO AVOID AVOID MOISTURE

INCOMPATIBLE STRONG REDUCING AGENTS, POWDERED METALS,

MATERIALS STRONG ACIDS

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - NITROGEN OXIDES (NOX),

ALUMINUM OXIDE

OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - MALE AND FEMALE - 3,263 MG/KG

(OECD TEST GUIDELINE 401)

INHALATION: NO DATA AVAILABLE

LD50 DERMAL - RABBIT - MALE AND FEMALE - > 5,000

MG/KG

(OECD TEST GUIDELINE 402)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

NO DATA AVAILABLE

SKIN SKIN - RABBIT

CORROSION/IRRITATION RESULT: NO SKIN IRRITATION - 4 H

(OECD TEST GUIDELINE 404)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: CAUSES SERIOUS EYE DAMAGE.

(OECD TEST GUIDELINE 405)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

RESPIRATORY OR SKIN **SENSITISATION**

MAXIMISATION TEST - GUINEA PIG

RESULT: DOES NOT CAUSE SKIN SENSITISATION.

(OECD TEST GUIDELINE 406)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NO COMPONENT OF THIS PRODUCT PRESENT AT NTP:

> LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

> LEVELS GREATER THAN OR EOUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

ACUTE INHALATION TOXICITY - POSSIBLE DAMAGES:

MUCOSAL IRRITATIONS, COUGH

SPECIFIC TARGET ORGAN **TOXICITY - REPEATED**

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE ADDITIONAL INFORMATION

RTECS: BD1050000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

AFTER ABSORPTION OF TOXIC QUANTITIES:

CNS DISORDERS, METHAEMOGLOBINEMIA, NAUSEA,

VOMITING

THE FOLLOWING APPLIES TO ALUMINIUM

COMPOUNDS IN GENERAL: AFTER SWALLOWING:

ONLY SLIGHTLY ABSORBABLE VIA THE

GASTROINTESTINAL TRACT. SERIOUS DISORDERS IN

MAN (FROM ABOUT 4000 MG ALUMINIUM UP): PHOSPHATE METABOLISM, CALCIUM METABOLISM. THE FOLLOWING APPLIES TO NITRITES/NITRATES IN GENERAL: METHAEMOGLOBINAEMIA AFTER THE

UPTAKE OF LARGE QUANTITIES.

OTHER DANGEROUS PROPERTIES CAN NOT BE

EXCLUDED.

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL

HYGIENE AND SAFETY PRACTICE.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH SEMI-STATIC TEST LC50 - DANIO RERIO (ZEBRA FISH)

- > 0.105 MG/L - 96 H

(OECD TEST GUIDELINE 203)

REMARKS: (ABOVE THE SOLUBILITY LIMIT IN THE

TEST MEDIUM) (IN ANALOGY TO SIMILAR

PRODUCTS)

TOXICITY TO DAPHNIA AND

OTHER AQUATIC

TATIC 47

STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - 47.5 MG/L - 48 H

INVERTEBRATES (OECD TEST GUIDELINE 202)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

TOXICITY TO ALGAE STATIC TEST ERC50 - PSEUDOKIRCHNERIELLA

SUBCAPITATA - 14 MG/L - 72 H (OECD TEST GUIDELINE 201)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

TOXICITY TO BACTERIA STATIC TEST EC50 - ACTIVATED SLUDGE - > 1,000

MG/L - 3 H

(OECD TEST GUIDELINE 209)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND PBT/VPVB ASSESSMENT NOT AVAILABLE AS

VPVB ASSESSMENT CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS HAZARD FOR DRINKING WATER SUPPLIES.

DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE

TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ALUMINUM NITRATE

UN NUMBER: 1438 CLASS: 5.1 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: ALUMINUM NITRATE

UN NUMBER: 1438
CLASS: 5.1
PACKING GROUP: III
EMS-NO: F-A, S-Q

IATA

PROPER SHIPPING NAME: ALUMINUM NITRATE

UN NUMBER: 1438

CLASS: 5.1 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT

TO THE REPORTING REQUIREMENTS OF SARA

TITLE III, SECTION 302.

SARA 313 COMPONENTS

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED

BY SARA TITLE III, SECTION 313:

CAS-NO. REVISION DATE

Aluminum nitrate nonahydrate 7784-27-2 03-01-2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO

KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE
MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Aluminum nitrate nonahydrate 7784-27-2 03-01-2007

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE

HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H318 CAUSES SERIOUS EYE DAMAGE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1. REVISION DATE: 01/27/2017