

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	30248
NAME:	Strontium nitrate anhydrous
SYNONYMS:	Nitric acid, strontium salt
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
OXIDIZING SOLIDS (CATEGORY 1), H271  
SERIOUS EYE DAMAGE (CATEGORY 1), H318  
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 3), H402

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H271 MAY CAUSE FIRE OR EXPLOSION; STRONG OXIDIZER.  
H318 CAUSES SERIOUS EYE DAMAGE.  
H402 HARMFUL TO AQUATIC LIFE.

**PRECAUTIONARY STATEMENT(S)**

P210 KEEP AWAY FROM HEAT.  
P220 KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE MATERIALS.  
P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH COMBUSTIBLES.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P283 WEAR FIRE/ FLAME RESISTANT/ RETARDANT CLOTHING.  
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.  
P306 + P360 IF ON CLOTHING: RINSE IMMEDIATELY CONTAMINATED CLOTHING AND SKIN WITH PLENTY OF WATER BEFORE REMOVING CLOTHES.  
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.  
P371 + P380 + P375 IN CASE OF MAJOR FIRE AND LARGE QUANTITIES: EVACUATE AREA. FIGHT FIRE REMOTELY DUE TO THE RISK OF EXPLOSION.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT  
OTHERWISE  
CLASSIFIED (HNOC)  
OR NOT COVERED  
BY GHS** NONE

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF:  $\text{Sr}(\text{NO}_3)_2$   
MW: 211.63

CAS-NO. 10042-76-9  
PURITY:  $\geq$  99% (Assay)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>Strontium nitrate anhydrous</b>		
	OX. SOL. 1; EYE DAM. 1; AQUATIC ACUTE 3; H271, H318, H402	$\leq$ 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

## SECTION 4. FIRST-AID MEASURES

---

### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
<b>IF SWALLOWED</b>	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

### **EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA** DRY POWDER DRY SAND

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE** NITROGEN OXIDES (NOX), STRONTIUM OXIDES  
NOT COMBUSTIBLE.

**ADVICE FOR  
FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID  
DUST FORMATION. AVOID BREATHING VAPOURS, MIST  
OR GAS. ENSURE ADEQUATE VENTILATION.  
EVACUATE PERSONNEL TO SAFE AREAS. AVOID  
BREATHING DUST.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE  
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.  
DISCHARGE INTO THE ENVIRONMENT MUST BE  
AVOIDED.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP** SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND  
THEN COLLECT WITH AN ELECTRICALLY PROTECTED  
VACUUM CLEANER OR BY WET-BRUSHING AND PLACE  
IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL  
REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE,  
CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER  
SECTIONS** FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE  
HANDLING** AVOID FORMATION OF DUST AND AEROSOLS. FURTHER  
PROCESSING OF SOLID MATERIALS MAY RESULT IN  
THE FORMATION OF COMBUSTIBLE DUSTS. THE

POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

**EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS**

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

## FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

## SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION**

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White crystalline powder
ODOUR	ODOURLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	6.7 AT 10 G/L AT 20 C
MELTING POINT/FREEZING POINT	570 °C
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	THE PRODUCT IS NOT FLAMMABLE.
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	2.99
WATER SOLUBILITY	660 G/L AT 20 C
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 0.19 - (LIT.), BIOACCUMULATION IS NOT EXPECTED.
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS OXIDIZING WITH THE CATEGORY 1.

**OTHER SAFETY INFORMATION**

BULK DENSITY	CA.1,000 KG/M3
--------------	----------------

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE

<b>CONDITIONS TO AVOID</b>	NO DATA AVAILABLE
<b>INCOMPATIBLE MATERIALS</b>	STRONG REDUCING AGENTS, STRONG ACIDS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - NITROGEN OXIDES (NOX), STRONTIUM OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

### INFORMATION ON TOXICOLOGICAL EFFECTS

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - FEMALE - > 2,000 MG/KG (OECD TEST GUIDELINE 423)  LC50 INHALATION - RAT - MALE AND FEMALE - 4 H - > 4.5 MG/L (OECD TEST GUIDELINE 403)  DERMAL: NO DATA AVAILABLE  NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	SKIN - RECONSTRUCTED HUMAN EPIDERMIS (RHE) RESULT: NO SKIN IRRITATION - 15 MIN (HUMAN SKIN MODEL TEST)
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	EYES - RABBIT RESULT: IRREVERSIBLE EFFECTS ON THE EYE (OECD TEST GUIDELINE 405)
<b>RESPIRATORY OR SKIN SENSITISATION</b>	MAXIMISATION TEST - GUINEA PIG RESULT: NEGATIVE (OECD TEST GUIDELINE 406) REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)
<b>GERM CELL MUTAGENICITY</b>	IN VITRO MAMMALIAN CELL GENE MUTATION TEST MOUSE LYMPHOMA CELLS RESULT: NEGATIVE MUTAGENICITY (MAMMAL CELL TEST): MICRONUCLEUS. HUMAN LYMPHOCYTES RESULT: NEGATIVE
<b>CARCINOGENICITY</b>	

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE** NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE** NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

**ADDITIONAL INFORMATION** RTECS: WK9800000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

## SECTION 12. ECOLOGICAL INFORMATION

---

### TOXICITY

TOXICITY TO FISH STATIC TEST LC50 - CYPRINUS CARPIO (CARP) - > 97.5 MG/L - 96 H  
(OECD TEST GUIDELINE 203)

TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES STATIC TEST LC50 - DAPHNIA MAGNA (WATER FLEA) - 125 MG/L - 48 H  
REMARKS: (ECHA)

TOXICITY TO ALGAE STATIC TEST ERC50 - PSEUDOKIRCHNERIELLA SUBCAPITATA (GREEN ALGAE) - > 104.7 MG/L - 72 H  
(OECD TEST GUIDELINE 201)

TOXICITY TO BACTERIA STATIC TEST EC50 - ACTIVATED SLUDGE - > 100 MG/L - 3 H  
(OECD TEST GUIDELINE 209)

### PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.

<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. HARMFUL TO AQUATIC LIFE.

---

### **SECTION 13. DISPOSAL CONSIDERATIONS**

---

#### **WASTE TREATMENT METHODS**

<b>PRODUCT</b>	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

### **SECTION 14. TRANSPORT INFORMATION**

---

<b>DOT (US)</b>	
PROPER SHIPPING NAME:	STRONTIUM NITRATE
UN NUMBER:	1507
CLASS:	5.1
PACKING GROUP:	III
REPORTABLE QUANTITY (RQ):	
POISON INHALATION HAZARD:	NO
<b>IMDG</b>	

PROPER SHIPPING NAME: STRONTIUM NITRATE  
UN NUMBER: 1507  
CLASS: 5.1  
PACKING GROUP: III  
EMS-NO: F-A, S-Q

**IATA**

PROPER SHIPPING NAME: STRONTIUM NITRATE  
UN NUMBER: 1507  
CLASS: 5.1  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Strontium nitrate anhydrous	10042-76-9	03-01-2007

**SARA 311/312 HAZARDS** REACTIVITY HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H271 MAY CAUSE FIRE OR EXPLOSION; STRONG OXIDIZER.  
H318 CAUSES SERIOUS EYE DAMAGE.  
H402 HARMFUL TO AQUATIC LIFE.

**MSDS LEGEND**

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

*VERSION: 3.2.*

*REVISION DATE: 07/01/2020*