Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 30285

NAME: Nickel(II) chloride anhydrous

SYNONYMS:

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, INHALATION (CATEGORY 3), H331 SKIN IRRITATION (CATEGORY 2), H315 RESPIRATORY SENSITISATION (CATEGORY 1), H334 SKIN SENSITISATION (CATEGORY 1), H317 GERM CELL MUTAGENICITY (CATEGORY 2), H341

CARCINOGENICITY (CATEGORY 1A), H350

REPRODUCTIVE TOXICITY (CATEGORY 1B), H360

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 1), H372

ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H301 + H331 TOXIC IF SWALLOWED OR IF INHALED

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR

BREATHING DIFFICULTIES IF INHALED.

H341 SUSPECTED OF CAUSING GENETIC DEFECTS.

H350 MAY CAUSE CANCER.

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.

P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE

BEEN READ AND UNDERSTOOD.

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY

P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE

ALLOWED OUT OF THE WORKPLACE.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P285 IN CASE OF INADEQUATE VENTILATION WEAR

RESPIRATORY PROTECTION.

P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/PHYSICIAN. RINSE MOUTH.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P304 + P340 + P311 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON CENTER

OR DOCTOR/PHYSICIAN.

P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/

ATTENTION.

P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL

ADVICE/ ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

NONE

P391 COLLECT SPILLAGE.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: NiCl₂

MW: 129.60

CAS-NO. 7718-54-9

PURITY: $\geq 99.95\%$ (Metal basis)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION			
NICKEL(II) CHLORIDE					
	ACUTE TOX. 3; SKIN IRRIT. 2;	<= 100%			
	RESP. SENS. 1; SKIN SENS. 1;				
	MUTA. 2; CARC. 1A; REPR. 1B;				
	STOT RE 1; AQUATIC ACUTE 1;				
	AQUATIC CHRONIC 1; H301 +				
	H331, H315, H317, H334, H341,				
	H350, H360, H372, H410				

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE

VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE

HYDROGEN CHLORIDE GAS, NICKEL/NICKEL OXIDES

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID DUST **PRECAUTIONS,** FORMATION. AVOID BREATHING VAPOURS, MIST OR

PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER SECTIONS

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.

KEEP IN A DRY PLACE.

STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC

EFFECTS

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS	
NICKEL(II) CHLORIDE	7718-54-9	TWA	1.000000 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS	
		TWA	0.1 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)	
	REMARKS	NASAL CAN			
				RECOMMENDED EXPOSURE LIMITS	
		NASAL CAN	LUNG DAMAGE NASAL CANCER NOT CLASSIFIABLE AS A HUMAN CARCINOGEN VARIES		
		TWA	0.015000 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS	
			POTENTIAL OCCUPATIONAL CARCINOGEN SEE APPENDIX A		
		TWA	1 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS	
		TWA	0.015 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS	
		POTENTIAL OCCUPATIONAL CARCINOGEN SEE APPENDIX A			
		TWA	0.1 MG/M3	USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000	

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY

AFTER HANDLING THE PRODUCT.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULL-FACE

RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN

143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER

APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL

EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Golden crystalline powder
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING 1001 °C

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE RELATIVE DENSITY 3.55 g/mL at 25 °C

WATER SOLUBILITY 642 G/L AT 20 C 876 G/L AT 100 C

PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY

NO DATA AVAILABLE
EXPLOSIVE PROPERTIES

NO DATA AVAILABLE
OXIDIZING PROPERTIES

NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS

REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID

NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

PEROXIDES

HAZARDOUS

OTHER DECOMPOSITION PRODUCTS - NO DATA

DECOMPOSITION

AVAILABLE

PRODUCTS

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 186 MG/KG

DERMAL: NO DATA AVAILABLE

SKIN

NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE EYES - RABBIT

DAMAGE/EYE IRRITATION RESULT: MILD EYE IRRITATION

(OECD TEST GUIDELINE 405)

RESPIRATORY OR SKIN

SENSITISATION

DRAIZE TEST - GUINEA PIG

RESULT: PROBABILITY OR EVIDENCE OF LOW TO

MODERATE SKIN SENSITISATION RATE IN HUMANS

MAY CAUSE ALLERGIC SKIN REACTION.

GERM CELL MUTAGENICITY IN VITRO TESTS SHOWED MUTAGENIC EFFECTS

CARCINOGENICITY THIS IS OR CONTAINS A COMPONENT THAT HAS

BEEN REPORTED TO BE CARCINOGENIC BASED ON

ITS IARC, OSHA, ACGIH, NTP, OR EPA

CLASSIFICATION.

HUMAN CARCINOGEN.

IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (NICKEL(II)

CHLORIDE)

NTP: KNOWN TO BE HUMAN CARCINOGEN (NICKEL(II)

CHLORIDE)

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY PRESUMED HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE

CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL RTECS: QR6475000

INFORMATION GASTROINTESTINAL DISTURBANCE, TO THE BEST OF

OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN

THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH MORTALITY NOEC - ONCORHYNCHUS MYKISS

(RAINBOW TROUT) - 4.9 MG/L - 96.0 H

TOXICITY TO DAPHNIA AND

OTHER AQUATIC INVERTEBRATES

EC50 - DAPHNIA MAGNA (WATER FLEA) - 6.0 - 9.3

MG/L - 48 H

TOXICITY TO ALGAE EC50 - PSEUDOKIRCHNERIELLA SUBCAPITATA

(GREEN ALGAE) - 0.006 - 0.012 MG/L - 96 H

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE POTENTIAL

BIOACCUMULATION ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 180 D-

1,000 G/L

BIOCONCENTRATION FACTOR (BCF): 4

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC

LIFE WITH LONG LASTING EFFECTS.

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

> TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S.(Nickel(II) chloride

anhydrous)

UN NUMBER: 3288 CLASS: 6.1 PACKING GROUP: Ш 100 LBS

REPORTABLE QUANTITY

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S.(Nickel(II) chloride

anhydrous)

3288 UN NUMBER:

CLASS: 6.1 PACKING GROUP: III EMS-NO: F-A, S-A MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S.(Nickel(II) chloride

anhydrous)

UN NUMBER: 3288 CLASS: 6.1 PACKING GROUP: Ш

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

THE FOLLOWING COMPONENTS ARE SUBJECT TO **SARA 313 COMPONENTS**

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. **REVISION DATE**

7718-54-9 Nickel(II) chloride anhydrous 4/24/1993

ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD SARA 311/312 HAZARDS

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Nickel(II) chloride anhydrous 7718-54-9 4/24/1993

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

REVISION DATE CAS-NO.

Nickel(II) chloride anhydrous 7718-54-9 4/24/1993

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. **REVISION DATE**

Nickel(II) chloride anhydrous 7718-54-9 4/24/1993

CALIFORNIA PROP. 65

COMPONENTS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE

WARNING! THIS PRODUCT CONTAINS A CHEMICAL

CANCER.

REVISION DATE CAS-NO.

Nickel(II) chloride anhydrous 7718-54-9 9/28/2007

SECTION 16. OTHER INFORMATION

ACUTE TOX. ACUTE TOXICITY

AQUATIC ACUTE ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC CHRONIC AQUATIC TOXICITY

CARC. CARCINOGENICITY H301 TOXIC IF SWALLOWED.

H301 + H331 TOXIC IF SWALLOWED OR IF INHALED

H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H331 TOXIC IF INHALED.

H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR

BREATHING DIFFICULTIES IF INHALED.

H341 SUSPECTED OF CAUSING GENETIC DEFECTS.

H350 MAY CAUSE CANCER.

H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
 H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

HMIS RATING

HEALTH HAZARD: 2 CHRONIC HEALTH *

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 0

NFPA RATING

HEALTH HAZARD: 2 FIRE HAZARD: 0 REACTIVITY HAZARD: 0

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.