Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30378
NAME:	Benzyldimethyltetradecylammonium chloride anhydrous
SYNONYMS:	Benzyltetradecyldimethylammonium chloride
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400

CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)		
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH	
	SKIN	
H314	CAUSES SEVERE SKIN BURNS AND EYE	
	DAMAGE.	
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG	
	LASTING EFFECTS.	
PRECAUTIONARY STA	TEMENT(S)	
P260	DO NOT BREATHE DUST OR MIST.	
P264	WASH SKIN THOROUGHLY AFTER HANDLING.	
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING	
	THIS PRODUCT.	
P273	AVOID RELEASE TO THE ENVIRONMENT.	
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE	
	CLOTHING/ EYE PROTECTION/ FACE	
	PROTECTION.	
P301 + P312	IF SWALLOWED: CALL A POISON CENTER OR	
	DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.	
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE	
	VOMITING.	
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF	
	IMMEDIATELY ALL CONTAMINATED CLOTHING.	
	RINSE SKIN WITH WATER/ SHOWER.	
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND	
	KEEP AT REST IN A POSITION COMFORTABLE FOR	
	BREATHING.	
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER	
	FOR SEVERAL MINUTES. REMOVE CONTACT	
	LENSES, IF PRESENT AND EASY TO DO.	
D2 10	CONTINUE RINSING.	
P310	IMMEDIATELY CALL A POISON CENTER OR	
D222	DOCTOR/ PHYSICIAN.	
P322	SPECIFIC MEASURES (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THIS LABEL).	
P363	WASH CONTAMINATED CLOTHING BEFORE	
F 303	REUSE.	
P391	COLLECT SPILLAGE.	
P405	STORE LOCKED UP.	
P403 P501	DISPOSE OF CONTENTS/ CONTAINER TO AN	
1 301	APPROVED WASTE DISPOSAL PLANT.	
HAZARDS NOT	NONE	
OTHERWISE		
OTTERWISE		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₂₃H₄₂NCl

MW: 368.05

CAS-NO. 139-08-2

PURITY: \geq 99% (Assay)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Benzyldimethyltetrade	cylammonium chloride anhydrous	
	ACUTE TOX. 4; SKIN CORR.	-
	1B; EYE DAM. 1; AQUATIC	
	ACUTE 1; AQUATIC CHRONIC	
	1; H302 + H312, H314, H410	
FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE		
SECTION 16.		

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES		
GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA	
	SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT	
	OF DANGEROUS AREA.	
	IF DREATHED DI MOVE DEDGON DITO EDEGLIAID. IE	
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF	
	NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.	
	CONSULI A PH I SICIAN.	
IN CASE OF SKIN	TAKE OFF CONTAMINATED CLOTHING AND SHOES	
CONTACT	IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF	
	WATER. CONSULT A PHYSICIAN.	
IN CASE OF EYE	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT	
CONTACT	LEAST 15 MINUTES AND CONSULT A	
	PHYSICIAN.CONTINUE RINSING EYES DURING	
	TRANSPORT TO HOSPITAL.	
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING	
IF SWALLOWED	BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE	
	MOUTH WITH WATER. CONSULT A PHYSICIAN.	
	WOUTH WITH WATER. CONSULTATITISICIAN.	
MOST IMPORTANT	THE MOST IMPORTANT KNOWN SYMPTOMS AND	
SYMPTOMS AND	EFFECTS ARE DESCRIBED IN THE LABELLING (SEE	

EFFECTS, BOTH ACUTE SECTION 2.2) AND/OR IN SECTION 11 AND DELAYED

INDICATION OF ANYNO DATA AVAILABLEIMMEDIATE MEDICALATTENTION AND SPECIALTREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, NITROGEN OXIDES (NOX), HYDROGEN CHLORIDE GAS
ADVICE FOR FIREFIGHTERS	WEAR SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.NORMAL MEASURES
	FOR PREVENTIVE FIRE PROTECTION.
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE. KEEP IN A DRY PLACE.
ANY INCOMPATIBILITIES	
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS COMPONENTS WITH WORKPLACE CONTROL PARAMETERS	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.
EXPOSURE CONTROLS	

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.
PERSONAL PROTECTIVE E	QUIPMENT
EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT
	FOR EYE PROTECTION TESTED AND APPROVED UNDER
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
BODY PROTECTION	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO. COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC	PHYSICAL AND CHEMICAL PROPERTIES
APPEARANCE	White crystalline powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	56-62 °C
POINT/FREEZING POINT	
BOILING POINT	
FLASH POINT	
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

_

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS

HAZARDOUSOTHER DECOMPOSITION PRODUCTS - NO DATADECOMPOSITIONAVAILABLEPRODUCTSIN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

ΙΝΕΟΡΜΑΤΙΟΝ ΟΝ ΤΟΥΙΟ	OLOCICAL EFFECTS
INFORMATION ON TOXIC ACUTE TOXICITY	OLOGICAL EFFECTS NO DATA AVAILABLE INHALATION: NO DATA AVAILABLE LD50 INTRAVENOUS - MOUSE - 18 MG/KG
SKIN CORROSION/IRRITATION	SKIN - RABBIT
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY CARCINOGENICITY	NO DATA AVAILABLE
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE

RTECS: NOT AVAILABLE BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING, CENTRAL NERVOUS SYSTEM DEPRESSION, NARCOSIS STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
	(Benzyldimethyltetradecylammonium chloride anhydrous)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	III
MARINE POLLUTANT:	NO
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
	(Benzyldimethyltetradecylammonium chloride anhydrous)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	III
EMS-NO:	F-A, S-B
MARINE POLLUTANT:	NO
IATA	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
	(Benzyldimethyltetradecylammonium chloride anhydrous)
UN NUMBER:	3261
CLASS:	8
PACKING GROUP:	III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	SADA 202: NO CHEM	ICALS IN THIS MATERIAL ARE
SARA 502 CONIFORENTS		PORTING REQUIREMENTS OF
	SARA TITLE III, SECT	110N 302.
SARA 313 COMPONENTS	SARA 313: THIS MAT	ERIAL DOES NOT CONTAIN AN
	CHEMICAL COMPON	IENTS WITH KNOWN CAS
	NUMBERS THAT EXC	CEED THE THRESHOLD (DE
		G LEVELS ESTABLISHED BY
	SARA TITLE III, SECT	
SARA 311/312 HAZARDS	ACUTE HEALTH HAZ	ZARD, CHRONIC HEALTH
	HAZARD	,
MASSACHUSETTS RIGHT TO	NO COMPONENTS AI	RE SUBJECT TO THE
KNOW COMPONENTS	MASSACHUSETTS R	IGHT TO KNOW ACT.
PENNSYLVANIA RIGHT TO KNOW	W COMPONENTS	
	CAS #	REVISION DATE
Benzyldimethyltetradecylammonium	139-08-2	
chloride anhydrous		
NEW JERSEY RIGHT TO KNOW C	COMPONENTS	
	CAS #	REVISION DATE

Benzyldimethyltetradecylammonium 139-08-2 chloride anhydrous

CALIFORNIA PROP. 65 COMPONENTS THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STAT	EMENTS REFERRED TO UNDER SECTIONS 2 AND 3.
ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
EYE DAM.	SERIOUS EYE DAMAGE
H302	HARMFUL IF SWALLOWED.
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
H312	HARMFUL IN CONTACT WITH SKIN.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
HMIS RATING	
HEALTH HAZARD:	3
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0
NFPA RATING	
HEALTH HAZARD	3
FIRE HAZARD:	0
REACTIVITY HAZARD:	0
MSDS LEGEND	
MW: MO	DLECULAR WEIGHT
MF: MC	DLECULAR FORMULA
VOC: VC	DLATILE ORGANIC COMPOUNDS
ACGIH: AN	IERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
НУ	/GINISTS

VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY *DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*