Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: sales@chemimpex.com Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30561
NAME:	Bismuth (III) fluoride
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

H314

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	
HAZARDS NOT	STRONG HYDROGEN FLUORIDE-RELEASER
	WASTE DISPOSAL PLANT.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
P405	STORE LOCKED UP.
P363	INSTRUCTIONS ON THIS LABEL). WASH CONTAMINATED CLOTHING BEFORE REUSE.
P321	SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID
P310	IMMEDIATELY CALL A POISON CENTER/DOCTOR.
	EASY TO DO. CONTINUE RINSING.
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	REST IN A POSITION COMFORTABLE FOR BREATHING.
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT
	SHOWER.
	ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
	PROTECTION/ FACE PROTECTION.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P260	DO NOT BREATHE DUST OR MIST.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Bismuth (III) fluorio		•
COMPONENT	CLASSIFICATION	CONCENTRATION
HAZARDOUS COM	IPONENTS	
PURITY:	≥99.99%	
CAS-NO.	7787-61-3	
IVI VV .	203.98	
MW:	265.98	
MF:	BiF ₃	

SKIN CORR. 1B; EYE DAM. 1;	<= 100 %
H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA
	SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF
	DANGEROUS AREA.HYDROFLUORIC (HF) ACID BURNS
	REQUIRE IMMEDIATE AND SPECIALIZED FIRST AID AND
	MEDICAL TREATMENT. SYMPTOMS MAY BE DELAYED
	UP TO 24 HOURS DEPENDING ON THE CONCENTRATION
	OF HF. AFTER DECONTAMINATION WITH WATER,
	FURTHER DAMAGE CAN OCCUR DUE TO
	PENETRATION/ABSORPTION OF THE FLUORIDE ION.
	TREATMENT SHOULD BE DIRECTED TOWARD BINDING
	THE FLUORIDE ION AS WELL AS THE EFFECTS OF
	EXPOSURE. SKIN EXPOSURES CAN BE TREATED WITH A
	2.5% CALCIUM GLUCONATE GEL REPEATED UNTIL
	BURNING CEASES. MORE SERIOUS SKIN EXPOSURES
	MAY REQUIRE SUBCUTANEOUS CALCIUM GLUCONATE
	EXCEPT FOR DIGITAL AREAS UNLESS THE PHYSICIAN IS
	EXPERIENCED IN THIS TECHNIQUE, DUE TO THE
	POTENTIAL FOR TISSUE INJURY FROM INCREASED
	PRESSURE. ABSORPTION CAN READILY OCCUR
	THROUGH THE SUBUNGUAL AREAS AND SHOULD BE
	CONSIDERED WHEN UNDERGOING DECONTAMINATION.
	PREVENTION OF ABSORPTION OF THE FLUORIDE ION IN
	CASES OF INGESTION CAN BE OBTAINED BY GIVING
	MILK, CHEWABLE CALCIUM CARBONATE TABLETS OR
	MILK OF MAGNESIA TO CONSCIOUS VICTIMS.
	CONDITIONS SUCH AS HYPOCALCEMIA,
	HYPOMAGNESEMIA AND CARDIAC ARRHYTHMIAS
	SHOULD BE MONITORED FOR, SINCE THEY CAN OCCUR
	AFTER EXPOSURE.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF
	NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.
	CONSULT A PHYSICIAN.
IN CASE OF SKIN	TAKE OFF CONTAMINATED CLOTHING AND SHOES
CONTACT	IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF
	WATER. CONSULT A PHYSICIAN.FIRST TREATMENT
	WITH CALCIUM GLUCONATE PASTE.
IN CASE OF EYE	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT
CONTACT	LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.

IF SWALLOWEDDO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH
WITH WATER. CONSULT A PHYSICIAN.

MOST IMPORTANTTHE MOST IMPORTANT KNOWN SYMPTOMS ANDSYMPTOMS ANDEFFECTS ARE DESCRIBED IN THE LABELLING (SEEEFFECTS, BOTH ACUTESECTION 2.2) AND/OR IN SECTION 11.AND DELAYEDSECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	HYDROGEN FLUORIDE, BISMUTH OXIDES
ADVICE FOR	WEAR SELF CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE,

CONTAINMENT AND	CLOSED CONTAINERS FOR DISPOSAL.
CLEANING UP	

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13. **SECTIONS**

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID FORMATION OF DUST AND AEROSOLS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.NORMAL MEASURES FOR PREVENTIVE FIRE PROTECTION. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP IN A DRY PLACE. DO NOT STORE IN GLASS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Bismuth (III)	7787-61-3	TWA	2.5 MG/M3	USA. OCCUPATIONAL
fluoride				EXPOSURE LIMITS (OSHA) -
				TABLE Z-1 LIMITS FOR AIR
				CONTAMINANTS
	REMARKS	CAS NUN	MBER VARIES WIT	TH COMPOUND
		TWA	2.5 MG/M3	USA. ACGIH THRESHOLD
				LIMIT VALUES (TLV)
		BONE DA	AMAGE	
		FLUOROSIS		
				I THERE IS A BIOLOGICAL
		EXPOSU	RE INDEX OR INC	DICES (SEE BEI SECTION)
		NOT CLA	SSIFIABLE AS A	HUMAN CARCINOGEN
		VARIES		
		PEL	2.5 MG/M3	CALIFORNIA PERMISSIBLE
				EXPOSURE LIMITS FOR
				CHEMICAL
				CONTAMINANTS

COMPONENT	CAS-NO.	PARAMETERS	VALUE	BIOLOGICAL SPECIMEN	BASIS
Bismuth (III) fluoride	7787-61-3	FLUORIDE	2 MG/L	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	PRIOR TO SHIF CEASES)	T (16 HO	URS AFTER EXI	POSURE
		FLUORIDE	3 MG/L	URINE	ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
		END OF SHIFT EXPOSURE CE		NAS POSSIBLE	AFTER

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR
PROTECTION	EYE PROTECTION TESTED AND APPROVED UNDER
	APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH
	(US) OR EN 166(EU).

- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE
(WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID
SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN ACCORDANCE
WITH APPLICABLE LAWS AND GOOD LABORATORY
PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE
TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED
ACCORDING TO THE CONCENTRATION AND AMOUNT OF
THE DANGEROUS SUBSTANCE AT THE SPECIFIC
WORKPLACE.
- RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYINGPROTECTIONRESPIRATORS ARE APPROPRIATE USE A FULLFACE
PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143)
RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING
CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF
PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.
USE RESPIRATORS AND COMPONENTS TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT
STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	8.30
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	AVOID MOISTURE. REACTS DANGEROUSLY WITH GLASS.
INCOMPATIBLE MATERIALS	STRONG ACIDS, STRONG OXIDIZING AGENTS GLASS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS HYDROGEN FLUORIDE, BISMUTH OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: NOT AVAILABLE
	FLUORIDE ION CAN REDUCE SERUM CALCIUM LEVELS POSSIBLY CAUSING FATAL HYPOCALCEMIA.
	SALIVATION, NAUSEA, VOMITING, FEVER, SYMPTOMS OF CHRONIC BISMUTH TOXICITY IN HUMANS
	CONSISTS OF DECREASED APPETITE, WEAKNESS,
	RHEUMATIC PAIN, DIARRHEA, FEVER, METAL LINE ON THE GUMS, FOUL BREATHE, GINGIVITIS, AND
	DERMATITIS. JAUNDICE AND CONJUNCTIVAL
	HEMORRHAGE ARE RARE, BUT HAVE BEEN
	REPORTED. BISMUTH NEPHROPATHY WITH
	PROTEINURIA MAY OCCUR. THE KIDNEY IS THE SITE
	OF HIGHEST CONCENTRATION WITH THE LIVER
	BEING CONSIDERABLY LOWER. BISMUTH DOES PASS
	INTO THE AMNIOTIC FLUID AND INTO THE FETUS.,
	MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

SECTION 12. ECOLOGICAL INFORMATION

ΤΟΧΙCITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE

RESULTS OF PBT AND VPVBPBT/VPVB ASSESSMENT NOT AVAILABLE ASASSESSMENTCHEMICAL SAFETY ASSESSMENT NOTREQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO
	A LICENSED DISPOSAL COMPANY. CONTACT A
	LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
	TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE
	MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN
	IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER.

CONTAMINATED DISPOSE OF AS UNUSED PRODUCT. PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (BISMUTH TRIFLUORIDE)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (BISMUTH TRIFLUORIDE)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
IATA	
PROPER SHIPPING NAME:	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (BISMUTH TRIFLUORIDE)
UN NUMBER:	3260
CLASS:	8
PACKING GROUP:	II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTSTHIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL
COMPONENTS WITH KNOWN CAS NUMBERS THAT
EXCEED THE THRESHOLD (DE MINIMIS) REPORTING
LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT	NO COMPONENTS ARE SUBJECT TO THE
TO KNOW COMPONENTS	MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Bismuth (III) fluoride	7787-61-3	06-01-2008

NEW JERSEY RIGHT TO KNOW COMPONENTS

Bismuth (III) fluoride CAS-NO. 7787-61-3

REVISION DATE 06-01-2008

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.	
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017