Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	30667
NAME:	Lead (II) bromide
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 CARCINOGENICITY (CATEGORY 1B), H350 REPRODUCTIVE TOXICITY (CATEGORY 1B), H360 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)

	~)
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED.
H350	MAY CAUSE CANCER
H360	MAY DAMAGE FERTILITY OF THE UNBORN CHILD
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED
	OR REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE
	BEEN READ AND UNDERSTOOD.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON
	CENTER/DOCTOR IF YOU FEEL UNWELL.
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/
	ATTENTION
P391	COLLECT SPILLAGE.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT	NONE
OTHERWISE	

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	PbBr ₂
MW:	367.01
CAS-NO.	10031-22-8
PURITY:	\ge 99.99% (Trace metal basis) ; 55.3 - 57.6% (Pb content)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Lead (II) bromide		
	ACUTE TOX. 4; CARC. 1B;	<= 100%
	REPR. 1B; STOT RE 2;	
	AQUATIC ACUTE 1; AQUATIC	
	CHRONIC 1; H302, H332, H350,	
	H360, H373, H400, H410	
	M-FACTOR - AQUATIC ACUTE:	:
	10	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN
IN CASE OF EYE CONTACT	FLUSH EYES WITH WATER AS A PRECAUTION.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

EFFECTS, BOTH ACUTE AND DELAYED

INDICATION OF ANYNO DATA AVAILABLEIMMEDIATE MEDICALATTENTION ANDSPECIAL TREATMENTEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY
EXTINGUISHING MEDIA	CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	HYDROGEN BROMIDE GAS, LEAD OXIDES
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTERS	FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT
	IN THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.

FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE
STORAGE, INCLUDINGKEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
WELL-VENTILATED PLACE.ANY INCOMPATIBILITIESKEEP IN A DRY PLACE.Store at RTStore at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS		
			PARAMETER	S		
Lead (II) bromide	10031-22-8	TWA	0.05 MG/M3	USA. ACGIH THRESHOLD		
				LIMIT VALUES (TLV)		
	REMARKS	CENTRAL NERVOUS SYSTEM IMPAIRMENT				
		HEMATOLOGIC EFFECTS				
		PERIPHERAL NERVOUS SYSTEM IMPAIRMENT				
		SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL				
		EXPOSURE INDEX OR INDICES (SEE BEI SECTION)				
		CONFIRMED ANIMAL CARCINOGEN WITH UNKNOWN				
		RELEVANCE TO HUMANS				
		VARIES				
		PEL	0.05 MG/M3	OSHA SPECIFICALLY		
				REGULATED		
				CHEMICALS/CARCINOGENS		

1910.1025					
IF AN EMP	LOYEE IS EXPO	SED TO LEAD FOR MORE			
THAN 8 HO	OURS IN ANY W	ORK DAY, THE PERMISSIBLE			
EXPOSURE	E LIMIT, AS A TI	ME WEIGHTED AVERAGE			
(TWA) FOR THAT DAY, SHALL BE REDUCED					
ACCORDING TO THE FOLLOWING FORMULA:					
MAXIMUM PERMISSIBLE LIMIT (IN G/M3)=400 HOURS					
		IS SECTION APPLIES TO ALL			
		RE TO LEAD, EXCEPT AS			
PROVIDED IN PARAGRAPH (A)(2). IT DOES NOT APPLY					
TO THE CONSTRUCTION INDUSTRY OR TO					
AGRICULTURAL OPERATIONS COVERED BY 29 CFR					
PART 1928.					
OSHA SPECIFICALLY REGULATED CARCINOGEN					
TWA 0.05 MG/M3 USA. NIOSH					
1 112	0.05 MIG/MIS	RECOMMENDED EXPOSURE			
		LIMITS			
SEE ADDEN					
SEE APPENDIX C					
PEL	0.05 MG/M3	CALIFORNIA PERMISSIBLE			
		EXPOSURE LIMITS FOR			
		CHEMICAL			
		CONTAMINANTS			
SEE SECTION 5198					

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS		BIOLOGICAL SPECIMEN	BASIS
Lead (II) bromide	10031-22-8	LEAD	200 G/L		ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	NOT CRITICAL			

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE
ENGINEERING	AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT
CONTROLS	THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE	SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO EN166
PROTECTION	USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED
	UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS
	NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIESAPPEARANCEWhite to off-white fine crystalline powder

0.D. 0.V.D.	
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	6.66
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS

HAZARDOUS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED
DECOMPOSITION	UNDER FIRE CONDITIONS HYDROGEN BROMIDE GAS,
PRODUCTS	LEAD OXIDES
	OTHER DECOMPOSITION PRODUCTS - NO DATA
	AVAILABLE
	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NO DATA AVAILABLE
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY	
IARC:	2A - GROUP 2A: PROBABLY CARCINOGENIC TO HUMANS
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS
	IDENTIFIED AS A KNOWN OR ANTICIPATED
00114	CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON
	OSHA S LIST OF REGULATED CARCINOGENS.
REPRODUCTIVE TOXICITY	MAY CAUSE CONGENITAL MALFORMATION IN THE FETUS.
	PRESUMED HUMAN REPRODUCTIVE TOXICANT
	MAY CAUSE REPRODUCTIVE DISORDERS.
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL RTECS: NOT AVAILABLE INFORMATION

LEAD SALTS HAVE BEEN REPORTED TO CROSS THE PLACENTA AND TO INDUCE EMBRYO- AND FETOMORTALITY. THEY ALSO HAVE TERATOGENIC EFFECT IN SOME ANIMAL SPECIES. NO TERATOGENIC EFFECTS HAVE BEEN REPORTED WITH EXPOSURE TO ORGANOMETALLIC LEAD COMPOUNDS. ADVERSE EFFECTS OF LEAD ON HUMAN REPRODUCTION. EMBRYONIC AND FETAL DEVELOPMENT, AND POSTNATAL (E.G., MENTAL) DEVELOPMENT HAVE BEEN REPORTED. EXCESSIVE EXPOSURE CAN AFFECT BLOOD, NERVOUS, AND DIGESTIVE SYSTEMS. THE SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND RESULTS IN ANEMIA. IF LEFT UNTREATED, NEUROMUSCULAR DYSFUNCTION, POSSIBLE PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. ADDITIONAL SYMPTOMS OF OVEREXPOSURE INCLUDE: JOINT AND MUSCLE PAIN, WEAKNESS OF THE EXTENSOR MUSCLES (FREQUENTLY THE HAND AND WRIST), HEADACHE, DIZZINESS, ABDOMINAL PAIN, DIARRHEA, CONSTIPATION. NAUSEA. VOMITING. BLUE LINE ON THE GUMS, INSOMNIA, AND METALLIC TASTE. HIGH BODY LEVELS PRODUCE INCREASED CEREBROSPINAL PRESSURE, BRAIN DAMAGE, AND STUPOR LEADING TO COMA AND OFTEN DEATH. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

POTENTIAL

TOXICITYNO DATA AVAILABLEPERSISTENCE ANDNO DATA AVAILABLEDEGRADABILITYNO DATA AVAILABLEBIOACCUMULATIVENO DATA AVAILABLE

MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ): POISON INHALATION HAZARD:	LEAD COMPOUNDS, SOLUBLE, N.O.S (Lead (II) bromide) 2291 6.1 III
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	LEAD COMPOUNDS, SOLUBLE, N.O.S (Lead (II) bromide) 2291 6.1 III F-A, S-A

MARINE POLLUTANT: YES

IATAPROPER SHIPPING NAME:LEAD COMPOUNDS, SOLUBLE, N.O.S (Lead (II) bromide)UN NUMBER:2291CLASS:6.1PACKING GROUP:III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT	NO COMPONENTS ARE SUBJECT TO THE
TO KNOW COMPONENTS	MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

	CAS-NO.	REVISION DATE
Lead (II) bromide	10031-22-8	04-24-1993

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.		
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED.	
H350	MAY CAUSE CANCER	
H360	MAY DAMAGE FERTILITY OF THE UNBORN CHILD	
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH	
	PROLONGED OR REPEATED EXPOSURE.	
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING	
	EFFECTS.	

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS

CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017