# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 32006

NAME: Phosphoric acid

SYNONYMS: Orthophosphoric acid

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

# CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) CORROSIVE TO METALS (CATEGORY 1), H290  $\,$ 

SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

CNAL WORD DANG

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H290 MAY BE CORROSIVE TO METALS

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

PRECAUTIONARY STATEMENT(S)

P234 KEEP ONLY IN ORIGINAL CONTAINER

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH, DO NOT INDUCE

**VOMITING** 

P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY

ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/

SHOWER.

P304 + P340 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT

REST IN A POSITION ALDRICH COMFORTABLE FOR

**BREATHING** 

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P310 IMMEDIATELY CALL A POISON CENTER/DOCTOR

P321 SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID

INSTRUCTIONS ON THIS LABEL).

P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P390 ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.

P405 STORE LOCKED UP.

P406 STORE IN CORROSIVE RESISTANT STAINLESS STEEL

CONTAINER WITH A RESISTANT INNER LINER

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

NONE

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $H_3O_4P$ 

MW: 98.00

CAS-NO. 7664-38-2

PURITY:  $\geq$  85% (Assay)

# HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Phosphoric acid		
	MET. CORR. 1; SKIN CORR. 1B;	>= 70 - < 90 %
	EYE DAM. 1; H290, H314, H318	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### SECTION 4. FIRST-AID MEASURES

# **DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF

WATER. CONSULT A PHYSICIAN

IN CASE OF EYE

**CONTACT** 

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A

PHYSICIAN.CONTINUE RINSING EYES DURING

TRANSPORT TO HOSPITAL.

IF SWALLOWED DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING

> BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN

MOST IMPORTANT

**SYMPTOMS AND** 

EFFECTS, BOTH ACUTE

AND DELAYED

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11

INDICATION OF ANY **IMMEDIATE MEDICAL** ATTENTION AND

SPECIAL TREATMENT

**NEEDED** 

NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

**SUITABLE** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS NO DATA AVAILABLE

ARISING FROM THE SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

# SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL** WEAR RESPIRATORY PROTECTION. AVOID BREATHING

PRECAUTIONS, VAPOURS, MIST OR GAS. ENSURE ADEQUATE **PROTECTIVE** VENTILATION. EVACUATE PERSONNEL TO SAFE

**EQUIPMENT AND** AREAS.

**EMERGENCY** 

FOR PERSONAL PROTECTION SEE SECTION 8. **PROCEDURES** 

**ENVIRONMENTAL** DO NOT LET PRODUCT ENTER DRAINS.

**PRECAUTIONS** 

**CLEANING UP** 

**METHODS AND** SOAK UP WITH INERT ABSORBENT MATERIAL AND MATERIALS FOR DISPOSE OF AS HAZARDOUS WASTE. KEEP IN **CONTAINMENT AND** SUITABLE, CLOSED CONTAINERS FOR DISPOSAL

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13.

**SECTIONS** 

#### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE AVOID INHALATION OF VAPOUR OR MIST. HANDLING FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE** KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND STORAGE, INCLUDING WELL-VENTILATED PLACE. CONTAINERS WHICH ARE **ANY INCOMPATIBILITIES** OPENED MUST BE CAREFULLY RESEALED AND KEPT

UPRIGHT TO PREVENT LEAKAGE.

HYGROSCOPIC. STORE UNDER INERT GAS.

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **CONTROL PARAMETERS**

# COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS		
			PARAMETERS			
Phosphoric acid	7664-38-2	TWA	1.000000 MG/M3	USA. ACGIH THRESHOLD		
				LIMIT VALUES (TLV)		
	REMARKS	UPPER RESPIRATORY TRACT IRRITATION				
		EYE IRRITATION				
		SKIN IRRITATION				
		TWA	1 MG/M3	USA. ACGIH THRESHOLD		
				LIMIT VALUES (TLV)		
		UPPER RESPIRATORY TRACT IRRITATION				
		EYE IRRITATION				
		SKIN IRRITATION				
		STEL	3.000000 MG/M3	USA. ACGIH THRESHOLD		
				LIMIT VALUES (TLV)		
		UPPER RESPIRATORY TRACT IRRITATION				
		EYE IRRITATION				
		SKIN IRRITATION				
		STEL	3 MG/M3	USA. ACGIH THRESHOLD		
				LIMIT VALUES (TLV)		
		UPPER RESPIRATORY TRACT IRRITATION				
		EYE IRRITATION				
		SKIN IRRITATION				
		TWA	1.000000 MG/M3	USA. OCCUPATIONAL		
				EXPOSURE LIMITS (OSHA)		
				- TABLE Z-1 LIMITS FOR		
				AIR CONTAMINANTS		
		TWA	1.000000 MG/M3	USA. NIOSH		
				RECOMMENDED		
				EXPOSURE LIMITS		
		ST	3.000000 MG/M3	USA. NIOSH		
				RECOMMENDED		
				EXPOSURE LIMITS		

	PEL		CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL
			CONTAMINANTS
	STEL	3 MG/M3	CALIFORNIA
			PERMISSIBLE EXPOSURE
			LIMITS FOR CHEMICAL
			CONTAMINANTS

#### **EXPOSURE CONTROLS**

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND

AT THE END OF WORKDAY.

# PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION

TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR

TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID

SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF

CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES.

WASH AND DRY HANDS.

**BODY PROTECTION** 

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE

RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A

BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS

THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND

COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Colorless liquid free from suspended matter

ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING  $\sim 40$  °C (Lit.)

POINT/FREEZING POINT

INITIAL BOILING POINT 158 °C (Lit.)

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 1.69

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

# SECTION 10. STABILITY AND REACTIVITY

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** NO DATA AVAILABLE

INCOMPATIBLE MATERIALS STRONG BASES, POWDERED METALS

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - OXIDES OF PHOSPHORUS OTHER DECOMPOSITION PRODUCTS - NO DATA

**AVAILABLE** 

IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN** NO DATA AVAILABLE

**CORROSION/IRRITATION** 

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE SENSITISATION

GERM CELL NO DATA AVAILABLE MUTAGENICITY

**CARCINOGENICITY** 

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL

CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - SINGLE** 

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

**EXPOSURE** 

NO DATA AVAILABLE

**ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE

OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, HEADACHE,

**NAUSEA** 

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE (PHOSPHORIC ACID)

# SECTION 12. ECOLOGICAL INFORMATION

**TOXICITY** NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

**POTENTIAL** 

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

# SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS **PRODUCT** 

> TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN

IN A

CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

**CONTAMINATED PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

#### **SECTION 14.** TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: PHOSPHORIC ACID SOLUTION

UN NUMBER: 1805 CLASS: 8 PACKING GROUP: Ш 5882 LBS

REPORTABLE OUANTITY

(RO):

POISON INHALATION NO

HAZARD:

**IMDG** 

PROPER SHIPPING NAME: PHOSPHORIC ACID SOLUTION

UN NUMBER: 1805 CLASS: 8 PACKING GROUP: III EMS-NO: F-A, S-B

**IATA** 

PROPER SHIPPING NAME: PHOSPHORIC ACID SOLUTION

1805 UN NUMBER: CLASS: 8 PACKING GROUP: III

#### **SECTION 15.** REGULATORY INFORMATION

NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO **SARA 302 COMPONENTS** 

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL **SARA 313 COMPONENTS** 

> COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

#### SARA 311/312 HAZARDS

ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

# MASSACHUSETTS RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Phosphoric acid 7664-38-2 04/24/1993

#### PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Phosphoric acid 7664-38-2 04/24/1993

# NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Phosphoric acid 7664-38-2 04/24/1993

#### **CALIFORNIA PROP. 65 COMPONENTS**

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM

# SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

EYE DAM. SERIOUS EYE DAMAGE

H290 MAY BE CORROSIVE TO METALS

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

H318 CAUSES SERIOUS EYE DAMAGE

MET. CORR CORROSIVE TO METALS

SKIN CORR. SKIN CORROSION

#### **HMIS RATING**

HEALTH HAZARD: 3 CHRONIC HEALTH \*

HAZARD:

FLAMMABILITY: 0 PHYSICAL HAZARD 0

#### NFPA RATING

HEALTH HAZARD: 3
FIRE HAZARD: 0
REACTIVITY HAZARD: 0

# MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION:3.1. REVISION DATE: 01/27/2017*