# Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 32036

NAME: Potassium antimonyl tartrate trihydrate

SYNONYMS: Antimony potassium tartrate trihydrate

Tartar emetic

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER

(630) 766-2112

SERVICE:

### SECTION 2. HAZARDS IDENTIFICATION

### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 SKIN IRRITATION (CATEGORY 2), H315 SKIN SENSITIZATION (CATEGORY 1), H317 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16

### GHS LABEL ELEMENTS. INCLUDING PRECAUTIONARY STATEMENTS

**PICTOGRAM** 

SIGNAL WORD DANGER

### **HAZARD STATEMENT(S)**

H301 TOXIC IF SWALLOWED. H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H332 HARMFUL IF INHALED.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

# PRECAUTIONARY STATEMENT(S)

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPORS/ SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING

P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P272 CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED

OUT OF THE WORKPLACE.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES.

P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON

CENTER/DOCTOR. RINSE MOUTH.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON CENTER/

DOCTOR IF YOU FEEL UNWELL.

P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

P391 COLLECT SPILLAGE. P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE

DISPOSAL PLANT.

HAZARDS NOT NONE

**OTHERWISE** 

CLASSIFIED (HNOC) OR NOT COVERED BY

**GHS** 

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:  $C_8H_4K_2O_{12}Sb_2\cdot 3H_2O$ 

MW: 667.87

CAS-NO. 28300-74-5

PURITY: 99 - 103% (Assay)

### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION				
Potassium antimonyl tartrate trihydrate						
	ACUTE TOX. 3; ACUTE TOX. 4; SKIN IRRIT. 2; SKIN SENS. 1; AQUATIC CHRONIC 2; H301, H332, H315, H317, H411	<= 100 %				

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

### **SECTION 4. FIRST-AID MEASURES**

### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET

TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A

PHYSICIAN.

IN CASE OF SKIN

**CONTACT** 

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS

PERSON. RINSE MOUTH WITH WATER. CONSULT A

PHYSICIAN.

MOST IMPORTANT

SYMPTOMS AND

EFFECTS, BOTH ACUTE AND DELAYED THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)

AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL

NO DATA AVAILABLE

# ATTENTION AND SPECIAL TREATMENT NEEDED

### SECTION 5. FIRE AND EXPLOSION DATA

**EXTINGUISHING MEDIA** 

SUBSTANCE OR MIXTURE

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

**EXTINGUISHING MEDIA** CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS CARBON OXIDES, POTASSIUM OXIDES, ANTIMONY OXIDE

ARISING FROM THE COMBUSTIBLE.

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

**FIREFIGHTERS** FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** NO DATA AVAILABLE

### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL WEAR RESPIRATORY PROTECTION. AVOID DUST

**PRECAUTIONS,** FORMATION. AVOID BREATHING VAPORS, MIST OR GAS. **PROTECTIVE EQUIPMENT** ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNE

**PROTECTIVE EQUIPMENT** ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL **AND EMERGENCY** TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL

**PROCEDURES** PROTECTION SEE SECTION 8.

**ENVIRONMENTAL** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO

**PRECAUTIONS** SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE

INTO THE ENVIRONMENT MUST BE AVOIDED.

**METHODS AND** PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING

FOR DISPOSAL SEE SECTION 13.

MATERIALS FOR DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE,

**CONTAINMENT AND** CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER

**SECTIONS** 

**CLEANING UP** 

### SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES, AVOID FORMATION OF DUST AND AEROSOLS FURTHER

PROCESSING OF SOLID MATERIALS MAY RESULT IN THE

FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING

OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-

VENTILATED PLACE. KEEP IN A DRY PLACE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **CONTROL PARAMETERS**

### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Potassium	28300-74-5	TWA	0.5 MG/M3	USA. OCCUPATIONAL
antimonyl tartrate				EXPOSURE LIMITS (OSHA) -
trihydrate				TABLE Z-1 LIMITS FOR AIR
				CONTAMINANTS
		TWA	0.5 MG/M3	USA. ACGIH THRESHOLD
				LIMIT VALUES (TLV)
	REMARKS	UPPER RESPIRATORY TRACT IRRITATION		
		SKIN IRRITATION		
		TWA	0.5 MG/M3	USA. NIOSH
				RECOMMENDED EXPOSURE
				LIMITS
		PEL	0.5 MG/M3	CALIFORNIA PERMISSIBLE
				EXPOSURE LIMITS FOR
				CHEMICAL CONTAMINANTS

### **EXPOSURE CONTROLS**

**APPROPRIATE** AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH

**ENGINEERING** HANDS BEFORE BREAKS AND IMMEDIATELY AFTER

**CONTROLS** HANDLING THE PRODUCT.

### PERSONAL PROTECTIVE EQUIPMENT

# EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

### **SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT
MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE EC APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

### **BODY PROTECTION**

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

# RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N99 (US) OR TYPE P2 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

# CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE White crystalline powder ODOUR NO DATA AVAILABLE ODOUR THRESHOLD NO DATA AVAILABLE

PH 4 AT 20 C MELTING > 300 °C (Lit.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPOURATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 2.60

WATER SOLUBILITY NO DATA AVAILABLE PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

**TEMPERATURE** 

DECOMPOSITION NO DATA AVAILABLE

**TEMPERATURE** 

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

### OTHER SAFETY INFORMATION

BULK DENSITY 1.3 G/L

# **SECTION 10. STABILITY AND REACTIVITY**

**REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF** NO DATA AVAILABLE

HAZARDOUS REACTIONS

**CONDITIONS TO AVOID** NO DATA AVAILABLE

**INCOMPATIBLE** MINERAL ACIDS, STRONG BASES, CARBONATES, LEAD,

MATERIALS SILVER SALTS, STRONG OXIDIZING AGENTS

**HAZARDOUS** HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER **DECOMPOSITION** FIRE CONDITIONS. - CARBON OXIDES, POTASSIUM OXIDES,

**PRODUCTS** ANTIMONY OXIDE

OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 115 MG/KG

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN SKIN - IN VITRO STUDY CORROSION/IRRITATION RESULT: POSITIVE

(OECD TEST GUIDELINE 439)

REMARKS: (ANHYDROUS SUBSTANCE)

SKIN - IN VITRO STUDY RESULT: NON-CORROSIVE (OECD TEST GUIDELINE 431)

REMARKS: (ANHYDROUS SUBSTANCE)

**SERIOUS EYE** NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN IN VITRO STUDY SENSITISATION RESULT: POSITIVE

(OECD TEST GUIDELINE 442D)

REMARKS: (ANHYDROUS SUBSTANCE)

IN VITRO STUDY RESULT: POSITIVE REMARKS: (ECHA)

(ANHYDROUS SUBSTANCE)

GERM CELL IN VITRO MAMMALIAN CELL GENE MUTATION TEST

MUTAGENICITY CHINESE HAMSTER CELLS

**RESULT: NEGATIVE** 

(ANHYDROUS SUBSTANCE)

AMES TEST

SALMONELLA TYPHIMURIUM

RESULT: NEGATIVE

(ECHA)

**CARCINOGENICITY** 

NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS IARC:

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS

PROBABLE, POSSIBLE OR CONFIRMED HUMAN

CARCINOGEN BY IARC.

NTP: NO INGREDIENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

**EXPOSURE** 

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

**TOXICITY - REPEATED** 

**EXPOSURE** 

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: CC6825000

POTASSIUM ANTIMONY TARTRATE IS THE MOST POTENT

TRIVALENT ANTIMONY COMPOUND. TRIVALENT

ANTIMONY COMPOUNDS ARE MORE TOXIC THAN THE PENTAVALENT BECAUSE THEY ARE EXCRETED SLOWLY,

GASTROINTESTINAL DISTURBANCE, HEADACHE, DIZZINESS, WEAKNESS, KIDNEY INJURY MAY OCCUR.

STOMACH - IRREGULARITIES - BASED ON HUMAN

**EVIDENCE** 

#### SECTION 12. **ECOLOGICAL INFORMATION**

**TOXICITY** NO DATA AVAILABLE PERSISTENCE AND **DEGRADABILITY** 

NO DATA AVAILABLE

**BIOACCUMULATIVE** 

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED

IN THE EVENT OF UNPROFESSIONAL HANDLING OR

DISPOSAL.

TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### WASTE TREATMENT METHODS

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

> A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED **PACKAGING** 

DISPOSE OF AS UNUSED PRODUCT.

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ANTIMONY POTASSIUM TARTRATE

UN NUMBER: 1551 CLASS: 61 PACKING GROUP: III

REPORTABLE QUANTITY

POISON INHALATION

HAZARD:

NO

**IMDG** 

PROPER SHIPPING NAME: ANTIMONY POTASSIUM TARTRATE 

 1551
 1551

 CLASS:
 6.1

 PACKING GROUP:
 III

EMS-NO: F-A, S-A MARINE POLLUTANT: YES

**IATA** 

PROPER SHIPPING NAME: ANTIMONY POTASSIUM TARTRATE

UN NUMBER: 1551 CLASS: 6.1 PACKING GROUP: III

## SECTION 15. REGULATORY INFORMATION

**SARA 302 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS

WITH A SECTION 302 EHS TPQ.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. REVISION DATE

Potassium antimonyl tartrate

trihydrate

28300-74-5 07/08/2015

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

### MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

## **SECTION 16. OTHER INFORMATION**

### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H301 TOXIC IF SWALLOWED. H315 CAUSES SKIN IRRITATION.

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H332 HARMFUL IF INHALED.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

**HYGINISTS** 

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

*VERSION: 3.1 REVISION DATE: 01/27/2017*