Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:33355NAME:Potassium dichromateSYNONYMS:Potassium bichromate24 HOUR EMERGENCY
TELEPHONE:(800) 535-5053(USA)
352-323-3500 (INTERNATIONAL)TO REQUEST AN MSDS:(800) 869-9290CUSTOMER
SERVICE:(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) OXIDIZING SOLIDS (CATEGORY 2), H272 ACUTE TOXICITY, ORAL (CATEGORY 3), H301 ACUTE TOXICITY, INHALATION (CATEGORY 2), H330 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 RESPIRATORY SENSITISATION (CATEGORY 1), H334 SKIN SENSITIZATION (CATEGORY 1), H317 GERM CELL MUTAGENICITY (CATEGORY 1B), H340 CARCINOGENICITY (CATEGORY 1B), H350 REPRODUCTIVE TOXICITY (CATEGORY 1B), H360 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE, INHALATION (CATEGORY 1), CARDIO-VASCULAR SYSTEM, H372 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

DANGE

HAZARD STATEMENT(S)

H272	MAY INTENSIFY FIRE; OXIDISER.
H301	TOXIC IF SWALLOWED.
H312	HARMFUL IN CONTACT WITH SKIN.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H330	FATAL IF INHALED.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING
	DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H340	MAY CAUSE GENETIC DEFECTS.
H350	MAY CAUSE CANCER.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H372	CAUSES DAMAGE TO ORGANS (CARDIO-VASCULAR SYSTEM)
	THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STA	TEMENT(S)
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN
	READ AND UNDERSTOOD.
P210	KEEP AWAY FROM HEAT.
P220	KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE
	MATERIALS.
P221	TAKE ANY PRECAUTION TO AVOID MIXING WITH
	COMBUSTIBLES.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
1 2 / 1	USE ONET OUTDOORS OR IN A WEEE-VENTILATED AREA.

P273AVOID RELEASE TO THE ENVIRONMENT.P280WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
PROTECTION/ FACE PROTECTION.
P284 WEAR RESPIRATORY PROTECTION.
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR
DOCTOR/ PHYSICIAN. RINSE MOUTH.
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON
CENTER OR DOCTOR/ PHYSICIAN.
P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
P310 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO
DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER
OR DOCTOR/ PHYSICIAN.
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/
ATTENTION.
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/
ATTENTION.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-
RESISTANT FOAM TO EXTINGUISH.
P391 COLLECT SPILLAGE.
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER
TIGHTLY CLOSED.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE
DISPOSAL PLANT.
HAZARDS NOT NONE
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CLASSIFICATION	CONCENTRATION				
HAZARDOUS COMPONENTS						
PURITY:	\geq 99.0% (Titration)					
CAS-NO.	7778-50-9	7778-50-9				
MW:	294.18	294.18				
MF:	K ₂ Cr ₂ O ₇					

Potassium dichromate

OX. SOL. 2; ACUTE TOX. 3;	<= 100 %
ACUTE TOX. 2; ACUTE TOX.	
4; SKIN CORR. 1B; EYE	
DAM. 1; RESP. SENS. 1;	
· · · · ·	
SKIN SENS. 1; MUTA. 1B;	
CARC. 1B; REPR. 1B; STOT	
SE 3; STOT RE 1; AQUATIC	
ACUTE 1; AQUATIC CHRONIC	
1; H272, H301, H330, H312, H314,	
H318, H334, H317, H340, H350,	
H360, H335, H372, H400, H410	
CONCENTRATION LIMITS:	
>= 5 %: STOT SE 3, H335;	
M-FACTOR - AQUATIC ACUTE:	
10 - AQUATIC CHRONIC: 1	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	FIRST AIDERS NEED TO PROTECT THEMSELVES. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. IMMEDIATELY CALL IN PHYSICIAN. IF BREATHING STOPS: IMMEDIATELY APPLY ARTIFICIAL RESPIRATION, IF NECESSARY ALSO OXYGEN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	IF SWALLOWED: GIVE WATER TO DRINK (TWO GLASSES AT MOST). SEEK MEDICAL ADVICE IMMEDIATELY. IN EXCEPTIONAL CASES ONLY, IF MEDICAL CARE IS NOT AVAILABLE WITHIN ONE HOUR, INDUCE VOMITING (ONLY IN PERSONS WHO ARE WIDE AWAKE AND FULLY CONSCIOUS), ADMINISTER ACTIVATED CHARCOAL (20 - 40 G IN A 10% SLURRY) AND CONSULT A DOCTOR AS QUICKLY AS POSSIBLE. DO NOT ATTEMPT TO NEUTRALISE.

MOST IMPORTANT	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS
SYMPTOMS AND	ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2)
EFFECTS, BOTH ACUTE	AND/OR IN SECTION 11.
AND DELAYED	

INDICATION OF ANY NO DATA AVAILABLE

IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.
	UNSUITABLE EXTINGUISHING MEDIA FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	POTASSIUM OXIDES CHROMIUM OXIDES NOT COMBUSTIBLE. HAS A FIRE-PROMOTING EFFECT DUE TO RELEASE OF OXYGEN. AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.
ADVICE FOR FIREFIGHTERS	STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.
FURTHER INFORMATION	PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID
PRECAUTIONS,	INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT.
PROTECTIVE EQUIPMENT	ENSURE ADEQUATE VENTILATION. EVACUATE THE
AND EMERGENCY	DANGER AREA, OBSERVE EMERGENCY PROCEDURES,
PROCEDURES	

CONSULT AN EXPERT. FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS	DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP CAREFULLY. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA. AVOID GENERATION OF DUSTS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND SOURCES OF IGNITION. IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	TIGHTLY CLOSED. KEEP LOCKED UP OR IN AN AREA ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED PERSONS. DO NOT STORE NEAR COMBUSTIBLE MATERIALS.
SPECIFIC END USE(S)	Store at RT APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	

Potassium	7778-50-9	CEIL	1MG/10M3	USA. OCCUPATIONAL	
dichromate				EXPOSURE LIMITS (OSHA) -	
				TABLE Z-2	
		TWA	0.0002 MG/M3	USA. ACGIH THRESHOLD LIMIT	
				VALUES (TLV)	
	REMARKS	DERMAL SENSITIZATION			
		RESPIR	ATORY SENSITIZA	ATION	
		CONFIF	CONFIRMED HUMAN CARCINOGEN		
		DANGER OF CUTANEOUS ABSORPTION		S ABSORPTION	
		STEL	0.0005 MG/M3	USA. ACGIH THRESHOLD LIMIT	
				VALUES (TLV)	
		DERMA	MAL SENSITIZATION		
RESPIRATORY SENSITIZATION CONFIRMED HUMAN CARCINOGE		ATION			
		CONFIRMED HUMAN CARCINOGEN			
	DANGER OF		R OF CUTANEOU	OF CUTANEOUS ABSORPTION	
		PEL	0.005 MG/M3	OSHA SPECIFICALLY	
				REGULATED	
				CHEMICALS/CARCINOGENS	
		OSHA S	PECIFICALLY RE	GULATED CARCINOGEN	
		TWA	0.0002 MG/M3	USA. NIOSH RECOMMENDED	
				EXPOSURE LIMITS	
		POTENTIAL OCCUPATIONAL CARCINOGEN		NAL CARCINOGEN	
		PEL	0.005 MG/M3	CALIFORNIA PERMISSIBLE	
				EXPOSURE LIMITS FOR	
				CHEMICAL CONTAMINANTS	
		С	0.1 MG/M3	CALIFORNIA PERMISSIBLE	
				EXPOSURE LIMITS FOR	
				CHEMICAL CONTAMINANTS	

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS		BIOLOGICAL SPECIMEN	BASIS
Potassium dichromate	7778-50-9	TOTAL	25	URINE	ACGIH -
		CHROMIUM	MG/L		BIOLOGICAL
					EXPOSURE
					INDICES (BEI)
	REMARKS	END OF SHIFT	AT END	OF WORKWEE	K
		TOTAL	10	URINE	ACGIH -
		CHROMIUM	MG/L		BIOLOGICAL
					EXPOSURE
					INDICES (BEI)
		INCREASE DUI	RING SH	IFT	

EXPOSURE CONTROLS

APPROPRIATE	IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY
ENGINEERING CONTROLS	PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE
	AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

- EYE/FACE PROTECTIONUSE EQUIPMENT FOR EYE PROTECTION TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT
STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY
FITTING SAFETY GOGGLES
- SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTION PROTECTIVE CLOTHING

RESPIRATORY PROTECTION REQUIRED WHEN DUSTS ARE GENERATED. OUR RECOMMENDATIONS ON FILTERING RESPIRATORY PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER ACCOMPANYING STANDARDS RELATING TO THE USED RESPIRATORY PROTECTION SYSTEM.

DO NOT LET PRODUCT ENTER DRAINS.

CONTROL OF ENVIRONMENTAL EXPOSURE

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

in isienting entimentin
Orange solid
ODORLESS
NO DATA AVAILABLE
3.5 - 5.0 AT 29.4 G/L AT 25 C
398 °C (Approx.)
500 °C (dec)
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
NO DATA AVAILABLE
CA.29.4 G/L AT 20 C

PARTITION COEFFICIENT:	NOT APPLICABLE FOR INORGANIC SUBSTANCES
N- OCTANOL/WATER	
AUTO-IGNITION	DOES NOT IGNITE
TEMPERATURE	
DECOMPOSITION	CA.500 C
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS OXIDIZING
	WITH THE CATEGORY 2.

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	RISK OF EXPLOSION WITH: IRON MAGNESIUM HYDRAZINE AND DERIVATIVES HYDROXYLAMINE AMMONIUM NITRATE BORON ACETIC ANHYDRIDE OXIDISABLE SUBSTANCES REDUCING AGENTS SULFURIC ACID SILICON EXOTHERMIC REACTION WITH: ANHYDRIDES PHOSPHIDES SULFIDES NITRIDES FLUORINE RISK OF IGNITION OR FORMATION OF INFLAMMABLE GASES OR VAPOURS WITH: ORGANIC COMBUSTIBLE SUBSTANCES GLYCEROL POWDERED METALS HYDRIDES ALKALI COMPOUNDS ACETONE WITH SULFURIC ACID GENERATES DANGEROUS GASES OR FUMES IN CONTACT WITH: HYDROCHLORIC ACID

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE NO DATA AVAILABLE MATERIALS

HAZARDOUS DECOMPOSITION

PRODUCTS

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - FEMALE - 90.5 MG/KG (OECD TEST GUIDELINE 401)

> LC50 INHALATION - RAT - FEMALE - 4 H - 0.083 MG/L (OECD TEST GUIDELINE 403)

ACUTE TOXICITY ESTIMATE DERMAL - EXPERT JUDGMENT - 1,100 MG/KG

NO DATA AVAILABLE

SKIN	SKIN - RABBIT
CORROSION/IRRITATION	RESULT: CAUSES BURNS 4 H
	(OECD TEST GUIDELINE 404)

SERIOUS EYE CAUSES SERIOUS EYE DAMAGE. DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN	PATCH TEST: - HUMAN
SENSITISATION	RESULT: POSITIVE
	REMARKS: (IUCLID)

GERM CELL MAY CAUSE GENETIC DEFECTS. MUTAGENICITY

CARCINOGENICITY

PRESUMED TO HAVE CARCINO	DGENIC POTENTIAL FOR HUMANS
IARC:	1 - GROUP 1: CARCINOGENIC TO HUMANS
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS
	GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A
	KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS
	GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF
	REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY	MAY DAMAGE THE UNBORN CHILD. MAY DAMAGE FERTILITY.
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	INHALATION - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. CARDIO - VASCULAR SYSTEM
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: HX7680000
	ULCERATION, MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. STOMACH - IRREGULARITIES - BASED ON HUMAN
	EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	
TOXICITY TO FISH	LC50 - DANIO RERIO (ZEBRA FISH) - 58.5 MG/L - 96 H
	REMARKS: (ECHA)
TOXICITY TO DAPHNIA AND	EC50 - DAPHNIA MAGNA (WATER FLEA) - 0.035 MG/L - 48 H
OTHER AQUATIC	REMARKS: (ECHA)
INVERTEBRATES	
TOXICITY TO ALGAE	STATIC TEST ERC50 - SELENASTRUM CAPRICORNUTUM
	(GREEN ALGAE) - 0.233 MG/L - 72 H
	REMARKS: (ECHA)
TOXICITY TO BACTERIA	IC50 - ACTIVATED SLUDGE - 30 MG/L - 3 H
	REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)
	(ECHA)
PERSISTENCE AND	THE METHODS FOR DETERMINING THE BIOLOGICAL
DEGRADABILITY	DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC
	SUBSTANCES.

BIOACCUMULATIVE POTENTIAL

BIOACCUMULATION	ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 180 D - 200 MG/L
	BIOCONCENTRATION FACTOR (BCF): 17.4
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTWASTE MATERIAL MUST BE DISPOSED OF IN
ACCORDANCE WITH THE NATIONAL AND LOCAL
REGULATIONS. LEAVE CHEMICALS IN ORIGINAL
CONTAINERS. NO MIXING WITH OTHER WASTE.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ): POISON INHALATION	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate) 3086 6.1 (5.1) II 10 LBS NO
HAZARD:	
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO: MARINE POLLUTANT :	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate) 3086 6.1 (5.1) II F-A, S-Q YES
IATA PROPER SHIPPING NAME:	TOXIC SOLIDS, OXIDIZING, N.O.S. (Potassium dichromate)

UN NUMBER:	3086
CLASS:	6.1 (5.1)
PACKING GROUP:	II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	THIS MATERIAL DOES WITH A SECTION 302 E	NOT CONTAIN ANY COMPONENTS HS TPQ.
SARA 313 COMPONENTS		PONENTS ARE SUBJECT TO STABLISHED BY SARA TITLE III, REVISION DATE
Potassium dichromate	7778-50-9	02-16-1993
SARA 311/312 HAZARDS	REACTIVITY HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD	

MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.		
H272	MAY INTENSIFY FIRE; OXIDISER.	
H301	TOXIC IF SWALLOWED.	
H312	HARMFUL IN CONTACT WITH SKIN.	
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.	
H330	FATAL IF INHALED.	
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING	
	DIFFICULTIES IF INHALED.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	
H340	MAY CAUSE GENETIC DEFECTS.	
H350	MAY CAUSE CANCER.	
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.	
H372	CAUSES DAMAGE TO ORGANS (CARDIO-VASCULAR SYSTEM)	
	THROUGH PROLONGED OR REPEATED EXPOSURE IF INHALED.	
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS

ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
DODTANT	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2

REVISION DATE : 02/08/2022