# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: www.chemimpex.com Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

# SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	33362
NAME:	Copper(II) chloride dihydrate
SYNONYMS:	Cupric chloride dihydrate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

# SECTION 2. HAZARDS IDENTIFICATION

## CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, DERMAL (CATEGORY 4), H312 SKIN IRRITATION (CATEGORY 2), H315

# SERIOUS EYE DAMAGE (CATEGORY 1), H318 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S	5)
H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.
H400	VERY TOXIC TO AQUATIC LIFE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STAT	EMENT(S)
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.
P302 + P352 + P312	IF ON SKIN: WASH WITH PLENTY OF WATER.CALL A POISON
	CENTER/ DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338 +	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
P310	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A
	POISON CENTER OR DOCTOR/ PHYSICIAN.
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
	ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE
	REUSE.
P391	COLLECT SPILLAGE.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT	NONE
OTHERWISE	
CLASSIFIED (HNOC)	
OR NOT COVERED	
BY GHS	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	CuCl <sub>2</sub> ·2H <sub>2</sub> O
MW:	170.50
CAS-NO.	10125-13-0

PURITY:  $\geq$  99% (Assay by titration)

## HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Copper(II) chloride dihy	drate	
	ACUTE TOX. 4; SKIN IRRIT. 2;	<= 100 %
	EYE DAM. 1; AQUATIC ACUTE	
	1; AQUATIC CHRONIC 2; H302,	
	H312, H315, H318, H400, H411	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: IMMEDIATELY MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST). CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

## **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	UNSUITABLE EXTINGUISHING MEDIA FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF EXTINGUISHING AGENTS ARE GIVEN.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	NATURE OF DECOMPOSITION PRODUCTS NOT KNOWN. COMBUSTIBLE. DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR VAPOURS POSSIBLE IN THE EVENT OF FIRE.
ADVICE FOR FIREFIGHTERS	STAY IN DANGER AREA ONLY WITH SELF-CONTAINED BREATHING APPARATUS. PREVENT SKIN CONTACT BY KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.
FURTHER INFORMATION	SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS WITH A WATER SPRAY JET. PREVENT FIRE EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES ENVIRONMENTAL PRECAUTIONS	ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT. ENSURE ADEQUATE VENTILATION. EVACUATE THE DANGER AREA, OBSERVE EMERGENCY PROCEDURES, CONSULT AN EXPERT. FOR PERSONAL PROTECTION SEE SECTION 8. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP DRY. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA. AVOID GENERATION OF DUSTS.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	WORK UNDER HOOD. DO NOT INHALE SUBSTANCE/MIXTURE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	TIGHTLY CLOSED. DRY. HYGROSCOPIC
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
Copper(II) chloride	10125-13-0	TWA	1 MG/M3	USA. NIOSH
dihydrate				RECOMMENDED EXPOSURE
				LIMITS
		PEL	1 MG/M3	CALIFORNIA PERMISSIBLE
				EXPOSURE LIMITS FOR
				CHEMICAL
				CONTAMINANTS

# COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

## **EXPOSURE CONTROLS**

APPROPRIATE	IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
ENGINEERING	APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS
CONTROLS	AND FACE AFTER WORKING WITH SUBSTANCE.

## PERSONAL PROTECTIVE EQUIPMENT

<b>EYE/FACE PROTECTION</b>	USE EQUIPMENT FOR EYE PROTECTION TESTED AND
	APPROVED UNDER APPROPRIATE GOVERNMENT
	STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
	TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTIONTHIS RECOMMENDATION APPLIES ONLY TO THE<br/>PRODUCT STATED IN THE SAFETY DATA SHEET,<br/>SUPPLIED BY US AND FOR THE DESIGNATED USE. WHEN<br/>DISSOLVING IN OR MIXING WITH OTHER SUBSTANCES<br/>AND UNDER CONDITIONS DEVIATING FROM THOSE<br/>STATED IN EN374 PLEASE CONTACT THE SUPPLIER OF<br/>CE-APPROVED GLOVES

FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:KCL 741 DERMATRIL L

SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:KCL 741 DERMATRIL L

#### **BODY PROTECTION** PROTECTIVE CLOTHING

RESPIRATORYREQUIRED WHEN DUSTS ARE GENERATED.PROTECTIONOUR RECOMMENDATIONS ON FILTERING RESPIRATORY<br/>PROTECTION ARE BASED ON THE FOLLOWING<br/>STANDARDS: DIN EN 143, DIN 14387 AND OTHER<br/>ACCOMPANYING STANDARDS RELATING TO THE USED<br/>RESPIRATORY PROTECTION SYSTEM.

CONTROL OFDO NOT LET PRODUCT ENTER DRAINS.ENVIRONMENTALEXPOSURE

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE ODOR ODOR THRESHOLD PH MELTING POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE FLASH POINT EVAPORATION RATE FLAMMABILITY (SOLID, GAS) UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS Blue crystals NO DATA AVAILABLE NO DATA AVAILABLE 3.0 - 3.8 100 °C (dec)

NO DATA AVAILABLE THE PRODUCT IS NOT FLAMMABLE.

NO DATA AVAILABLE

VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

# SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	THE FOLLOWING APPLIES IN GENERAL TO FLAMMABLE ORGANIC SUBSTANCES AND MIXTURES: IN CORRESPONDINGLY FINE DISTRIBUTION, WHEN WHIRLED UP A DUST EXPLOSION POTENTIAL MAY GENERALLY BE ASSUMED.
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS (ROOM TEMPERATURE).
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	HEAT. EXPOSURE TO MOISTURE.
INCOMPATIBLE MATERIALS	ALKALI METALS
HAZARDOUS DECOMPOSITION PRODUCTS	OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS NATURE OF DECOMPOSITION PRODUCTS NOT KNOWN. IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

# INFORMATION ON TOXICOLOGICAL EFFECTS

INFORMATION ON TOXICOLOGICAL EFFECTS		
ACUTE TOXICITY	LD50 ORAL - RAT - 584 MG/KG REMARKS: (ANHYDROUS SUBSTANCE) (RTECS)	
	INHALATION: NO DATA AVAILABLE	
	LD50 DERMAL - RAT - FEMALE - 1,224 MG/KG (OECD TEST GUIDELINE 402)	
	NO DATA AVAILABLE	
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: IRRITATIONS	
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: CAUSES SERIOUS EYE DAMAGE.	
RESPIRATORY OR SKIN SENSITISATION	IN ANIMAL EXPERIMENTS: - GUINEA PIG RESULT: NEGATIVE (OECD TEST GUIDELINE 406)	
GERM CELL MUTAGENICITY	NO DATA AVAILABLE	
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED	
NTP:	HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED	
OSHA:	CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.	
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	ACUTE ORAL TOXICITY - AFTER SWALLOWING: IRRITATIONS OF MUCOUS MEMBRANES IN THE MOUTH, PHARYNX, OESOPHAGUS AND GASTROINTESTINAL TRACT. ACUTE INHALATION TOXICITY - POSSIBLE DAMAGES: MUCOSAL IRRITATIONS	
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE	
ASPIRATION HAZARD	NO DATA AVAILABLE	

ADDITIONAL INFORMATION RTECS: GL7030000

DEPENDING ON THE INTENSITY AND DURATION OF EXPOSURE, EFFECTS MAY VARY FROM MILD IRRITATION TO SEVERE DESTRUCTION OF TISSUE, SYMPTOMS OF SYSTEMIC COPPER POISONING MAY INCLUDE: CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, AND KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS SYSTEM EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, PARALYSIS, AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. CHRONIC COPPER POISONING IS TYPIFIED BY HEPATIC CIRRHOSIS, BRAIN DAMAGE AND DEMYELINATION, KIDNEY DEFECTS, AND COPPER DEPOSITION IN THE CORNEA AS EXEMPLIFIED BY HUMANS WITH WILSON"S DISEASE. IT HAS ALSO BEEN REPORTED THAT COPPER POISONING HAS LEAD TO HEMOLYTIC ANEMIA AND ACCELERATES ARTERIOSCLEROSIS. SYMPTOMS OBSERVED SHORTLY BEFORE DEATH WERE: SHOCK, RENAL FAILURE TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SYSTEMIC EFFECTS: AFTER ABSORPTION: HEADACHE, DIARRHEA, DROP IN BLOOD PRESSURE, FEVER AFTER UPTAKE OF LARGE QUANTITIES: CNS DISORDERS, HAEMOLYSIS DAMAGE TO: LIVER, KIDNEY

OTHER DANGEROUS PROPERTIES CAN NOT BE EXCLUDED. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

# SECTION 12. ECOLOGICAL INFORMATION

### TOXICITY

#### NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY	THE METHODS FOR DETERMINING THE BIOLOGICAL DEGRADABILITY ARE NOT APPLICABLE TO INORGANIC SUBSTANCES.

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

## MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT ANDPBT/VPVB ASSESSMENT NOT AVAILABLE ASVPVB ASSESSMENTCHEMICAL SAFETY ASSESSMENT NOT<br/>REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS** NO DATA AVAILABLE

# SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT	WASTE MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH THE NATIONAL AND LOC NO MIXING WITH OTHER WASTE.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

# SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ): POISON INHALATION HAZARD:	COPPER(II) CHLORIDE 2802 8 III 10 LBS NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO: MARINE POLLUTANT:	COPPER(II) CHLORIDE 2802 8 III F-A, S-B YES
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	COPPER(II) CHLORIDE 2802 8 III

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
SARA 311/312 HAZARDS	ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

#### SECTION 16. OTHER INFORMATION

#### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H302 + H312	HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
H315	CAUSES SKIN IRRITATION.
H318	CAUSES SERIOUS EYE DAMAGE.
H400	VERY TOXIC TO AQUATIC LIFE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

#### **IMPORTANT:**

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. VERSION: 3.1.

*REVISION DATE: 01/27/2017*