# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

### SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	33377
NAME:	Lead(II) chromate
SYNONYMS:	Lead chromate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

#### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) CARCINOGENICITY (CATEGORY 1A), H350 REPRODUCTIVE TOXICITY (CATEGORY 1A), H360

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400 CHRONIC AQUATIC TOXICITY (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)			
H350	MAY CAUSE CANCER.		
H360	MAY DAMAGE FERTILITY OR THE UNBORN		
	CHILD.		
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH		
	PROLONGED OR REPEATED EXPOSURE.		
H400	VERY TOXIC TO AQUATIC LIFE.		
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING		
	EFFECTS.		

#### PRECAUTIONARY STATEMENT(S)

PRECAUTIONARY STATEMENT(S)				
P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.			
P202	DO NOT HANDLE UNTIL ALL SAFETY			
	PRECAUTIONS HAVE BEEN READ AND			
	UNDERSTOOD.			
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/			
	VAPOURS/ SPRAY.			
P273	AVOID RELEASE TO THE ENVIRONMENT.			
P281	USE PERSONAL PROTECTIVE EQUIPMENT AS			
	REQUIRED.			
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL			
	ADVICE/ ATTENTION.			
P391	COLLECT SPILLAGE.			
P405	STORE LOCKED UP.			
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN			
	APPROVED WASTE DISPOSAL PLANT.			
RESERVED FOR PROFE	SSIONAL USE			
HAZARDS NOT	NONE			
OTHERWISE				
CLASSIFIED (HNOC)				
OR NOT COVERED				
BY GHS				

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MW:	323.19

CAS-NO. 7758-97-6

PURITY:  $\geq$  99% (Assay by titration)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION	
LEAD CHROMATE INC	CLUDED IN THE CANDIDATE LIST	OF SUBSTANCES OF VERY	
HIGH CONCERN (SVHC	) ACCORDING TO REGULATION (	EC) NO. 1907/2006 (REACH)	
	CARC. 1A; REPR. 1A; STOT RE	<= 100 %	
	2; AQUATIC ACUTE 1;		
	AQUATIC CHRONIC 2; H350,		
	H360, H373, H400, H411		
FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE			

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES			
GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA		
	SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT		
	OF DANGEROUS AREA.		
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF		
	NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.		
	CONSULT A PHYSICIAN.		
IN CASE OF SKIN	WASH OFF WITH SOAP AND PLENTY OF WATER.		
CONTACT	CONSULT A PHYSICIAN.		
IN CASE OF EYE	FLUSH EYES WITH WATER AS A PRECAUTION.		
CONTACT			
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN		
	UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.		
	CONSULT A PHYSICIAN.		
	CONSULTATITISICIAN.		
MOST IMPORTANT	THE MOST IMPORTANT KNOWN SYMPTOMS AND		
SYMPTOMS AND	EFFECTS ARE DESCRIBED IN THE LABELLING (SEE		
EFFECTS, BOTH ACUTE	SECTION 2.2) AND/OR IN SECTION 11		
AND DELAYED			
INDICATION OF ANY	NO DATA AVAILABLE		
IMMEDIATE MEDICAL			
ATTENTION AND SPECIAL			
TREATMENT NEEDED			
I KEAI WENT NEEDED			

#### SECTION 5. FIRE AND EXPLOSION DATA

<b>EXTINGUISHING MEDIA</b> SUITABLE EXTINGUISHING MEDIA	USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	LEAD OXIDES, CHROMIUM OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	NO DATA AVAILABLE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST
PROTECTIVE EQUIPMENT	FORMATION. AVOID BREATHING VAPOURS, MIST OR
AND EMERGENCY	GAS. ENSURE ADEQUATE VENTILATION. EVACUATE
PROCEDURES	PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.
	FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE
PRECAUTIONS	TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
	DISCHARGE INTO THE ENVIRONMENT MUST BE
	AVOIDED.
METHODS AND	PICK UP AND ARRANGE DISPOSAL WITHOUT
MATERIALS FOR	CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN
CONTAINMENT AND	SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
CLEANING UP	
REFERENCE TO OTHER	FOR DISPOSAL SEE SECTION 13.
SECTIONS	

## SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED.
	FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. KEEP IN A DRY PLACE. STORAGE CLASS (TRGS 510): NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC EFFECTS
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS COMPONENTS WITH WORKPLACE CONTROL PARAMETERS				
COMPONENTS V		VALUE	CONTROL	BASIS
COMPONENT	CAS-NO.	VALUE	PARAMETERS	BASIS
LEAD	7758-97-6	TWA	0.012 MG/M3	USA. ACGIH
CHROMATE	1150-51-0	1 9973	0.012 100/1015	THRESHOLD
CIIICOULILL				LIMIT VALUES
				(TLV)
	REMARKS	MALE REPR	ODUCTIVE DAMAG	
		TERATOGENIC EFFECTS		
		VASOCONS	FRICTION	
		SUBSTANCI	ES FOR WHICH THE	RE IS A BIOLOGICAL
		EXPOSURE	INDEX OR INDICES	(SEE BEI SECTION)
		SUSPECTED HUMAN CARCINOGEN		GEN
		TWA	0.05 MG/M3	USA. ACGIH
				THRESHOLD
				LIMIT VALUES
				(TLV)
			ODUCTIVE DAMAG	ЪΕ
			NIC EFFECTS	
		VASOCONS'		
				RE IS A BIOLOGICAL
				(SEE BEI SECTION)
			HUMAN CARCINO	
		TWA	0.0050 MG/M3	USA.
				OCCUPATIONAL
				EXPOSURE
				LIMITS (OSHA) - TABLE
				Z-1 LIMITS FOR
				AIR
				CONTAMINANTS
				CONTAININANTS

CEIL	0.0010 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-2
CEIL	0.1 MG/M3	USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000
TWA	0.075 MG/M3	USA. OSHA - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS - 1910.1000

#### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL	
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS	
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.	
PERSONAL PROTECTIVE EQUIPMENT		
EYE/FACE PROTECTION	SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO	
	EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED	
	AND APPROVED UNDER APPROPRIATE GOVERNMENT	
	STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).	

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	in stending endine
APPEARANCE	Yellow or orange powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	844 °C (Approx.)
POINT/FREEZING POINT	
BOILING POINT	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

#### SECTION 10. STABILITY AND REACTIVITY

DEACTIVITY	NO DATA AVAILABLE
REACTIVITY	NO DAIA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE
	CONDITIONS.
POSSIBILITY OF	NO DATA AVAILABLE
HAZARDOUS REACTIONS	
CONDITIONS TO AVOID	NO DATA AVAILABLE
INCOMPATIBLE	ORGANIC MATERIALS, POWDERED METALS
MATERIALS	

HAZARDOUSOTHER DECOMPOSITION PRODUCTS - NO DATADECOMPOSITIONAVAILABLEPRODUCTSIN THE EVENT OF FIRE: SEE SECTION 5

## SECTION 11. TOXICOLOGICAL INFORMATION

CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI	INFORMATION ON TOXICOL ACUTE TOXICITY	LD50 ORAL - MOUSE - > 12,000 MG/KG
NO DATA AVAILABLESKINNO DATA AVAILABLECORROSION/IRRITATIONNO DATA AVAILABLESERIOUS EYE DAMAGE/EYENO DATA AVAILABLEIRRITATIONNO DATA AVAILABLERESPIRATORY OR SKINNO DATA AVAILABLEGERM CELL MUTAGENICITYNO DATA AVAILABLECARCINOGENICITYNO DATA AVAILABLECARCINOGENICITYNO DATA AVAILABLECARCINOGENICITYNO DATA AVAILABLECARCINOGENICITYNO DATA AVAILABLECARCINOGENICITYNO DATA AVAILABLECARCINOGENICITY - RAT - INTRAMUSCULARTUMORIGENIC: TUMORS AT SITE OR APPLICATIONCARCINOGENICITY - RAT - SUBCUTANEOUSTUMORIGENIC: NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER: KIDNEY TUMORS. TUMORIGENIC: AGENT BY RTECS CRITERIA.CARCINOGENICITY - RAT - SUBCUTANEOUSTUMORIGENIC: TUMORS AT SITE OR APPLICATION.CARCINOGENICITY - RAT - SUBCUTANEOUSTUMORIGENIC: TUMORS AT SITE OR APPLICATION.CARCINOGENICITY - RAT - SUBCUTANEOUSTUMORIGENIC: TUMORS AT SITE OR APPLICATION.HUMAN CARCINOGEN.1 - GROUP 1: CARCINOGENIC TO HUMANS (LA CHROMATE)ARC:1 - GROUP 1: CARCINOGENIC TO HUMANS (LA CHROMATE)NTP:KNOWN TO BE HUMAN CARCINOGENIC TO HUMANS (LEAD CHROMATE) IARC:NTP:KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE)CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNT		INHALATION: NO DATA AVAILABLE
SKIN NO DATA AVAILABLE CORROSION/IRRITATION SERIOUS EYE DAMAGE/EYE NO DATA AVAILABLE IRRITATION RESPIRATORY OR SKIN NO DATA AVAILABLE SENSITISATION GERM CELL MUTAGENICITY NO DATA AVAILABLE CARCINOGENICITY CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIC CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:TY - RAT - SUBCUTANEOUS TUMORIGENIC:TY - RAT - SUBCUTANEOUS TUMORIGENIC:TOMORS AT SITE OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI		DERMAL: NO DATA AVAILABLE
CORROSION/IRRITATION SERIOUS EYE DAMAGE/EYE NO DATA AVAILABLE IRRITATION RESPIRATORY OR SKIN NO DATA AVAILABLE SENSITISATION GERM CELL MUTAGENICITY NO DATA AVAILABLE CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIC CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI		NO DATA AVAILABLE
IRRITATION  RESPIRATORY OR SKIN NO DATA AVAILABLE SENSITISATION  GERM CELL MUTAGENICITY NO DATA AVAILABLE  CARCINOGENICITY CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIC CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION.  CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION.  HUMAN CARCINOGEN. IARC: I - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC:  NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI		NO DATA AVAILABLE
SENSITISATION GERM CELL MUTAGENICITY NO DATA AVAILABLE CARCINOGENICITY CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIO CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNT		NO DATA AVAILABLE
CARCINOGENICITY CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIC CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI		NO DATA AVAILABLE
CARCINOGENICITY - RAT - INTRAMUSCULAR TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. KIDNEY, URETER, BLADDER:KIDNEY TUMORS. TUMORIGENIC:TUMORS AT SITE OR APPLICATIO CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI	GERM CELL MUTAGENICITY	NO DATA AVAILABLE
TUMORIGENIC:NEOPLASTIC BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT OR APPLICATION. CARCINOGENICITY - RAT - SUBCUTANEOUS TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI	CARCINOGENICITY - RAT - IN TUMORIGENIC:NEOPLASTIC E	BY RTECS CRITERIA. KIDNEY, URETER,
TUMORIGENIC:EQUIVOCAL TUMORIGENIC AGENT BY RTECS CRITERIA. TUMORIGENIC:TUMORS AT SITE OR APPLICATION. HUMAN CARCINOGEN. IARC: 1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC: NTP: KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI	TUMORIGENIC:NEOPLASTIC E	
IARC:1 - GROUP 1: CARCINOGENIC TO HUMANS (LI CHROMATE) 2A - GROUP 2A: PROBABLY CARCINOGENIC T HUMANS (LEAD CHROMATE) IARC:NTP:KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI	TUMORIGENIC:EQUIVOCAL T	UMORIGENIC AGENT BY RTECS CRITERIA.
CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BE ADDED BY TD BASED ON THE BACKGROUNI		2A - GROUP 2A: PROBABLY CARCINOGENIC TO
	NTP:	KNOWN TO BE HUMAN CARCINOGEN (LEAD CHROMATE) REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGENTHE REFERENCE NOTE HAS BEEN ADDED BY TD BASED ON THE BACKGROUND INFORMATION OF THE NTP. (LEAD CHROMATE)

OSHA: OSHA SPECIFICALLY REGULATED CARCINOGEN (LEAD CHROMATE)

REPRODUCTIVE TOXICITY KNOWN HUMAN REPRODUCTIVE TOXICANT

SPECIFIC TARGET ORGAN NO DATA AVAILABLE TOXICITY - SINGLE EXPOSURE

SPECIFIC TARGET ORGANMAY CAUSE DAMAGE TO ORGANS THROUGHTOXICITY - REPEATEDPROLONGED OR REPEATED EXPOSURE.EXPOSUREEXPOSURE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: GB2975000

LEAD SALTS HAVE BEEN REPORTED TO CROSS THE PLACENTA AND TO INDUCE EMBRYO- AND FETO-MORTALITY. THEY ALSO HAVE TERATOGENIC EFFECT IN SOME ANIMAL SPECIES. NO TERATOGENIC EFFECTS HAVE BEEN REPORTED WITH EXPOSURE TO ORGANOMETALLIC LEAD COMPOUNDS. ADVERSE EFFECTS OF LEAD ON HUMAN REPRODUCTION, EMBRYONIC AND FETAL DEVELOPMENT, AND POSTNATAL (E.G., MENTAL) DEVELOPMENT HAVE BEEN REPORTED. EXCESSIVE EXPOSURE CAN AFFECT BLOOD, NERVOUS, AND DIGESTIVE SYSTEMS. THE SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND RESULTS IN ANEMIA. IF LEFT UNTREATED, NEUROMUSCULAR DYSFUNCTION, POSSIBLE PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. ADDITIONAL SYMPTOMS OF OVEREXPOSURE INCLUDE: JOINT AND MUSCLE PAIN, WEAKNESS OF THE EXTENSOR MUSCLES (FREQUENTLY THE HAND AND WRIST), HEADACHE, DIZZINESS, ABDOMINAL PAIN, DIARRHEA, CONSTIPATION, NAUSEA, VOMITING, BLUE LINE ON THE GUMS, INSOMNIA, AND METALLIC TASTE. HIGH BODY LEVELS PRODUCE INCREASED CEREBROSPINAL PRESSURE, BRAIN DAMAGE, AND STUPOR LEADING TO COMA AND OFTEN DEATH. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

#### SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	VERY TOXIC TO AQUATIC LIFE. AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL.

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A
	LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
	TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE
	MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN
	IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER.

CONTAMINATED DISPOSE OF AS UNUSED PRODUCT. PACKAGING

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)	
NOT DANGEROUS GOODS	
IMDG	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Lead(II) chromate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III
EMS-NO:	F-A, S-F
MARINE POLLUTANT:	YES

IATA	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (Lead(II) chromate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III

FURTHER INFORMATION

EHS-MARK REQUIRED (ADR 2.2.9.1.10, IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

#### SECTION 15. REGULATORY INFORMATION

	SARA 302 COMPONENTS	NO CHEMICALS IN THIS MA THE REPORTING REQUIREM SECTION 302.	
	SARA 313 COMPONENTS	THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:	
	Lead(II) chromate	CAS # 7758-97-6	REVISION DATE 4/24/1993
MASSACHUSETTS RIGHT TO KNOW COMPONENTS			
		CAS #	REVISION DATE
	Lead(II) chromate	7758-97-6	4/24/1993
	PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	Lead(II) chromate	CAS # REVISION DATE 7758-97-6	REVISION DATE 4/24/1993
	NEW JERSEY RIGHT TO KNOW COMPONENTS		
		CAS#	REVISION DATE
	Lead(II) chromate	7758-97-6	4/24/1993
	CALIFORNIA PROP. 65 COMPONENTS	WARNING! THIS PRODUCT KNOWN TO THE STATE OF C CANCER.	
		CAS #	REVISION DATE
	Lead(II) chromate	7758-97-6	6/6/2014

#### SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.			
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY		
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY		
CARC.	CARCINOGENICITY		

H350 H360	MAY CAUSE CANCER. MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.
H400	VERY TOXIC TO AQUATIC LIFE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
REPR.	REPRODUCTIVE TOXICITY
HMIS RATING	
HEALTH HAZARD:	0
CHRONIC HEALTH	*
HAZARD:	
FLAMMABILITY:	0
PHYSICAL HAZARD	0
NFPA RATING	
HEALTH HAZARD:	0
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

#### **IMPORTANT:**

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.