

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191 USA

SA F E T Y D A T A S H E E T

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 33734

NAME: Acetic acid, glacial

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA)

TELEPHONE: 352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226

SKIN CORROSION (CATEGORY 1A), H314

SERIOUS EYE DAMAGE (CATEGORY 1), H318

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

DANGER

HAZARD STATEMENT(S)

H226

FLAMMABLE LIQUID AND VAPOUR.

H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
PRECAUTIONARY STATEMENT(S)	
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P304 + P340 + P310	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P305 + P351 + P338 + P310	F IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	C ₂ H ₄ O ₂
MW:	60.05
CAS-NO.	64-19-7
PURITY:	99 - 100% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Acetic acid, glacial	FLAM. LIQ. 3; SKIN CORR. 1A; EYE DAM. 1; H226, H314, H318 CONCENTRATION LIMITS: 10 - < 25 %: EYE IRRIT. 2, H319; 10 - < 25 %: SKIN IRRIT. 2, H315; 25 - < 90 %: SKIN CORR. 1B, H314; >= 90 %: SKIN CORR. 1A, H314; >= 90 %: 3, H226	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	FIRST AIDERS NEED TO PROTECT THEMSELVES. SHOW THIS MATERIAL SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.
IF INHALED	AFTER INHALATION: FRESH AIR. CALL IN PHYSICIAN.
IN CASE OF SKIN CONTACT	IN CASE OF SKIN CONTACT: TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER. CALL A PHYSICIAN IMMEDIATELY.
IN CASE OF EYE CONTACT	AFTER EYE CONTACT: RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT LENSES.
IF SWALLOWED	AFTER SWALLOWING: MAKE VICTIM DRINK WATER (TWO GLASSES AT MOST), AVOID VOMITING (RISK OF PERFORATION). CALL A PHYSICIAN IMMEDIATELY. DO NOT ATTEMPT TO NEUTRALISE.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA
WATER FOAM CARBON DIOXIDE (CO2) DRY POWDER

UNSUITABLE EXTINGUISHING MEDIA
FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF
EXTINGUISHING AGENTS ARE GIVEN.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

COMBUSTIBLE.
FIRE MAY CAUSE EVOLUTION OF:
ACETIC ACID VAPOURS
VAPORS ARE HEAVIER THAN AIR AND MAY SPREAD
ALONG FLOORS.
FORMS EXPLOSIVE MIXTURES WITH AIR AT ELEVATED
TEMPERATURES.
DEVELOPMENT OF HAZARDOUS COMBUSTION GASES OR
VAPOURS POSSIBLE IN THE EVENT OF FIRE.

ADVICE FOR FIREFIGHTERS

STAY IN DANGER AREA ONLY WITH SELF-CONTAINED
BREATHING APPARATUS. PREVENT SKIN CONTACT BY
KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE
PROTECTIVE CLOTHING.

FURTHER INFORMATION

REMOVE CONTAINER FROM DANGER ZONE AND COOL
WITH WATER. PREVENT FIRE EXTINGUISHING WATER
FROM CONTAMINATING SURFACE WATER OR THE
GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

ADVICE FOR NON-EMERGENCY PERSONNEL: DO NOT
BREATHE VAPORS, AEROSOLS. AVOID SUBSTANCE
CONTACT. ENSURE ADEQUATE VENTILATION. KEEP AWAY
FROM HEAT AND SOURCES OF IGNITION. EVACUATE THE
DANGER AREA, OBSERVE EMERGENCY PROCEDURES,
CONSULT AN EXPERT.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

DO NOT LET PRODUCT ENTER DRAINS. RISK OF
EXPLOSION.

METHODS AND MATERIALS FOR

COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS.
OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE

**CONTAINMENT AND
CLEANING UP**

SECTIONS 7 AND 10). DISPOSE OF PROPERLY. CLEAN UP
AFFECTED AREA.

**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING**

KEEP AWAY FROM OPEN FLAMES, HOT SURFACES AND
SOURCES OF IGNITION.TAKE PRECAUTIONARY MEASURES
AGAINST STATIC DISCHARGE.
IMMEDIATELY CHANGE CONTAMINATED CLOTHING.
APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND
FACE AFTER WORKING WITH SUBSTANCE.
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE
STORAGE, INCLUDING
ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-
VENTILATED PLACE. KEEP AWAY FROM HEAT AND
SOURCES OF IGNITION.
STORAGE CLASS (TRGS 510): 3: FLAMMABLE LIQUIDS.

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO
OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Acetic acid, glacial	64-19-7	TWA	10 PPM	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		STEL	15 PPM	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
		TWA	10 PPM 25 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		ST	15 PPM 37 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		TWA	10 PPM 25 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS

		PEL	10 PPM 25 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		C	40 PPM	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		STEL	15 PPM 37 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS IMMEDIATELY CHANGE CONTAMINATED CLOTHING. APPLY PREVENTIVE SKIN PROTECTION. WASH HANDS AND FACE AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

BODY PROTECTION FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING.

RESPIRATORY PROTECTION REQUIRED WHEN VAPOURS/AEROSOLS ARE GENERATED. OUR RECOMMENDATIONS ON FILTERING RESPIRATORY PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER ACCOMPANYING STANDARDS RELATING TO THE USED RESPIRATORY PROTECTION SYSTEM.

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS. RISK OF EXPLOSION.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear colorless liquid

ODOUR	STINGING
ODOUR THRESHOLD	0.2 PPM
PH	2.5 AT 50 G/L AT 20 C
MELTING	14 - 18 °C
POINT/FREEZING POINT	
INITIAL BOILING POINT	117 - 118 °C
AND BOILING RANGE	
FLASH POINT	40 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER	UPPER EXPLOSION LIMIT: 19.9 %(V)
FLAMMABILITY OR	LOWER EXPLOSION LIMIT: 4 %(V)
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	20.79 HPA AT 25 C
VAPOUR DENSITY	2.07
RELATIVE DENSITY	1.049 g/mL at 25 °C
WATER SOLUBILITY	602.9 G/L AT 25 C AT 1,013 HPA - COMPLETELY SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: -0.17 AT 25 C - BIOACCUMULATION IS NOT EXPECTED. (ECHA)
AUTO-IGNITION	463 C
TEMPERATURE	
DECOMPOSITION	DISTILLABLE IN AN UNDECOMPOSED STATE AT NORMAL
TEMPERATURE	PRESSURE.
VISCOSITY	1.17 MM ² /S AT 20 C
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY INFORMATION	
SURFACE TENSION	28.8 MN/M AT 10.0 C
RELATIVE VAPOR	2.07
DENSITY	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	VAPOR/AIR-MIXTURES ARE EXPLOSIVE AT INTENSE WARMING.
CHEMICAL STABILITY	THE PRODUCT IS CHEMICALLY STABLE UNDER STANDARD AMBIENT CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS	RISK OF EXPLOSION WITH: PEROXI COMPOUNDS PERCHLORIC ACID FUMING SULFURIC ACID PHOSPHORUS HALIDES HYDROGEN PEROXIDE CHROMIUM(VI) OXIDE POTASSIUM PERMANGANATE PEROXIDES STRONG OXIDIZING AGENTS RISK OF IGNITION OR FORMATION OF INFLAMMABLE GASES OR VAPOURS WITH: IRON ZINC MAGNESIUM MILD STEEL POSSIBLE FORMATION OF: HYDROGEN VIOLENT REACTIONS POSSIBLE WITH: STRONG ALKALIS ALDEHYDES ALKALI HYDROXIDES NONMETALLIC HALIDES ETHANOLAMINE ACETALDEHYDE ALCOHOLS HALOGEN-HALOGEN COMPOUNDS CHLOROSULFONIC ACID CHROMOSULFURIC ACID POTASSIUM HYDROXIDE NITRIC ACID
CONDITIONS TO AVOID	HEATING.
INCOMPATIBLE MATERIALS	VARIOUS METALS
HAZARDOUS DECOMPOSITION PRODUCTS	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 3,310 MG/KG REMARKS: (RTECS)
	LC50 INHALATION - MOUSE - 4 H - 2,819 MG/L - VAPOR REMARKS: (RTECS)
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	SKIN - RABBIT RESULT: CAUSES BURNS. - 4 H (OECD TEST GUIDELINE 404) REMARKS: (IUCLID)
SERIOUS EYE DAMAGE/EYE IRRITATION	EYES - RABBIT RESULT: CAUSES BURNS. - 4 H (OECD TEST GUIDELINE 405) REMARKS: (IUCLID) REMARKS: CAUSES SERIOUS EYE DAMAGE.
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	TEST TYPE: AMES TEST TEST SYSTEM: SALMONELLA TYPHIMURIUM METABOLIC ACTIVATION: WITH AND WITHOUT METABOLIC ACTIVATION METHOD: OECD TEST GUIDELINE 471 RESULT: NEGATIVE TEST TYPE: MUTAGENICITY (MAMMAL CELL TEST): CHROMOSOME ABERRATION. TEST SYSTEM: CHINESE HAMSTER OVARY CELLS METABOLIC ACTIVATION: WITH AND WITHOUT METABOLIC ACTIVATION METHOD: OECD TEST GUIDELINE 473 RESULT: NEGATIVE TEST TYPE: MICRONUCLEUS TEST SPECIES: RAT CELL TYPE: BONE MARROW APPLICATION ROUTE: INHALATION (VAPOR) METHOD: MUTAGENICITY (MICRONUCLEUS TEST) RESULT: NEGATIVE
CARCINOGENICITY	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN., SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING, INGESTION OR INHALATION OF CONCENTRATED ACETIC ACID CAUSES DAMAGE TO TISSUES OF THE RESPIRATORY AND DIGESTIVE TRACTS. SYMPTOMS INCLUDE: HEMATEMESIS, BLOODY DIARRHEA, EDEMA AND/OR PERFORATION OF THE ESOPHAGUS AND PYLORUS, PANCREATITIS, HEMATURIA, ANURIA, UREMIA, ALBUMINURIA, HEMOLYSIS, CONVULSIONS, BRONCHITIS, PULMONARY EDEMA, PNEUMONIA, CARDIOVASCULAR COLLAPSE, SHOCK, AND DEATH. DIRECT CONTACT OR EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR WITH SKIN OR EYES CAN CAUSE: ERYTHEMA, BLISTERS, TISSUE DESTRUCTION WITH SLOW HEALING, SKIN BLACKENING, HYPERKERATOSIS, FISSURES, CORNEAL EROSION, OPACIFICATION, IRITIS, CONJUNCTIVITIS, AND POSSIBLE BLINDNESS.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH	SEMI-STATIC TEST LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - > 1,000 MG/L - 96 H (OECD TEST GUIDELINE 203)
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	STATIC TEST EC50 - DAPHNIA MAGNA (WATER FLEA) - > 1,000 MG/L - 48 H (OECD TEST GUIDELINE 202)
TOXICITY TO ALGAE	STATIC TEST EC50 - SKELETONEMA COSTATUM - > 1,000 MG/L - 72 H (ISO 10253)
TOXICITY TO BACTERIA	EC5 - PSEUDOMONAS PUTIDA - 2,850 MG/L - 16 H REMARKS: NEUTRAL (MAXIMUM PERMISSIBLE TOXIC CONCENTRATION) (LIT.) MICROTOX TEST EC50 - PHOTOBACTERIUM PHOSPHOREUM - 11 MG/L 15 MIN REMARKS: (IUCLID)

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY	RESULT: 99 % - READILY BIODEGRADABLE. (OECD TEST GUIDELINE 301D) REMARKS: (HSDB) RESULT: 95 % - READILY ELIMINATED FROM WATER (OECD TEST GUIDELINE 302B)
BIOCHEMICAL OXYGEN DEMAND (BOD)	880 MG/G REMARKS: (LIT.)
RATIO BOD/THBOD	76 % REMARKS: (IUCLID)

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY COMPONENTS WITH A SECTION 302 EHS TPQ.	
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.	
MASSACHUSETTS RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Acetic acid, glacial	64-19-7	04-24-1993
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Acetic acid, glacial	64-19-7	04-24-1993

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H226	FLAMMABLE LIQUID AND VAPOUR.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION : 3.2

REVISION DATE : 7/7/2023