

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	33777
NAME:	Allyl hexanoate
SYNONYMS:	2-Propenyl hexanoate Allyl caproate
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

---

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
FLAMMABLE LIQUIDS (CATEGORY 4), H227

ACUTE TOXICITY, ORAL (CATEGORY 3), H301  
ACUTE TOXICITY, DERMAL (CATEGORY 3), H311  
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401  
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H227 COMBUSTIBLE LIQUID.  
H301 + H311 TOXIC IF SWALLOWED OR IN CONTACT WITH SKIN.  
H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**PRECAUTIONARY STATEMENT(S)**

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. RINSE MOUTH.  
P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF WATER. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.  
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.  
P391 COLLECT SPILLAGE.  
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT  
OTHERWISE  
CLASSIFIED (HNOC)  
OR NOT COVERED  
BY GHS** NONE

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF: C<sub>9</sub>H<sub>16</sub>O<sub>2</sub>

MW: 156.22  
CAS-NO. 123-68-2  
PURITY: 98 - 100% (GC)

**HAZARDOUS COMPONENTS**

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>Allyl hexanoate</b>		
	FLAM. LIQ. 4; ACUTE TOX. 3; AQUATIC ACUTE 2; AQUATIC CHRONIC 2; H227, H301, H311, H401, H411	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

**SECTION 4. FIRST-AID MEASURES**

---

**DESCRIPTION OF FIRST AID MEASURES**

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

**IN CASE OF SKIN CONTACT** WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.

**IN CASE OF EYE CONTACT** FLUSH EYES WITH WATER AS A PRECAUTION.

**IF SWALLOWED** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED** THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND** NO DATA AVAILABLE

**SPECIAL TREATMENT  
NEEDED**

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA** SUITABLE EXTINGUISHING MEDIA  
USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY  
CHEMICAL OR CARBON DIOXIDE.

UNSUITABLE EXTINGUISHING MEDIA  
DO NOT USE WATER JET.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE**

CARBON OXIDES

**ADVICE FOR  
FIREFIGHTERS**

WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION**

USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES**

WEAR RESPIRATORY PROTECTION. AVOID BREATHING  
VAPOURS, MIST OR GAS. ENSURE ADEQUATE  
VENTILATION. REMOVE ALL SOURCES OF IGNITION.  
EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF  
VAPOURS ACCUMULATING TO FORM EXPLOSIVE  
CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN  
LOW AREAS.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE  
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.  
DISCHARGE INTO THE ENVIRONMENT MUST BE  
AVOIDED.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

CONTAIN SPILLAGE, AND THEN COLLECT WITH NON-  
COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND,  
EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND  
PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO  
LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).  
KEEP IN SUITABLE, CLOSED CONTAINERS FOR  
DISPOSAL.

**REFERENCE TO OTHER SECTIONS** FOR DISPOSAL SEE SECTION 13.

---

## **SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE HANDLING** AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES** KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

Store at 0-8 °C

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

### **CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**  
CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

### **EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS** AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

### **PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

<b>SKIN PROTECTION</b>	<p>HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.</p> <p>SPLASH CONTACT  MATERIAL: NITRILE RUBBER  MINIMUM LAYER THICKNESS: 0.4 MM  BREAK THROUGH TIME: 156 MIN  MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)</p> <p>IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.</p>
<b>BODY PROTECTION</b>	<p>COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.</p>
<b>RESPIRATORY PROTECTION</b>	<p>WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).</p>
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	<p>PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.</p>

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Clear colorless to pale yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE

MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	185 - 188 °C
FLASH POINT	65 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.887 g/mL at 25 °C
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 3.2
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
<b>OTHER SAFETY INFORMATION</b>	NO DATA AVAILABLE

---

## SECTION 10. STABILITY AND REACTIVITY

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT, FLAMES AND SPARKS.
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - 218 MG/KG REMARKS: BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY).  INHALATION: NO DATA AVAILABLE  LD50 DERMAL - RABBIT - 300 MG/KG  NO DATA AVAILABLE
<b>SKIN CORROSION/IRRITATION</b>	SKIN - HUMAN
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE



**ADDITIONAL  
INFORMATION**

RTECS: MO6125000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL,  
PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE  
NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN  
EVIDENCE

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**TOXICITY**

TOXICITY TO FISH

LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW)  
- 2.0 MG/L - 96.0 H

TOXICITY TO DAPHNIA AND  
OTHER AQUATIC  
INVERTEBRATES

EC50 - DAPHNIA MAGNA (WATER FLEA) - 2 MG/L - 48  
H

**PERSISTENCE AND DEGRADABILITY**

BIODEGRADABILITY

RESULT: - ACCORDING TO THE RESULTS OF TESTS OF  
BIODEGRADABILITY THIS PRODUCT IS NOT READILY  
BIODEGRADABLE.

**BIOACCUMULATIVE  
POTENTIAL**

NO DATA AVAILABLE

**MOBILITY IN SOIL**

NO DATA AVAILABLE

**RESULTS OF PBT AND  
VPVB ASSESSMENT**

PBT/VPVB ASSESSMENT NOT AVAILABLE AS  
CHEMICAL SAFETY ASSESSMENT NOT  
REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS**

AN ENVIRONMENTAL HAZARD CANNOT BE  
EXCLUDED IN THE EVENT OF UNPROFESSIONAL  
HANDLING OR DISPOSAL.  
TOXIC TO AQUATIC LIFE WITH LONG LASTING  
EFFECTS.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME:	TOXIC, LIQUID, ORGANIC, N.O.S. (Allyl hexanoate)
UN NUMBER:	2810
CLASS:	6.1
PACKING GROUP:	III
REPORTABLE QUANTITY (RQ):	
POISON INHALATION HAZARD:	NO

**IMDG**

PROPER SHIPPING NAME:	TOXIC, LIQUID, ORGANIC, N.O.S. (Allyl hexanoate)
UN NUMBER:	2810
CLASS:	6.1
PACKING GROUP:	III
EMS-NO:	F-A, S-A
MARINE POLLUTANT:	YES

**IATA**

PROPER SHIPPING NAME:	TOXIC, LIQUID, ORGANIC, N.O.S. (Allyl hexanoate)
UN NUMBER:	2810
CLASS:	6.1
PACKING GROUP:	III

---

**SECTION 15. REGULATORY INFORMATION**

---

<b>SARA 302 COMPONENTS</b>	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
----------------------------	---

**SARA 313 COMPONENTS** THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

**SARA 311/312 HAZARDS** FIRE HAZARD, ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**  
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Allyl hexanoate	123-68-2	

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Allyl hexanoate	123-68-2	

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H227	COMBUSTIBLE LIQUID.
H301 + H311	TOXIC IF SWALLOWED OR IN CONTACT WITH SKIN.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**MSDS LEGEND**

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

