# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

#### SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	34038
NAME:	<i>p</i> -Tolyl acetate
SYNONYMS:	<i>p</i> -Cresyl acetate Acetic acid <i>p</i> -cresyl ester
24 HOUR EMERGENCY	(800) 535-5053(USA)
TELEPHONE:	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 4), H227 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD

SIGULE WOLD				
HAZARD STATEMENT(	HAZADD STATEMENT(S)			
H227	COMBUSTIBLE LIQUID.			
H302	HARMFUL IF SWALLOWED.			
H302 H315	CAUSES SKIN IRRITATION.			
H319	CAUSES SERIOUS EYE IRRITATION.			
H315 H335	MAY CAUSE RESPIRATORY IRRITATION.			
п333	MAY CAUSE RESPIRATORY IRRITATION.			
PRECAUTIONARY STA	TEMENT(S)			
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT			
	SURFACES. NO SMOKING.			
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/			
1201	SPRAY.			
P264	WASH SKIN THOROUGHLY AFTER HANDLING.			
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS			
1270	PRODUCT.			
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.			
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE			
1200	PROTECTION.			
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU			
	FEEL UNWELL. RINSE MOUTH.			
P302 + P352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.			
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP			
1000 1000 1012	COMFORTABLE FOR BREATHING. CALL A POISON			
	CENTER/DOCTOR IF YOU FEEL UNWELL.			
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL			
1505 1551 1550	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND			
	EASY TO DO. CONTINUE RINSING.			
P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/			
1002 1010	ATTENTION.			
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/			
1557 1515	ATTENTION.			
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE			
1502	REUSE.			
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR			
1570 1570	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.			
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER			
1 705 - 1255	TIGHTLY CLOSED.			
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.			
P405 + P255	STORE LOCKED UP.			
1403	STOKE LOOKED UI.			

DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOTNONEOTHERWISECLASSIFIED (HNOC)OR NOT COVEREDBY GHS

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$\mathrm{C_9H_{10}O_2}$
MW:	150.17
CAS-NO.	140-39-6

PURITY: 98 - 100% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<i>p</i> -Tolyl acetate		
	FLAM. LIQ. 4; ACUTE TOX. 4; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; H227, H302, H315, H319, H335	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

P501

IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA : USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE.
	UNSUITABLE EXTINGUISHING MEDIA : DO NOT USE WATER JET.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
IERSONAL	
PRECAUTIONS,	BREATHING VAPOURS, MIST OR GAS. ENSURE
PROTECTIVE	ADEQUATE VENTILATION. REMOVE ALL SOURCES OF
EQUIPMENT AND	IGNITION. EVACUATE PERSONNEL TO SAFE AREAS.
EMERGENCY	BEWARE OF VAPOURS ACCUMULATING TO FORM
PROCEDURES	EXPLOSIVE CONCENTRATIONS. VAPOURS CAN
	ACCUMULATE IN LOW AREAS.
	FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH NON- COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

# SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

#### **EXPOSURE CONTROLS**

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE
ENGINEERING	AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND
CONTROLS	AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: BUTYL-RUBBER MINIMUM LAYER THICKNESS: 0.3 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:BUTOJECT (KCL 897, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.4 MM BREAK THROUGH TIME: 30 MIN MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY</b> <b>PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	210 - 211 °C
AND BOILING RANGE	
FLASH POINT	92 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	1.05
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
	ODOUR ODOUR THRESHOLD PH MELTING POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE FLASH POINT EVAPORATION RATE FLAMMABILITY (SOLID, GAS) UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS VAPOUR PRESSURE VAPOUR DENSITY RELATIVE DENSITY WATER SOLUBILITY PARTITION COEFFICIENT: N- OCTANOL/WATER AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE VISCOSITY EXPLOSIVE PROPERTIES

OTHER SAFETY NC INFORMATION

# SECTION 10. STABILITY AND REACTIVITY

# **REACTIVITY** NO DATA AVAILABLE

CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE
	CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS NO DATA AVAILABLE

**CONDITIONS TO AVOID** HEAT, FLAMES AND SPARKS.

INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, STRONG BASES
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS CARBON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

# SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL - RAT - 1,900 MG/KG
	INHALATION - NO DATA AVAILABLE
	LD50 DERMAL - RABBIT 2,100 MG/KG
	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC: NTP: OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT
USHA.	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY** NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS : AJ7570000
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

# SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS<br/>TO A LICENSED DISPOSAL COMPANY. THIS<br/>COMBUSTIBLE MATERIAL MAY BE BURNED IN A<br/>CHEMICAL INCINERATOR EQUIPPED WITH AN<br/>AFTERBURNER AND SCRUBBER. CONTACT A LICENSED<br/>PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE<br/>OF THIS MATERIAL.

#### SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	COMBUSTIBLE LIQUID, N.O.S. ( <i>p</i> -Tolyl acetate)
NA-NUMBER:	1993
CLASS:	NONE
PACKING GROUP:	III
REPORTABLE QUANTITY	
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	NOT DANGEROUS GOODS
IATA	NOT DANGEROUS GOODS

# SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS M THE REPORTING REQUIRE SECTION 302.	
SARA 313 COMPONENTS	COMPONENTS WITH KNOW EXCEED THE THRESHOLD	
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEA	ALTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT		
PENNSYLVANIA RIGHT TO	KNOW COMPONENTS	
<i>p</i> -Tolyl acetate	CAS-NO. 140-39-6	REVISION DATE
NEW JERSEY RIGHT TO KNOW COMPONENTS		
<i>p</i> -Tolyl acetate	CAS-NO. 140-39-6	REVISION DATE

# FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.H227COMBUSTIBLE LIQUID.H302HARMFUL IF SWALLOWED.H315CAUSES SKIN IRRITATION.H319CAUSES SERIOUS EYE IRRITATION.

MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION:3.1

H335

*REVISION DATE: 01/27/2017*