Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

| CATALOG #: | 34044 |
|---------------------------------|--|
| NAME: | 2,4-Dimethyl-3-cyclohexene-1-carboxaldehyde (mixture of isomers) |
| SYNONYMS: | Ligustral Trivertal |
| 24 HOUR EMERGENCY TELEPHONE: | (800) 535-5053(USA) 352-323-3500 (INTERNATIONAL) |
| | 552-525-5500 (INTERNATIONAL) |
| TO REQUEST AN MSDS: | (800) 869-9290 |
| CUSTOMER SERVICE: | (630) 766-2112 |

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 4), H227 ACUTE TOXICITY, ORAL (CATEGORY 5), H303 SKIN CORROSION/IRRITATION (CATEGORY 2), H315 SENSITIZATION, SKIN (CATEGORY 1), H317 HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE HAZARD (CATEGORY 2), H401 HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

| H227 | COMBUSTIBLE LIQUID. |
|-------------|--|
| H303 | MAY BE HARMFUL IF SWALLOWED. |
| H315 | CAUSES SKIN IRRITATION |
| H317 | MAY CAUSE AN ALLERGIC SKIN REACTION |
| H401 | TOXIC TO AQUATIC LIFE |
| H411 | TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. |
| PRECAUTIONA | RY STATEMENT(S) |
| P210 | KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES |
| | AND OTHER IGNITION SOURCES. NO SMOKING. |
| P261 | AVOID BREATHING MIST OR VAPOR. |
| P264 | WASH SKIN THOROUGHLY AFTER HANDLING. |
| P272 | CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED |
| | OUT OF THE WORKPLACE |
| P273 | AVOID RELEASE TO THE ENVIRONMENT. |
| P280 | WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE |
| | PROTECTION/ FACE PROTECTION. |
| P302 + P352 | IF ON SKIN: WASH WITH PLENTY OF WATER. |
| P312 | CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. |
| P333 + P313 | IF SKIN IRRITATION OR A RASH OCCURS: GET MEDICAL |
| | ADVICE/ATTENTION. |
| P362 + P364 | TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE |
| | REUSE |
| P370 + P378 | IN CASE OF FIRE: USE APPROPRIATE MEDIA TO EXTINGUISH |
| P391 | COLLECT SPILLAGE |
| P403 | STORE IN A WELL-VENTILATED PLACE |
| P501 | DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE |
| | DISPOSAL PLANT. |
| | |

HAZARDS NOTNONEOTHERWISECLASSIFIED(HNOC) OR NOTCOVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:

 $C_9H_{14}O$

MW: 138.21

CAS-NO. 68039-49-6

PURITY: \geq 99% (Assay)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|--|----------------|---------------|
| 2,4-Dimethyl-3-cyclohexene-1-carboxaldehyde (mixture of isomers) | | |
| | - | - |
| | | |
| FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION | | |

16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

| GENERAL ADVICE | CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA. |
|--|--|
| IF INHALED | IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. FOR BREATHING DIFFICULTIES, OXYGEN MAY BE NECESSARY. CALL A PHYSICIAN IF SYMPTOMS DEVELOP OR PERSIST. |
| IN CASE OF SKIN CONTACT | TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. WASH SKIN THOROUGHLY WITH SOAP AND WATER FOR SEVERAL MINUTES. |
| IN CASE OF EYE CONTACT | REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. PROMPTLY WASH EYES WITH PLENTY OF WATER WHILE LIFTING THE EYE LIDS. |
| IF SWALLOWED | CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. IF SWALLOWED, RINSE MOUTH WITH WATER (ONLY IF THE PERSON IS CONSCIOUS). DO NOT INDUCE VOMITING. IF VOMITING OCCURS, THE HEAD SHOULD BE KEPT LOW SO THAT STOMACH VOMIT DOESN"T ENTER THE LUNGS. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED | DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY IRRITATION. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN. MAY CAUSE AN ALLERGIC SKIN REACTION. DERMATITIS. RASH. |
| INDICATION OF ANY IMMEDIATE MEDICAL | NO DATA AVAILABLE |

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

| SUITABLE EXTINGUISHING MEDIA | SUITABLE EXTINGUISHING MEDIA WATER SPRAY, FOG, CO2, DRY CHEMICAL, OR ALCOHOL RESISTANT FOAM. |
|---|--|
| | UNSUITABLE EXTINGUISHING MEDIA DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER AND SPREAD FIRE. |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | FIRE MAY PRODUCE IRRITATING, CORROSIVE AND/OR TOXIC GASES. |
| ADVICE FOR FIREFIGHTERS | WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO WITHOUT RISK. WATER RUNOFF CAN CAUSE ENVIRONMENTAL DAMAGE. VENTILATE CLOSED SPACES BEFORE ENTERING THEM. KEEP RUN-OFF WATER OUT OF SEWERS AND WATER SOURCES. DIKE FOR WATER CONTROL. |
| FURTHER INFORMATION | USE WATER SPRAY TO COOL UNOPENED CONTAINERS. STATIC CHARGES GENERATED BY EMPTYING PACKAGE IN OR NEAR FLAMMABLE VAPOR MAY CAUSE FLASH FIRE. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE |
|--|--|
| | CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. |
| | |

FOR PERSONAL PROTECTION SEE SECTION 8.

| ENVIRONMENTAL PRECAUTIONS | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED. |
|--|---|
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP | CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). |
| REFERENCE TO OTHER SECTIONS | FOR DISPOSAL SEE SECTION 13. |

SECTION 7. HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE HANDLING | AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. |
|--|---|
| | FOR PRECAUTIONS SEE SECTION 2.2. |
| CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES | KEEP CONTAINER CLOSED. HANDLE CONTAINERS WITH CARE. OPEN SLOWLY IN ORDER TO CONTROL POSSIBLE PRESSURE RELEASE. STORE IN A COOL, WELL- VENTILATED AREA. |
| | Store at RT |
| SPECIFIC END USE(S) | APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

DNEL (DERIVED NO-EFFECT LEVEL): WORKERS - LONG-TERM EXPOSURE SYSTEMIC EFFECTS - INHALATION: 0.44 MG/M SYSTEMIC EFFECTS - DERMAL: 0.125 MG/KG PC/J DNEL (DERIVED NO-EFFECT LEVEL): GENERAL POPULATION - LONG-TERM EXPOSURE SYSTEMIC EFFECTS - INHALATION: 0.108 MG/M SYSTEMIC EFFECTS - DERMAL: 0.062 MG/KG BW/J SYSTEMIC EFFECTS - ORAL: 0.062 MG/KG BW/J PNEC (PREDICTED NO-EFFECT CONCENTRATION) AQUA (FRESHWATER): 7.5 MG/L PNEC (PREDICTED NO-EFFECT CONCENTRATION) AQUA (MARINE WATER): 0.75 MG/L PNEC (PREDICTED NO-EFFECT CONCENTRATION) SEWAGE TREATMENT PLANT: 10 MG/L PNEC (PREDICTED NO-EFFECT CONCENTRATION) SEDIMENT (FRESHWATER): 0.226 MG/KG SEDIMENT DW PNEC (PREDICTED NO-EFFECT CONCENTRATION) SEDIMENT (MARINE WATER): 0.0226 MG/KG SEDIMENT DW PNEC (PREDICTED NO-EFFECT CONCENTRATION) SOIL: 0.0408 MG/KG SOIL DW PNEC (PREDICTED NO-EFFECT CONCENTRATION) AQUA (INTERMITTENT RELEASES): 75 MG/L

| APPROPRIATE | HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL |
|----------------------|--|
| ENGINEERING CONTROLS | HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE |
| | BREAKS AND AT THE END OF WORKDAY. |

PERSONAL PROTECTIVE EQUIPMENT

- EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED
PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE
(WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID
SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN ACCORDANCE
WITH APPLICABLE LAWS AND GOOD LABORATORY
PRACTICES. WASH AND DRY HANDS.
- BODY PROTECTION COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
- RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING PROTECTION RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| INFORMATION ON BASIC | PHYSICAL AND CHEMICAL PROPERTIES |
|------------------------|----------------------------------|
| APPEARANCE | Fruit colorless liquid |
| ODOUR | CHARACTERISTIC |
| ODOUR THRESHOLD | NO DATA AVAILABLE |
| PH | NO DATA AVAILABLE |
| MELTING | |
| POINT/FREEZING POINT | |
| BOILING POINT | 165 - 197 °C (Lit.) |
| FLASH POINT | 65 °C |
| EVAPOURATION RATE | NO DATA AVAILABLE |
| FLAMMABILITY (SOLID, | NO DATA AVAILABLE |
| GAS) | |
| UPPER/LOWER | NO DATA AVAILABLE |
| FLAMMABILITY OR | |
| EXPLOSIVE LIMITS | |
| VAPOUR PRESSURE | 0.58 MM HG AT 25 C |
| VAPOUR DENSITY | 4.8 |
| RELATIVE DENSITY | 0.93 |
| WATER SOLUBILITY | INSOLUBLE |
| PARTITION COEFFICIENT: | NO DATA AVAILABLE |
| N- OCTANOL/WATER | |
| AUTO-IGNITION | NO DATA AVAILABLE |
| TEMPERATURE | |
| DECOMPOSITION | NO DATA AVAILABLE |
| TEMPERATURE | |
| VISCOSITY | NO DATA AVAILABLE |
| EXPLOSIVE PROPERTIES | |
| OXIDIZING PROPERTIES | NOT OXIDIZING |
| | |

OTHER SAFETY INFORMATION

SPECIFIC GRAVITY 0.93 AT 25 C

SECTION 10. STABILITY AND REACTIVITY

| REACTIVITY | THE PRODUCT IS STABLE AND NON-REACTIVE UNDER |
|--------------------|---|
| | NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT |
| | |
| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE CONDITIONS. |

| POSSIBILITY OF HAZARDOUS REACTIONS | NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE. |
|--|--|
| CONDITIONS TO AVOID | AVOID HEAT, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. AVOID TEMPERATURES EXCEEDING THE FLASH POINT. CONTACT WITH INCOMPATIBLE MATERIALS. |
| INCOMPATIBLE MATERIALS | STRONG OXIDIZING AGENTS |
| HAZARDOUS DECOMPOSITION PRODUCTS | NO HAZARDOUS DECOMPOSITION PRODUCTS IF STORED AND HANDLED AS INDICATED. |
| | IN THE EVENT OF FIRE: SEE SECTION 5 |

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

| ACUTE TOXICITY | LD50 ORAL - RAT - 3900 MG/KG |
|---|---|
| | INHALATION: NO DATA AVAILABLE |
| | DERMAL: NO DATA AVAILABLE |
| | NO DATA AVAILABLE |
| SKIN CORROSION/IRRITATION | CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. THE SUBSTANCE IS CLASSIFIED AS A SKIN IRRITANT (CATEGORY 2) BY IFRA IRRITATING EFFECTS WERE OBSERVED IN DIFFERENT STUDIES (DERMAL IRRITATION IN RABBIT ACCORDING TO THE OECD 404 GUIDELINE, SKIN SENSITISATION IN GUINEA |
| | PIG ACCORDING TO THE OECD 406 GUIDELINE AND DERMAL ACUTE TOXICITY IN RABBIT). BASED ON THESE RESULTS, THE SUBSTANCE IS CLASSIFIED AS SKIN IRRITANT CATEGORY 2 UNDER CLP. |
| SERIOUS EYE DAMAGE/EYE IRRITATION | DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY IRRITATION. THE SUBSTANCE IS CLASSIFIED AS AN EYE IRRITANT (CATEGORY 2A) BY IFRA IRRITATING EFFECTS WERE OBSERVED IN AN EYE IRRITATION STUDY CONDUCTED IN RABBIT, HOWEVER CLASSIFICATION CRITERIA WERE NOT MET. |

| RESPIRATORY OR SKIN SENSITISATION | MAY CAUSE AN ALLERGIC SKIN REACTION. THE SUBSTANCE IS CLASSIFIED AS A SKIN SENSITIZER (CATEGORY 1B) BY IFRA SKIN SENSITISATION EFFECTS WERE OBSERVED IN A GUINEA PIG MAXIMISATION TEST (GPMT) CONDUCTED ACCORDING TO THE OECD 406 GUIDELINE. |
|--|--|
| GERM CELL MUTAGENICITY | THE SUBSTANCE WAS NOT MUTAGENIC IN A AMES TEST (OECD 471). IN A CHROMOSOME ABERRATION TEST IN CHINESE HAMSTER OVARY CELLS (OECD 473), A STRUCTURALLY RELATED SUBSTANCE DID NOT INDUCE NUMERICAL CHROMOSOME ABERRATIONS (WITH AND WITHOUT METABOLIC ACTIVATION) NOR STRUCTURAL ABERRATIONS WITHOUT METABOLIC ACTIVATION; EQUIVOCAL RESULTS WERE OBTAINED REGARDING INDUCTION OF STRUCTURAL ABERRATIONS AFTER METABOLIC ACTIVATION. HOWEVER, THIS STRUCTURALLY RELATED SUBSTANCE WAS NOT MUTAGENIC EITHER IN AN IN VIVO MICRONUCLEUS TEST (OECD 474). |
| CARCINOGENICITY | |
| IARC: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. |
| ACGIH: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH. |
| NTP: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. |
| OSHA: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA. |
| REPRODUCTIVE TOXICITY | IN A ONE-GENERATION REPRODUCTION TOXICITY STUDY, CONDUCTED ON A STRUCTURALLY RELATED SUBSTANCE ACCORDING TO OECD GUIDELINE NO 415, THE NO OBSERVED ADVERSE EFFECT LEVEL (NOAEL) FOR DEVELOPMENTAL TOXICITY WAS ESTABLISHED AT 25 MG/KG PC/J. |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | NO DATA AVAILABLE |
| SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE | TWO REPEATED DOSE TOXICITY STUDIES (28 AND 90 DAYS) WERE CONDUCTED IN THE RAT WITH TWO STRUCTURALLY RELATED SUBSTANCES. THE 28 DAYS STUDY NOAEL BASED ON DECREASED BODY WEIGHT IN MALES WAS THE LOWEST ; 120 MG/KG PC/J. |

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONALSKIN IRRITATION. MAY CAUSE REDNESS AND PAIN. MAYINFORMATIONCAUSE AN ALLERGIC SKIN REACTION. DERMATITIS. RASH.
MAY BE HARMFUL IF SWALLOWED.

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

| PRODUCT | | SPECIES | TEST RESULTS |
|-------------|---------|---------------------|-------------------------------|
| TETRAHYDROL | INALOOL | | |
| AQUATIC | | | |
| ALGAE | EC50 | GREEN ALGAE | 31 MG/L, 72 HOURS (BASED ON |
| | | (DESMODESMUS | GROWTH RATE - NOMINAL |
| | | SUBSPICATUS) | CONCENTRATION - OECD 201) |
| CRUSTACEA | EC50 | DAPHNIA MAGNA | 22.4 MG/L, 48 HOURS (MEASURED |
| | | | CONCENTRATION - SIMILAR TO |
| | | | OECD 202) |
| FISH | LC50 | ONCORHYNCHUS | 7.5 MG/L, 96 HOURS (MEASURED |
| | | MYKISS (REPORTED AS | CONCENTRATION - OECD 203) |
| | | SALMO GAIRDNERI) | |

| PERSISTENCE AND | THE SUBSTANCE IS NOT READILY BIODEGRADABLE. |
|-----------------|--|
| DEGRADABILITY | BIODEGRADATION ACHIEVED IN 28 DAYS: 3% (OXYGEN |
| | CONSUMPTION - ASSAY CONDUCTED ACCORDING TO |
| | OECD 301F GUIDELINE - ACTIVATED SLUDGE, DOMESTIC |
| | WASTEWATER TREATMENT PLANT). |
| | THE SUBSTANCE IS NOT CONSIDERED TO BE VERY |
| | PERSISTENT AND VERY BIOACCUMULATING (VPVB). |
| | |
| BIOACCUMULATIVE | NO DATA AVAILABLE |

BIOACCUMULATIVE POTENTIAL

| MOBILITY IN SOIL | THE ADSORPTION COEFFICIENT OF THE SUBSTANCE WAS DETERMINED IN A STUDY CONDUCTED FOLLOWING THE OECD 121 GUIDELINE:LOG KOC: 2.2 TAKEN WITH THE HIGH WATER SOLUBILITY, THIS VALUE IS LOW ENOUGH TO SUGGEST THAT THE SUBSTANCE WILL SHOW LIMITED ADSORPTION TO SOIL OR SEDIMENT PARTICULATES, AND WILL PARTITION MAINLY TO WATER (IN THE SURFACE OR GROUND WATER COMPARTMENTS). |
|---------------------------------------|--|
| RESULTS OF PBT AND VPVB ASSESSMENT | PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED |
| OTHER ADVERSE EFFECTS | NO DATA AVAILABLE |

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

| PRODUCT | OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. |
|---------------------------|---|
| CONTAMINATED PACKAGING | DISPOSE OF AS UNUSED PRODUCT. |

SECTION 14. TRANSPORT INFORMATION

| DOT (US) PROPER SHIPPING NAME: | COMBUSTIBLE LIQUID, N.O.S. (2,4-DIMETHYLCYCLOHEX- |
|--|---|
| | 3-ENE-1-CARBALDEHYDE) |
| NA-NUMBER: | 1993 |
| CLASS: | NONE |
| PACKING GROUP: | III |
| REPORTABLE QUANTITY | 150 |
| (RQ): | |
| MARINE POLLUTANT | YES |
| IMDG | |
| PROPER SHIPPING NAME: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |
| | N.O.S. (2,4-DIMETHYLCYCLOHEX-3-ENE-1- |
| | CARBALDEHYDE) |
| UN NUMBER: | 3082 |
| CLASS: | 9 |
| PACKING GROUP: | III |

YES

IATA

NOT DANGEROUS GOODS

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS YES

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

2,4-Dimethyl-3-cyclohexene-1- 6 carboxaldehyde (mixture of isomers)

CAS # 68039-49-6

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS # 2,4-Dimethyl-3-cyclohexene-1carboxaldehyde (mixture of isomers) REVISION DATE

REVISION DATE

NEW JERSEY RIGHT TO KNOW COMPONENTS

| 2,4-Dimethyl-3-cyclohexene-1- carboxaldehyde (mixture of isomers) | CAS # 68039-49-6 | REVISION DATE |
|--|---------------------|---|
| CALIFORNIA PROP. 65 COMPONENTS | | CONTAIN ANY CHEMICALS FORNIA TO CAUSE CANCER, THER REPRODUCTIVE HARM. |

SECTION 16. OTHER INFORMATION

| FULL TEXT OF H-STATEMEN | NTS REFERRED TO UNDER SECTIONS 2 AND 3. |
|-------------------------|---|
| H227 | COMBUSTIBLE LIQUID. |
| H303 | MAY BE HARMFUL IF SWALLOWED. |
| H315 | CAUSES SKIN IRRITATION |
| H317 | MAY CAUSE AN ALLERGIC SKIN REACTION |
| H401 | TOXIC TO AQUATIC LIFE |

H411

HMIS RATING

| HEALTH HAZARD: | 2 |
|------------------------|---|
| CHRONIC HEALTH HAZARD: | |
| FLAMMABILITY: | 2 |
| PHYSICAL HAZARD | 0 |
| | |
| NFPA RATING | |
| HEALTH HAZARD: | 2 |

| HEALIH HAZAKD: | |
|--------------------|--|
| FIRE HAZARD: | |
| REACTIVITY HAZARD: | |

2 0

MSDS LEGEND

| MW: | MOLECULAR WEIGHT | |
|---|--|--|
| MF: | MOLECULAR FORMULA | |
| VOC: | VOLATILE ORGANIC COMPOUNDS | |
| ACGIH: | AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL | |
| | HYGINISTS | |
| CAS: | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER | |
| OSHA: | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION | |
| PEL: | PERMISSIBLE EXPOSURE LIMIT (OSHA) | |
| TLV: | THRESHOLD LIMIT VALUE (ACGIH) | |
| IMPORTANT: | | |
| THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE | | |

BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017