

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

| | |
|---------------------------------|---|
| CATALOG #: | 34367 |
| NAME: | Hexyl acetate |
| SYNONYMS: | Acetic acid <i>n</i> -hexyl ester Capryl acetate |
| 24 HOUR EMERGENCY TELEPHONE: | (800) 535-5053(USA) 352-323-3500 (INTERNATIONAL) |
| TO REQUEST AN MSDS: | (800) 869-9290 |
| CUSTOMER SERVICE: | (630) 766-2112 |

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)
FLAMMABLE LIQUIDS (CATEGORY 3), H226
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD WARNING

HAZARD STATEMENT(S)

H226 FLAMMABLE LIQUID AND VAPOUR.
H401 TOXIC TO AQUATIC LIFE.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. NO SMOKING.
P233 KEEP CONTAINER TIGHTLY CLOSED.
P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241 USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING EQUIPMENT.
P242 USE ONLY NON-SPARKING TOOLS.
P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P303 + P361 + P353 IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P403 + P235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C₈H₁₆O₂
MW: 144.21
CAS-NO. 142-92-7
PURITY: 98 - 100% (GC)

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|---------------|--|---------------|
| Hexyl acetate | | |
| | FLAM. LIQ. 3; AQUATIC ACUTE 2; AQUATIC CHRONIC 2; H226, H401, H411 | <= 100 % |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

| | |
|---|---|
| GENERAL ADVICE | CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA. |
| IF INHALED | IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN. |
| IN CASE OF SKIN CONTACT | WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN. |
| IN CASE OF EYE CONTACT | RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. |
| IF SWALLOWED | DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED | THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11. |
| INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED | NO DATA AVAILABLE |

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

| | |
|--|--|
| SUITABLE EXTINGUISHING MEDIA | USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE. |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | CARBON OXIDES |
| ADVICE FOR FIREFIGHTERS | WEAR SELF CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY. |
| FURTHER INFORMATION | USE WATER SPRAY TO COOL UNOPENED CONTAINERS. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|--|---|
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8. |
| ENVIRONMENTAL PRECAUTIONS | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED. |
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP | CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). |
| REFERENCE TO OTHER SECTIONS | FOR DISPOSAL SEE SECTION 13. |

SECTION 7. HANDLING AND STORAGE

| | |
|---|--|
| PRECAUTIONS FOR SAFE HANDLING | AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2. |
| CONDITIONS FOR SAFE STORAGE, INCLUDING | KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE |

ANY INCOMPATIBILITIES OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.4 MM

BREAK THROUGH TIME: 35 MIN

MATERIAL TESTED: CAMATRIL (KCL 730, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

| | |
|--|--|
| BODY PROTECTION | IMPERVIOUS CLOTHING, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE. |
| RESPIRATORY PROTECTION | WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU). |
| CONTROL OF ENVIRONMENTAL EXPOSURE | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|-------------------|
| APPEARANCE | Colorless liquid |
| ODOUR | NO DATA AVAILABLE |
| ODOUR THRESHOLD | NO DATA AVAILABLE |
| PH | NO DATA AVAILABLE |
| MELTING POINT/FREEZING POINT | |
| INITIAL BOILING POINT AND BOILING RANGE | 170 - 172 °C |
| FLASH POINT | 53 °C |
| EVAPORATION RATE | NO DATA AVAILABLE |
| FLAMMABILITY (SOLID, GAS) | NO DATA AVAILABLE |
| UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS | NO DATA AVAILABLE |
| VAPOUR PRESSURE | 1.2 HPA AT 20 C |
| VAPOUR DENSITY | NO DATA AVAILABLE |
| RELATIVE DENSITY | 0.87 |
| WATER SOLUBILITY | NO DATA AVAILABLE |
| PARTITION COEFFICIENT: N- OCTANOL/WATER | LOG POW: 2.8 |
| AUTO-IGNITION TEMPERATURE | NO DATA AVAILABLE |
| DECOMPOSITION TEMPERATURE | NO DATA AVAILABLE |
| VISCOSITY | NO DATA AVAILABLE |

EXPLOSIVE PROPERTIES NO DATA AVAILABLE
OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION
NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

| | |
|---|---|
| REACTIVITY | NO DATA AVAILABLE |
| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE CONDITIONS. |
| POSSIBILITY OF HAZARDOUS REACTIONS | NO DATA AVAILABLE |
| CONDITIONS TO AVOID | HEAT, FLAMES AND SPARKS. |
| INCOMPATIBLE MATERIALS | OXIDIZING AGENTS, STRONG ACIDS, STRONG BASES, REDUCING AGENTS |
| HAZARDOUS DECOMPOSITION PRODUCTS | HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5 |

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

| | |
|----------------------------------|--|
| ACUTE TOXICITY | LD50 ORAL - RAT - 36,100 MG/KG REMARKS: (RTECS) |
| | INHALATION: NO DATA AVAILABLE |
| | LD50 DERMAL - RABBIT - > 5,000 MG/KG REMARKS: (RTECS) |
| | NO DATA AVAILABLE |
| SKIN CORROSION/IRRITATION | SKIN - RABBIT RESULT: SLIGHT IRRITATION REMARKS: (RTECS) |

| | |
|---|--|
| SERIOUS EYE DAMAGE/EYE IRRITATION | EYES - RABBIT RESULT: SLIGHT IRRITATION REMARKS: (RTECS) |
| RESPIRATORY OR SKIN SENSITISATION | NO DATA AVAILABLE |
| GERM CELL MUTAGENICITY | NO DATA AVAILABLE |
| CARCINOGENICITY | |
| IARC: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. |
| ACGIH: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH. |
| NTP: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. |
| OSHA: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS. |
| REPRODUCTIVE TOXICITY | NO DATA AVAILABLE |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | ACUTE ORAL TOXICITY - NAUSEA, STOMACH/INTESTINAL DISORDERS, VOMITING, RISK OF ASPIRATION UPON VOMITING., ASPIRATION MAY CAUSE PULMONARY OEDEMA AND PNEUMONITIS. |
| SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE | NO DATA AVAILABLE |
| ASPIRATION HAZARD | NO DATA AVAILABLE |
| ADDITIONAL INFORMATION | RTECS: AI0875000 TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. HOWEVER, WHEN THE PRODUCT IS HANDLED APPROPRIATELY, HAZARDOUS EFFECTS ARE UNLIKELY TO OCCUR. HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. |

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO FISH LC50 - PIMEPHALES PROMELAS (FATHEAD MINNOW)
- 4.4 MG/L - 96 H
REMARKS: (EXTERNAL MSDS)

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY RESULT: 66 % - READILY BIODEGRADABLE.
REMARKS: (EXTERNAL MSDS)

**BIOACCUMULATIVE
POTENTIAL**

NO DATA AVAILABLE

MOBILITY IN SOIL

NO DATA AVAILABLE

**RESULTS OF PBT AND
VPVB ASSESSMENT**

PBT/VPVB ASSESSMENT NOT AVAILABLE AS
CHEMICAL SAFETY ASSESSMENT NOT
REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS

AN ENVIRONMENTAL HAZARD CANNOT BE
EXCLUDED IN THE EVENT OF UNPROFESSIONAL
HANDLING OR DISPOSAL.
TOXIC TO AQUATIC LIFE.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS**PRODUCT**

BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH
AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE
SOLUTIONS TO A LICENSED DISPOSAL COMPANY.

**CONTAMINATED
PACKAGING**

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: ESTERS, N.O.S. (Hexyl acetate)
UN NUMBER: 3272
CLASS: 3

PACKING GROUP: III
REPORTABLE QUANTITY
(RQ):
POISON INHALATION HAZARD: NO

IMDG

PROPER SHIPPING NAME: ESTERS, N.O.S. (Hexyl acetate)
UN NUMBER: 3272
CLASS: 3
PACKING GROUP: III
EMS-NO: F-E, S-D

IATA

PROPER SHIPPING NAME: ESTERS, N.O.S. (Hexyl acetate)
UN NUMBER: 3272
CLASS: 3
PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

| | CAS-NO. | REVISION DATE |
|---------------|----------|---------------|
| Hexyl acetate | 142-92-7 | |

NEW JERSEY RIGHT TO KNOW COMPONENTS

| | CAS-NO. | REVISION DATE |
|---------------|----------|---------------|
| Hexyl acetate | 142-92-7 | |

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

| | |
|------|------------------------------|
| H226 | FLAMMABLE LIQUID AND VAPOUR. |
| H401 | TOXIC TO AQUATIC LIFE. |

MSDS LEGEND

| | |
|--------|--|
| MW: | MOLECULAR WEIGHT |
| MF: | MOLECULAR FORMULA |
| VOC: | VOLATILE ORGANIC COMPOUNDS |
| ACGIH: | AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS |
| CAS: | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER |
| OSHA: | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION |
| PEL: | PERMISSIBLE EXPOSURE LIMIT (OSHA) |
| TLV: | THRESHOLD LIMIT VALUE (ACGIH) |

IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.1.

REVISION DATE: 01/27/2017