

Chem-Impex International Inc.

Tel: (630) 766-2112

E-mail: sales@chemimpex.com

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: www.chemimpex.com

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 34638

NAME: Methyl pamplemousee

SYNONYMS: 1,1-Dimethoxy-2,2,5-trimethylhex-4-ene

24 HOUR EMERGENCY TELEPHONE: (800) 535-5053(USA)
352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 4), H227

SKIN CORROSION/IRRITATION (CATEGORY 2), H315

SERIOUS EYE DAMAGE/EYE IRRITATION (CATEGORY 2A), H319

HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE HAZARD (CATEGORY 3), H402

HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM HAZARD (CATEGORY 3), H412

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

WARNING

HAZARD STATEMENT(S)

H227 COMBUSTIBLE LIQUID.
H315 CAUSES SKIN IRRITATION
H315 + H320 CAUSES SKIN AND EYE IRRITATION.
H319 CAUSES SERIOUS EYE IRRITATION
H402 HARMFUL TO AQUATIC LIFE.
H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF WATER.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO CONTINUE RINSING.

P333 + P313 IF SKIN IRRITATION OR A RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
P362 + P364 TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE
P370 + P378 IN CASE OF FIRE: USE APPROPRIATE MEDIA TO EXTINGUISH
P403 STORE IN A WELL-VENTILATED PLACE
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:

C₁₁H₂₂O₂

MW: 186.29
 CAS-NO. 67674-46-8
 PURITY: 98 - 100% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Methyl pamplemousee	-	-

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. FOR BREATHING DIFFICULTIES, OXYGEN MAY BE NECESSARY. CALL A PHYSICIAN IF SYMPTOMS DEVELOP OR PERSIST.
IN CASE OF SKIN CONTACT	TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. WASH SKIN THOROUGHLY WITH SOAP AND WATER FOR SEVERAL MINUTES.
IN CASE OF EYE CONTACT	REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. PROMPTLY WASH EYES WITH PLENTY OF WATER WHILE LIFTING THE EYE LIDS.
IF SWALLOWED	CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. IF SWALLOWED, RINSE MOUTH WITH WATER (ONLY IF THE PERSON IS CONSCIOUS). DO NOT INDUCE VOMITING. IF VOMITING OCCURS, THE HEAD SHOULD BE KEPT LOW SO THAT STOMACH VOMIT DOESN" T ENTER THE LUNGS.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.

**INDICATION OF ANY
IMMEDIATE MEDICAL
ATTENTION AND SPECIAL
TREATMENT NEEDED**

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING
MEDIA

SUITABLE EXTINGUISHING MEDIA
WATER SPRAY, FOG, CO₂, DRY CHEMICAL, OR ALCOHOL
RESISTANT FOAM.

UNSUITABLE EXTINGUISHING MEDIA
DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER
AND SPREAD FIRE.

SPECIAL HAZARDS ARISING
FROM THE SUBSTANCE OR
MIXTURE

FIRE MAY PRODUCE IRRITATING, CORROSIVE AND/OR
TOXIC GASES.

ADVICE FOR FIREFIGHTERS

WEAR SELF-CONTAINED BREATHING APPARATUS FOR
FIREFIGHTING IF NECESSARY.
MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO
WITHOUT RISK. WATER RUNOFF CAN CAUSE
ENVIRONMENTAL DAMAGE. VENTILATE CLOSED SPACES
BEFORE ENTERING THEM. KEEP RUN-OFF WATER OUT OF
SEWERS AND WATER SOURCES. DIKE FOR WATER
CONTROL.

FURTHER INFORMATION

USE WATER SPRAY TO COOL UNOPENED
CONTAINERS. STATIC CHARGES GENERATED BY
EMPTYING PACKAGE IN OR NEAR FLAMMABLE VAPOR
MAY CAUSE FLASH FIRE.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT
AND EMERGENCY
PROCEDURES

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE
VENTILATION. REMOVE ALL SOURCES OF IGNITION.
EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF
VAPOURS ACCUMULATING TO FORM EXPLOSIVE
CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW
AREAS.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER CLOSED. HANDLE CONTAINERS WITH CARE. OPEN SLOWLY IN ORDER TO CONTROL POSSIBLE PRESSURE RELEASE. STORE IN A COOL, WELL-VENTILATED AREA. Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS COMPONENTS WITH WORKPLACE CONTROL PARAMETERS	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.
EXPOSURE CONTROLS APPROPRIATE ENGINEERING CONTROLS	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION	FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).
SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear, colorless to pale yellow liquid
ODOUR	CHARACTERISTIC
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
BOILING POINT	214 - 215 °C
FLASH POINT	73 °C
EVAPOURATION RATE	NO DATA AVAILABLE

FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	0.23 MM HG AT 25 C
VAPOUR DENSITY	6.5
RELATIVE DENSITY	0.88
WATER SOLUBILITY	INSOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NOT EXPLOSIVE
OXIDIZING PROPERTIES	NOT OXIDIZING

OTHER SAFETY INFORMATION

SPECIFIC GRAVITY	0.88 AT 25 C
------------------	--------------

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	THE PRODUCT IS STABLE AND NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.
CONDITIONS TO AVOID	AVOID HEAT, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. AVOID TEMPERATURES EXCEEDING THE FLASH POINT. CONTACT WITH INCOMPATIBLE MATERIALS.
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	NO HAZARDOUS DECOMPOSITION PRODUCTS IF STORED AND HANDLED AS INDICATED. IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	LD50 ORAL MOUSE - > 8000 MG/KG INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	CAUSES SKIN IRRITATION. SKIN IRRITATION : SPECIES: RABBIT SKIN IRRITATION
SERIOUS EYE DAMAGE/EYE IRRITATION	CAUSES SERIOUS EYE IRRITATION. EYE IRRITATION : SPECIES: RABBIT MILD EYE IRRITATION
RESPIRATORY OR SKIN SENSITISATION	SENSITISATION : SKIN SENSITIZATION GUINEA PIG RESULT: NOT SENSITIZING HRIPT HUMAN RESULT: NOT SENSITIZING AT 2 % IN DIMETHYL PHTHALATE PHOTOTOXICITY : UV-VIS ABSORPTION SPECTRA RESULT:NEGATIVE
GERM CELL MUTAGENICITY	GENOTOXICITY IN VITRO : AMES TEST NEGATIVE METHOD: MUTAGENICITY (SALMONELLA TYPHIMURIUM - REVERSE MUTATION ASSAY)
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRODUCT		SPECIES	TEST RESULTS
Methyl pamplemousee			
AQUATIC			
CRUSTACEA	EC50	DAPHNIA MAGNA	50.7 MG/L, 48 HOURS METHOD: OECD TEST GUIDELINE 202

PERSISTENCE AND DEGRADABILITY BIODEGRADABILITY:CLOSED BOTTLE TEST RESULT NOT READILY BIODEGRADABLE 2% METHOD: OECD 301D

BIOACCUMULATIVE POTENTIAL NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVB ASSESSMENT PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	COMBUSTIBLE LIQUID, N.O.S. (Methyl pamplmousee)
NA-NUMBER:	1993
CLASS:	NONE
PACKING GROUP:	III
REPORTABLE QUANTITY (RQ):	150
MARINE POLLUTANT	NO
IMDG	NOT DANGEROUS GOODS
IATA	NOT DANGEROUS GOODS

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.	
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.	
SARA 311/312 HAZARDS	YES	
MASSACHUSETTS RIGHT TO KNOW COMPONENTS		
	CAS #	REVISION DATE
Methyl pamplmousee	67674-46-8	
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS #	REVISION DATE
Methyl pamplmousee	67674-46-8	

NEW JERSEY RIGHT TO KNOW COMPONENTS

	CAS #	REVISION DATE
Methyl pamplmousee	67674-46-8	
CALIFORNIA PROP. 65 COMPONENTS	THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.	

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H227	COMBUSTIBLE LIQUID.
H315	CAUSES SKIN IRRITATION
H315 + H320	CAUSES SKIN AND EYE IRRITATION.
H319	CAUSES SERIOUS EYE <u>IRRITATION</u>
H402	HARMFUL TO AQUATIC LIFE.
H412	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

HMIS RATING

HEALTH HAZARD:	2
CHRONIC HEALTH HAZARD:	
FLAMMABILITY:	2
PHYSICAL HAZARD	0

NFPA RATING

HEALTH HAZARD:	2
FIRE HAZARD:	2
REACTIVITY HAZARD:	0

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR

*ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES,
HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.*

VERSION: 3.1.

REVISION DATE: 01/27/2017