# **Chem-Impex International Inc.**

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

# SAFETY DATA SHEET

## SECTION 1. CHEMICAL IDENTIFICATION

| CATALOG #:           | 34683   |
|----------------------|---|
| NAME:                | Myrcene   |
| SYNONYMS:            | β-Myrcene<br>7-Methyl-3-methylene-1,6-octadiene |
| 24 HOUR EMERGENCY    | (800) 535-5053(USA)                             |
| TELEPHONE:           | 352-323-3500 (INTERNATIONAL)                    |
| TO REQUEST AN MSDS:  | (800) 869-9290                                  |
| CUSTOMER<br>SERVICE: | (630) 766-2112                                  |

## SECTION 2. HAZARDS IDENTIFICATION

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)** FLAMMABLE LIQUIDS (CATEGORY 3), H226 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 ASPIRATION HAZARD (CATEGORY 1), H304 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

## GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



| CICNAL WORD        |   |
|--------------------|---|
| SIGNAL WORD        | DANGER  |
| HAZARD STATEMENT   | (S)   |
| H226               | FLAMMABLE LIQUID AND VAPOUR.                        |
| H304               | MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.       |
| H315               | CAUSES SKIN IRRITATION.                             |
| H319               | CAUSES SERIOUS EYE IRRITATION.                      |
|                    |   |
| PRECAUTIONARY STA  |   |
| P210               | KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT          |
|                    | SURFACES. NO SMOKING.                               |
| P233               | KEEP CONTAINER TIGHTLY CLOSED.                      |
| P240               | GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.      |
| P241               | USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/        |
|                    | LIGHTING EQUIPMENT.                                 |
| P242               | USE ONLY NON-SPARKING TOOLS.                        |
| P243               | TAKE PRECAUTIONARY MEASURES AGAINST STATIC          |
|                    | DISCHARGE.  |
| P264               | WASH SKIN THOROUGHLY AFTER HANDLING.                |
| P280               | WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE        |
|                    | PROTECTION.   |
| P301 + P310        | IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR   |
|                    | DOCTOR/ PHYSICIAN.                                  |
| P303 + P361 + P353 | IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY  |
|                    | ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/   |
|                    | SHOWER.   |
| P305 + P351 + P338 | IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL |
|                    | MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND      |
|                    | EASY TO DO. CONTINUE RINSING.                       |
| P331               | DO NOT INDUCE VOMITING.                             |
| P332 + P313        | IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/      |
|                    | ATTENTION.  |
| P337 + P313        | IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/     |
|                    | ATTENTION.  |
| P362               | TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE      |
|                    | REUSE.  |
| P370 + P378        | IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR      |
|                    | ALCOHOL-RESISTANT FOAM TO EXTINGUISH.               |
| P403 + P235        | STORE IN A WELL-VENTILATED PLACE. KEEP COOL.        |
| P405               | STORE LOCKED UP.                                    |
| P501               | DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED       |
|                    | WASTE DISPOSAL PLANT.                               |
|                    |   |

| HAZARDS NOT       | NONE |
|-------------------|------|
| OTHERWISE         |      |
| CLASSIFIED (HNOC) |      |

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: C<sub>10</sub>H<sub>16</sub>

MW: 136.23

CAS-NO. 123-35-3

PURITY: 86 - 100% (Purity by GC)

### HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION               | CONCENTRATION |
|-----------|------------------------------|---------------|
| Myrcene   |                              |               |
|           | FLAM. LIQ. 3; SKIN IRRIT. 2; | <= 100 %      |
|           | EYE IRRIT. 2A; ASP. TOX. 1;  |               |
|           | H226, H304, H315, H319       |               |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

# SECTION 4. FIRST-AID MEASURES

#### **DESCRIPTION OF FIRST AID MEASURES**

| GENERAL ADVICE                 | CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA<br>SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT<br>OF DANGEROUS AREA.                    |
|--------------------------------|---|
| IF INHALED                     | IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF<br>NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.<br>CONSULT A PHYSICIAN.             |
| IN CASE OF SKIN<br>CONTACT     | WASH OFF WITH SOAP AND PLENTY OF WATER.<br>CONSULT A PHYSICIAN.   |
| IN CASE OF EYE<br>CONTACT      | RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.  |
| IF SWALLOWED                   | DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING<br>BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE<br>MOUTH WITH WATER. CONSULT A PHYSICIAN. |
| MOST IMPORTANT<br>SYMPTOMS AND | THE MOST IMPORTANT KNOWN SYMPTOMS AND<br>EFFECTS ARE DESCRIBED IN THE LABELLING (SEE<br>SECTION 2.2) AND/OR IN SECTION 11.        |

EFFECTS, BOTH ACUTE AND DELAYED

INDICATION OF ANYNO DATA AVAILABLEIMMEDIATE MEDICALATTENTION ANDSPECIAL TREATMENTVEEDED

# SECTION 5. FIRE AND EXPLOSION DATA

#### **EXTINGUISHING MEDIA**

| SUITABLE  | USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY |
|---|--|
| EXTINGUISHING MEDIA   | CHEMICAL OR CARBON DIOXIDE.                  |
| SPECIAL HAZARDS<br>ARISING FROM THE<br>SUBSTANCE OR MIXTURE | CARBON OXIDES                                |
| ADVICE FOR  | WEAR SELF CONTAINED BREATHING APPARATUS FOR  |
| FIREFIGHTERS  | FIRE FIGHTING IF NECESSARY.                  |
| FURTHER INFORMATION   | USE WATER SPRAY TO COOL UNOPENED CONTAINERS. |

# SECTION 6. ACCIDENTAL RELEASE MEASURES

| PERSONAL<br>PRECAUTIONS,<br>PROTECTIVE<br>EQUIPMENT AND<br>EMERGENCY<br>PROCEDURES | USE PERSONAL PROTECTIVE EQUIPMENT. AVOID<br>BREATHING VAPOURS, MIST OR GAS. ENSURE<br>ADEQUATE VENTILATION. REMOVE ALL SOURCES OF<br>IGNITION. EVACUATE PERSONNEL TO SAFE AREAS.<br>BEWARE OF VAPOURS ACCUMULATING TO FORM<br>EXPLOSIVE CONCENTRATIONS. VAPOURS CAN<br>ACCUMULATE IN LOW AREAS.<br>FOR PERSONAL PROTECTION SEE SECTION 8. |
|--|---|
| ENVIRONMENTAL<br>PRECAUTIONS   | PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE<br>TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.   |
| METHODS AND<br>MATERIALS FOR<br>CONTAINMENT AND<br>CLEANING UP                     | CONTAIN SPILLAGE, AND THEN COLLECT WITH AN<br>ELECTRICALLY PROTECTED VACUUM CLEANER OR BY<br>WET-BRUSHING AND PLACE IN CONTAINER FOR<br>DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE<br>SECTION 13).  |
| REFERENCE TO OTHER<br>SECTIONS   | FOR DISPOSAL SEE SECTION 13.  |

#### SECTION 7. HANDLING AND STORAGE

| PRECAUTIONS FOR SAFE<br>HANDLING                                   | AVOID CONTACT WITH SKIN AND EYES. AVOID<br>INHALATION OF VAPOUR OR MIST.<br>KEEP AWAY FROM SOURCES OF IGNITION - NO<br>SMOKING.TAKE MEASURES TO PREVENT THE BUILD<br>UP OF ELECTROSTATIC CHARGE.<br>FOR PRECAUTIONS SEE SECTION 2.2. |
|--|--|
| CONDITIONS FOR SAFE<br>STORAGE, INCLUDING<br>ANY INCOMPATIBILITIES | KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND<br>WELL-VENTILATED PLACE. CONTAINERS WHICH ARE<br>OPENED MUST BE CAREFULLY RESEALED AND KEPT<br>UPRIGHT TO PREVENT LEAKAGE.   |
|  | Store at RT  |
| SPECIFIC END USE(S)  | APART FROM THE USES MENTIONED IN SECTION 1.2<br>NO OTHER SPECIFIC USES ARE STIPULATED.   |

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS

## **EXPOSURE CONTROLS**

| APPROPRIATE | HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL |
|-------------|---|
| ENGINEERING | HYGIENE AND SAFETY PRACTICE. WASH HANDS   |
| CONTROLS    | BEFORE BREAKS AND AT THE END OF WORKDAY.  |

#### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED<br/>PRIOR TO USE. USE PROPER GLOVE REMOVAL<br/>TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER<br/>SURFACE) TO AVOID SKIN CONTACT WITH THIS<br/>PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER<br/>USE IN ACCORDANCE WITH APPLICABLE LAWS AND<br/>GOOD LABORATORY PRACTICES. WASH AND DRY<br/>HANDS.
- BODY PROTECTIONCOMPLETE SUIT PROTECTING AGAINST CHEMICALS,<br/>FLAME RETARDANT ANTISTATIC PROTECTIVE<br/>CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT<br/>MUST BE SELECTED ACCORDING TO THE<br/>CONCENTRATION AND AMOUNT OF THE DANGEROUS<br/>SUBSTANCE AT THE SPECIFIC WORKPLACE.
- RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYING<br/>RESPIRATORS ARE APPROPRIATE USE A FULL-FACE<br/>RESPIRATOR WITH MULTIPURPOSE COMBINATION (US)<br/>OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS<br/>A BACKUP TO ENGINEERING CONTROLS. IF THE<br/>RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE<br/>A FULL-FACE SUPPLIED AIR RESPIRATOR. USE<br/>RESPIRATORS AND COMPONENTS TESTED AND<br/>APPROVED UNDER APPROPRIATE GOVERNMENT<br/>STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
- CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TOENVIRONMENTALDO SO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREDO SO. DO NOT LET PRODUCT ENTER DRAINS.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE            | Colorless to pale yellow liquid |
|-----------------------|---------------------------------|
| ODOUR                 | NO DATA AVAILABLE               |
| ODOUR THRESHOLD       | NO DATA AVAILABLE               |
| РН                    | NO DATA AVAILABLE               |
| MELTING               |                                 |
| POINT/FREEZING POINT  |                                 |
| INITIAL BOILING POINT | 166 - 167 °C                    |
| AND BOILING RANGE     |                                 |
| FLASH POINT           | 39 °C                           |
| EVAPORATION RATE      | NO DATA AVAILABLE               |
| FLAMMABILITY (SOLID,  | NO DATA AVAILABLE               |
| GAS)                  |                                 |
| UPPER/LOWER           | NO DATA AVAILABLE               |
| FLAMMABILITY OR       |                                 |
| EXPLOSIVE LIMITS      |                                 |
| VAPOUR PRESSURE       | 9 HPA (7 MMHG) AT 20 C          |
| VAPOUR DENSITY        | 4.7 - (AIR = 1.0)               |
|                       |                                 |

| RELATIVE DENSITY       |   |
|------------------------|---|
| WATER SOLUBILITY       | 0.00109 G/L AT 20 C - OECD TEST GUIDELINE 105 |
| PARTITION COEFFICIENT: | LOG POW: 5.285 AT 25 C                        |
| N- OCTANOL/WATER       |   |
| AUTO-IGNITION          | 255 C   |
| TEMPERATURE            |   |
| DECOMPOSITION          | NO DATA AVAILABLE                             |
| TEMPERATURE            |   |
| VISCOSITY              | NO DATA AVAILABLE                             |
| EXPLOSIVE PROPERTIES   | NO DATA AVAILABLE                             |
| OXIDIZING PROPERTIES   | NO DATA AVAILABLE                             |
|                        |   |

#### **OTHER SAFETY INFORMATION**

RELATIVE VAPOUR 4.7 - (AIR = 1.0) DENSITY

# SECTION 10. STABILITY AND REACTIVITY

| REACTIVITY                               | NO DATA AVAILABLE  |
|--|--|
| CHEMICAL STABILITY                       | STABLE UNDER RECOMMENDED STORAGE CONDITIONS.   |
| POSSIBILITY OF<br>HAZARDOUS<br>REACTIONS | NO DATA AVAILABLE  |
| CONDITIONS TO AVOID                      | HEAT, FLAMES AND SPARKS  |
| INCOMPATIBLE<br>MATERIALS                | STRONG OXIDIZING AGENTS  |
| HAZARDOUS<br>DECOMPOSITION<br>PRODUCTS   | OTHER DECOMPOSITION PRODUCTS - NO DATA<br>AVAILABLE<br>IN THE EVENT OF FIRE: SEE SECTION 5 |

# SECTION 11. TOXICOLOGICAL INFORMATION

#### INFORMATION ON TOXICOLOGICAL EFFECTS

| ACUTE TOXICITY                       | LD50 ORAL - RAT - MALE AND FEMALE - > 11,390<br>MG/KG  |
|--------------------------------------|--|
|                                      | INHALATION: NO DATA AVAILABLE  |
|                                      | LD50 DERMAL - RABBIT - > 5,000 MG/KG<br>(OECD TEST GUIDELINE 402)  |
|                                      | NO DATA AVAILABLE  |
| SKIN<br>CORROSION/IRRITATION         | SKIN - RABBIT<br>RESULT: SKIN IRRITATION - 24 H  |
| SERIOUS EYE<br>DAMAGE/EYE IRRITATION | EYES - RABBIT<br>RESULT: IRRITATING TO EYES.<br>(OECD TEST GUIDELINE 405)  |
| RESPIRATORY OR SKIN<br>SENSITISATION | IN VIVO ASSAY - MOUSE<br>RESULT: DOES NOT CAUSE SKIN SENSITISATION.<br>(OECD TEST GUIDELINE 429)   |
| GERM CELL<br>MUTAGENICITY            | AMES TEST<br>S. TYPHIMURIUM<br>RESULT: NEGATIVE  |
|                                      | MUTAGENICITY (MICRONUCLEUS TEST)<br>MOUSE - MALE AND FEMALE<br>RESULT: NEGATIVE  |
| CARCINOGENICITY                      |  |
| IARC:                                | NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS<br>IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED<br>HUMAN CARCINOGEN BY IARC.           |
| NTP:                                 | NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS<br>IDENTIFIED AS A KNOWN OR ANTICIPATED   |
| OSHA:                                | CARCINOGEN BY NTP.<br>NO COMPONENT OF THIS PRODUCT PRESENT AT<br>LEVELS GREATER THAN OR EQUAL TO 0.1% IS<br>IDENTIFIED AS A CARCINOGEN OR POTENTIAL<br>CARCINOGEN BY OSHA. |

**REPRODUCTIVE TOXICITY** REPRODUCTIVE TOXICITY - RAT - ORAL EFFECTS ON FERTILITY: PRE-IMPLANTATION MORTALITY (E.G. REDUCTION IN NUMBER OF IMPLANTS PER FEMALE; TOTAL NUMBER OF IMPLANTS PER CORPORA LUTEA). EFFECTS ON EMBRYO OR FETUS: FETOTOXICITY (EXCEPT DEATH, E.G. STUNTED FETUS). SPECIFIC DEVELOPMENTAL ABNORMALITIES: MUSCULOSKELETAL SYSTEM.

> REPRODUCTIVE TOXICITY - RAT - ORAL EFFECTS ON NEWBORN: WEANING OR LACTATION INDEX (E.G. # ALIVE AT WEANING PER # ALIVE AT DAY 4).

SPECIFIC TARGET ORGAN NO DATA AVAILABLE TOXICITY - SINGLE EXPOSURE

**SPECIFIC TARGET ORGAN** NO DATA AVAILABLE **TOXICITY - REPEATED EXPOSURE** 

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

REPEATED DOSE TOXICITY RAT - MALE AND FEMALE - ORAL - LOAEL : 250 MG/KG

RTECS: NOT AVAILABLE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

## SECTION 12. ECOLOGICAL INFORMATION

#### TOXICITY

#### NO DATA AVAILABLE

#### PERSISTENCE AND DEGRADABILITY

| BIODEGRADABILITY                      | AEROBIC - EXPOSURE TIME 28 D<br>RESULT: 76 % - READILY BIODEGRADABLE<br>(OECD TEST GUIDELINE 301D) |
|---------------------------------------|--|
| BIOACCUMULATIVE<br>POTENTIAL          | NO DATA AVAILABLE  |
| MOBILITY IN SOIL                      | NO DATA AVAILABLE  |
| RESULTS OF PBT AND<br>VPVB ASSESSMENT | PBT/VPVB ASSESSMENT NOT AVAILABLE AS<br>CHEMICAL SAFETY ASSESSMENT NOT                             |

REQUIRED/NOT CONDUCTED.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### WASTE TREATMENT METHODS

**PRODUCT**BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH<br/>AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA<br/>CARE IN IGNITING AS THIS MATERIAL IS HIGHLY<br/>FLAMMABLE. OFFER SURPLUS AND NON-RECYCLABLE<br/>SOLUTIONS TO A LICENSED DISPOSAL COMPANY.<br/>CONTACT A LICENSED PROFESSIONAL WASTE<br/>DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.CONTAMINATED<br/>PACKAGINGDISPOSE OF AS UNUSED PRODUCT.

# SECTION 14. TRANSPORT INFORMATION

| DOT (US)<br>PROPER SHIPPING NAME:<br>UN NUMBER:<br>CLASS:<br>PACKING GROUP:<br>REPORTABLE QUANTITY<br>(RQ): | TERPENE HYDROCARBONS, N.O.S. (MYRCENE)<br>2319<br>3<br>III             |
|---|--|
| POISON INHALATION<br>HAZARD:  | NO   |
| IMDG<br>PROPER SHIPPING NAME:<br>UN NUMBER:<br>CLASS:<br>PACKING GROUP:<br>EMS-NO:                          | TERPENE HYDROCARBONS, N.O.S. (MYRCENE)<br>2319<br>3<br>III<br>F-E, S-D |
| <b>IATA</b><br>PROPER SHIPPING NAME:<br>UN NUMBER:<br>CLASS:<br>PACKING GROUP:                              | TERPENE HYDROCARBONS, N.O.S. (MYRCENE)<br>2319<br>3<br>III             |

# SECTION 15. REGULATORY INFORMATION

| SARA 302 COMPONENTS                    | NO CHEMICALS IN THIS MA<br>THE REPORTING REQUIREN<br>SECTION 302.                                   |                        |
|--|---|------------------------|
| SARA 313 COMPONENTS                    | THIS MATERIAL DOES NOT<br>COMPONENTS WITH KNOW<br>EXCEED THE THRESHOLD (<br>LEVELS ESTABLISHED BY S | /N CAS NUMBERS THAT    |
| SARA 311/312 HAZARDS                   | FIRE HAZARD, ACUTE HEA  | LTH HAZARD             |
| MASSACHUSETTS RIGHT TO KNOW COMPONENTS |   |                        |
| NO COMPONENTS ARE SUB                  | JECT TO THE MASSACHUSET   | TTS RIGHT TO KNOW ACT. |
| PENNSYLVANIA RIGHT TO                  | KNOW COMPONENTS   |                        |
|  | CAS-NO.   | REVISION DATE          |
| Myrcene                                | 123-35-3  |                        |
| NEW JERSEY RIGHT TO KNOW COMPONENTS    |   |                        |
|  | CAS-NO.   | <b>REVISION DATE</b>   |
| Myrcene                                | 123-35-3  |                        |
| CALIFORNIA PROP. 65 COMPONENTS         |   |                        |
| WARNING! THIS PRODUCT                  | CONTAINS A CHEMICAL KNO   | WN TO THE STATE OF     |
| CALIFORNIA TO CAUSE CANCER.            |   |                        |
|  | CAS-NO.   | <b>REVISION DATE</b>   |
| Myrcene                                | 123-35-3  | 05-11-2015             |
|  |   |                        |

# SECTION 16. OTHER INFORMATION

FLAMMABILITY: PHYSICAL HAZARD

| FULL TEXT OF H-STATEMENTS REFERRE   | D TO UNDER SECTIONS 2 AND 3  |
|-------------------------------------|------------------------------|
| FULL IEAT OF N-STATEWIENTS REFERRED | D IO UNDER SECTIONS 2 AND 3. |

| I OLL ILAN OF HOMM |                                      |
|--------------------|--------------------------------------|
| ASP. TOX.          | ASPIRATION HAZARD                    |
| EYE IRRIT.         | EYE IRRITATION                       |
| FLAM. LIQ.         | FLAMMABLE LIQUIDS                    |
| H226               | FLAMMABLE LIQUID AND VAPOUR.         |
| H304               | MAY BE FATAL IF SWALLOWED AND ENTERS |
|                    | AIRWAYS.                             |
| H315               | CAUSES SKIN IRRITATION.              |
| H319               | CAUSES SERIOUS EYE IRRITATION.       |
| SKIN IRRIT.        | SKIN IRRITATION                      |
|                    |                                      |
| HMIS RATING        |                                      |
| HEALTH HAZARD:     | 2                                    |
| CHRONIC HEALTH     |                                      |
| HAZARD:            |                                      |
|                    |                                      |

2 0 NFPA RATINGHEALTH HAZARD:2FIRE HAZARD:2REACTIVITY HAZARD:0

| MSDS LEGEND |   |
|-------------|---|
| MW:         | MOLECULAR WEIGHT                          |
| MF:         | MOLECULAR FORMULA                         |
| VOC:        | VOLATILE ORGANIC COMPOUNDS                |
| ACGIH:      | AMERICAN CONFERENCE OF GOVERNMENENTAL     |
|             | INDUSTRIAL HYGINISTS                      |
| CAS:        | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER |
| OSHA:       | OCCUPATIONAL SAFETY AND HEALTH            |
|             | ADMINISTRATION                            |
| PEL:        | PERMISSIBLE EXPOSURE LIMIT (OSHA)         |
| TLV:        | THRESHOLD LIMIT VALUE (ACGIH)             |

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017