

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	34799
NAME:	$\alpha$ -Phellandrene
SYNONYMS:	2-Methyl-5-(1-methylethyl)-1,3-cyclohexadiene Menthadiene
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

FLAMMABLE LIQUIDS (CATEGORY 3), H226  
ACUTE TOXICITY, ORAL (CATEGORY 4), H302  
SKIN IRRITATION (CATEGORY 2), H315  
EYE IRRITATION (CATEGORY 2A), H319

RESPIRATORY SENSITISATION (CATEGORY 1), H334  
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3),  
RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE  
SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H226	FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION
H319	CAUSES SERIOUS EYE IRRITATION.
H334	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.
H335	MAY CAUSE RESPIRATORY IRRITATION.
<b>PRECAUTIONARY STATEMENT(S)</b>	
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE PROTECTION.
P285	IN CASE OF INADEQUATE VENTILATION WEAR RESPIRATORY PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL. RINSE MOUTH.
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.
P304 + P340 + P312	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P342 + P311	IF EXPERIENCING RESPIRATORY SYMPTOMS: CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM FOR EXTINGUISH.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
<b>HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS</b>	RAPIDLY ABSORBED THROUGH SKIN.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:	C <sub>10</sub> H <sub>16</sub>
MW:	136.24
CAS-NO.	99-83-2
PURITY:	60 - 80% (GC)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b><i>α</i>-Phellandrene</b>		
	FLAM. LIQ. 3; ASP. TOX. 1; H226, H304	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT
-----------------------	---

OF DANGEROUS AREA.

**IF INHALED**

IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

**IN CASE OF SKIN CONTACT**

WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.

**IN CASE OF EYE CONTACT**

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

**IF SWALLOWED**

DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.

**MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE EXTINGUISHING MEDIA**

**SUITABLE EXTINGUISHING MEDIA**  
DRY POWDER DRY SAND

**UNSUITABLE EXTINGUISHING MEDIA**  
DO NOT USE WATER JET.

**SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE**

CARBON OXIDES

**ADVICE FOR FIREFIGHTERS**

WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION**

USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP**

CONTAIN SPILLAGE, AND THEN COLLECT WITH NON-COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND,EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).

**REFERENCE TO OTHER  
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE  
HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST.  
KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.  
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE  
STORAGE, INCLUDING  
ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.  
AIR AND LIGHT SENSITIVE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS** CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES. HAZARDOUS COMPONENTS WITHOUT WORKPLACE CONTROL PARAMETERS.

**EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS** HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION** FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT  
MATERIAL: FLUORINATED RUBBER  
MINIMUM LAYER THICKNESS: 0.7 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED: CAMATRIL (KCL 730, SIZE M)

SPLASH CONTACT  
MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.4 MM  
BREAK THROUGH TIME: > 480 MIN  
MATERIAL TESTED: CAMATRIL (KCL 730, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

<b>BODY PROTECTION</b>	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING., THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI- PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to slightly yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	175 - 176 °C
FLASH POINT	46 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	0.85
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 2.36 - THE PRECEDING DATA, OR INTERPRETATION OF DATA, WAS DETERMINED USING QUANTITATIVE STRUCTURE ACTIVITY RELATIONSHIP (QSAR) MODELING.
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE

DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
<b>OTHER SAFETY INFORMATION</b>	NO DATA AVAILABLE

---

## **SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT, FLAMES AND SPARKS.
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES  OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

---

### **INFORMATION ON TOXICOLOGICAL EFFECTS**

<b>ACUTE TOXICITY</b>	LD50 ORAL - RAT - 5,700 MG/KG REMARKS: (EXTERNAL MSDS)
	INHALATION: NO DATA AVAILABLE
	DERMAL: NO DATA AVAILABLE
	NO DATA AVAILABLE



<b>SKIN CORROSION/IRRITATION</b>	SKIN - HUMAN RESULT: SEVERE IRRITATIONS REMARKS: (RTECS)
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>	NO DATA AVAILABLE
<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	ACUTE ORAL TOXICITY - NAUSEA, VOMITING
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	ASPIRATION HAZARD, ASPIRATION MAY CAUSE PULMONARY OEDEMA AND PNEUMONITIS.

**ADDITIONAL  
INFORMATION**

RTECS: OS8080000  
BURNING SENSATION, COUGH, WHEEZING,  
LARYNGITIS, SHORTNESS OF BREATH, HEADACHE,  
NAUSEA, VOMITING, TO THE BEST OF OUR  
KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND  
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN  
THOROUGHLY INVESTIGATED.

POSSIBLE EFFECTS:  
IRRITATIONS, ALLERGIC REACTIONS, NAUSEA,  
VOMITING, ASPIRATION MAY CAUSE PULMONARY  
OEDEMA AND PNEUMONITIS.  
OTHER DANGEROUS PROPERTIES CAN NOT BE  
EXCLUDED.  
HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL  
HYGIENE AND SAFETY PRACTICE.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE INIGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.

**CONTAMINATED PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: TERPENE HYDROCARBONS, N.O.S. (PHELLANDRENE ALPHA)  
UN NUMBER: 2319  
CLASS: 3  
PACKING GROUP: III  
REPORTABLE QUANTITY (RQ):  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: TERPENE HYDROCARBONS, N.O.S. (PHELLANDRENE ALPHA)  
UN NUMBER: 2319  
CLASS: 3  
PACKING GROUP: III  
EMS-NO: F-E, S-D

**IATA**

PROPER SHIPPING NAME: TERPENE HYDROCARBONS, N.O.S. (PHELLANDRENE ALPHA)  
UN NUMBER: 2319  
CLASS: 3  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

<b>SARA 313 COMPONENTS</b>	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DEMINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.	
<b>SARA 311/312 HAZARDS</b>	FIRE HAZARD, ACUTE HEALTH HAZARD	
<b>MASSACHUSETTS RIGHT TO KNOW COMPONENTS</b>	NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.	
<b>PENNSYLVANIA RIGHT TO KNOW COMPONENTS</b>	CAS-NO.	REVISION DATE
$\alpha$ -Phellandrene	99-83-2	
<b>NEW JERSEY RIGHT TO KNOW COMPONENTS</b>	CAS-NO.	REVISION DATE
$\alpha$ -Phellandrene	99-83-2	
<b>CALIFORNIA PROP. 65 COMPONENTS</b>	THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.	

---

## SECTION 16. OTHER INFORMATION

---

### MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1.

REVISION DATE: 01/27/2017