Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA

Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	34961
NAME:	α-Terpinene
SYNONYMS:	<i>p</i> -Mentha-1,3-diene 1-Isopropyl-4-methyl-1,3-cyclohexadiene
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA)
	352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 3), H226 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS



SIGNAL WORD

PICTOGRAM

HAZARD STATEMENT(S)

H226	FLAMMABLE LIQUID AND VAPOUR.
H302	HARMFUL IF SWALLOWED.
H315	CAUSES SKIN IRRITATION.
H319	CAUSES SERIOUS EYE IRRITATION.
H335	MAY CAUSE RESPIRATORY IRRITATION.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY ST	ATEMENT(S)
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT
	SURFACES NO SMOKING.
P233	KEEP CONTAINER TIGHTLY CLOSED.
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/
	LIGHTING EQUIPMENT.
P242	USE ONLY NON-SPARKING TOOLS.
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC
	DISCHARGE.
P261	AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER/DOCTOR IF YOU
	FEEL UNWELL. RINSE MOUTH.
P303 + P361 + P353	IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL
	CONTAMINATED CLOTHING. RINSE SKIN WITH
	WATER/SHOWER.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON
	CENTER/DOCTOR IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.

P332 + P313	IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P391	COLLECT SPILLAGE.
P403 + P233	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.
P405	STORE LOCKED UP.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE	NONE

OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$C_{10}H_{16}$
MW:	136.24
CAS-NO.	99-86-5
PURITY:	85 - 100% (GC)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
α-Terpinene	· ·	-
	FLAM. LIQ. 3; ACUTE TOX. 4; SKIN IRRIT. 2; EYE IRRIT. 2A; STOT SE 3; AQUATIC ACUTE 2; AQUATIC CHRONIC 2; H226, H302, H315, H319, H335, H401, H411	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE MOVE OUT OF DANGEROUS AREA. **IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN. IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER. CONTACT CONSULT A PHYSICIAN. IN CASE OF EYE RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. CONTACT **IF SWALLOWED** DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN. THE MOST IMPORTANT KNOWN SYMPTOMS AND **MOST IMPORTANT** SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE **EFFECTS, BOTH ACUTE** SECTION 2.2) AND/OR IN SECTION 11. AND DELAYED **INDICATION OF ANY** NO DATA AVAILABLE **IMMEDIATE MEDICAL ATTENTION AND** SPECIAL TREATMENT NEEDED

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

FIREFIGHTERS

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA DRY POWDER DRY SAND	
	UNSUITABLE EXTINGUISHING MEDIA DO NOT USE WATER JET.	
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES	
ADVICE FOR	WEAR SELF-CONTAINED BREATHING APPARATUS FOR	

FIREFIGHTING IF NECESSARY.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH NON- COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13).
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. STORE UNDER INERT GAS. AIR SENSITIVE.

Store at RT

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITHCONTAINS NO SUBSTANCES WITH OCCUPATIONALWORKPLACE CONTROLEXPOSURE LIMIT VALUES.PARAMETERSCONTAINS NO SUBSTANCES WITH OCCUPATIONAL

EXPOSURE CONTROLSAPPROPRIATEHANDLE IN ACCORDANCE WITH GOOD INDUSTRIALENGINEERINGHYGIENE AND SAFETY PRACTICE. WASH HANDSCONTROLSBEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.4 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:CAMATRIL (KCL 730, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.2 MM BREAK THROUGH TIME: 30 MIN MATERIAL TESTED:DERMATRIL P (KCL 743, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
РН	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	173 - 175 °C
AND BOILING RANGE	
FLASH POINT	47 °C
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE

INCOMPATIBLESTRONG ACIDS, STRONG BASES, STRONG OXIDIZINGMATERIALSAGENTS

HAZARDOUSHAZARDOUS DECOMPOSITION PRODUCTS FORMEDDECOMPOSITIONUNDER FIRE CONDITIONS. - CARBON OXIDESPRODUCTSOTHER DECOMPOSITION PRODUCTS - NO DATA
AVAILABLE
IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

SKIN

LD50 ORAL - RAT - 1,680 MG/KG

INHALATION : NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE **SENSITISATION**

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY IARC:

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

NO COMPONENT OF THIS PRODUCT PRESENT AT

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	INHALATION - MAY CAUSE RESPIRATORY IRRITATION.
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: OS8060000
	ABSORPTION INTO THE BODY LEADS TO THE FORMATION OF METHEMOGLOBIN WHICH IN SUFFICIENT CONCENTRATION CAUSES CYANOSIS. ONSET MAY BE DELAYED 2 TO 4 HOURS OR LONGER, TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
	STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. BURN IN A
CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE. CONTACT A LICENSED PROFESSIONAL
WASTE DISPOSAL SERVICE TO DISPOSE OF THIS
MATERIAL.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGINGDispose of a subscription

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: REPORTABLE QUANTITY (RQ):	TERPENE HYDROCARBONS, N.O.S. (α-Terpinene) 2319 3 III
POISON INHALATION	NO
HAZARD:	
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	TERPENE HYDROCARBONS, N.O.S. (α-Terpinene) 2319 3 III F-E, S-D
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP:	TERPENE HYDROCARBONS, N.O.S. (α-Terpinene) 2319 3 III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MA THE REPORTING REQUIREM SECTION 302.		
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT COMPONENTS WITH KNOW EXCEED THE THRESHOLD (LEVELS ESTABLISHED BY S	'N CAS NUMBERS THAT	
SARA 311/312 HAZARDS	FIRE HAZARD, ACUTE HEAI HEALTH HAZARD	LTH HAZARD, CHRONIC	
MASSACHUSETTS RIGHT	NO COMPONENTS ARE SUB	JECT TO THE	
TO KNOW COMPONENTS	MASSACHUSETTS RIGHT TO	O KNOW ACT.	
PENNSYLVANIA RIGHT TO KNOW COMPONENTS			
α-Terpinene	CAS-NO. 99-86-5	REVISION DATE	
NEW JERSEY RIGHT TO KNOW COMPONENTS			
m i	CAS-NO.	REVISION DATE	
α-Terpinene	99-86-5		

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.		
H226	FLAMMABLE LIQUID AND VAPOUR.	
H302	HARMFUL IF SWALLOWED.	
H315	CAUSES SKIN IRRITATION.	
H319	CAUSES SERIOUS EYE IRRITATION.	
H335	MAY CAUSE RESPIRATORY IRRITATION.	
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMDODTANT.	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST *PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF* **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1. REVISION DATE: 01/27/2017