Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 34972

NAME: Terpinyl propionate FCC

SYNONYMS:

24 HOUR EMERGENCY (800) 535-5053(USA) TELEPHONE: 352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE: (630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) SKIN CORROSION/IRRITATION (CATEGORY 2), H315 SERIOUS EYE DAMAGE/EYE IRRITATION (CATEGORY 2A), H319 HAZARDOUS TO THE AQUATIC ENVIRONMENT, LONG-TERM HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM



SIGNAL WORD WARNING

HAZARD STATEMENT(S)

H315	CAUSES SKIN IRRITATION
H315 + H320	CAUSES SKIN AND EYE IRRITATION
H319	CAUSES SERIOUS EYE IRRITATION
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

PRECAUTIONARY STATEMENT(S)

P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.
P302 + 352	IF ON SKIN: WASH WITH PLENTY OF WATER.
P305 + 351 + 338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO CONTINUE RINSING.
P333 + P313	IF SKIN IRRITATION OR A RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
P337 + P313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
P362 + P364	TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE
P391	COLLECT SPILLAGE
P420	STORE AWAY FROM INCOMPATIBLE MATERIALS.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS	NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CLASSIFICATION	CONCENT
HAZARDOUS COMPON	ENTS	
PURITY:	95 - 100% (GC)	
CAS-NO.	80-27-3	
MW:	228.33	
MF:	$C_{13}H_{24}O_3$	

COMPONENT	CLASSIFICATION	CONCENTRATION
Terpinyl propionate FCC		

	-	-
FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION		
16.		

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. FOR BREATHING DIFFICULTIES, OXYGEN MAY BE NECESSARY. CALL A PHYSICIAN IF SYMPTOMS DEVELOP OR PERSIST.
IN CASE OF SKIN CONTACT	TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. WASH SKIN THOROUGHLY WITH SOAP AND WATER FOR SEVERAL MINUTES.
IN CASE OF EYE CONTACT	REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS. PROMPTLY WASH EYES WITH PLENTY OF WATER WHILE LIFTING THE EYE LIDS.
IF SWALLOWED	CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. IF SWALLOWED, RINSE MOUTH WITH WATER (ONLY IF THE PERSON IS CONSCIOUS). DO NOT INDUCE VOMITING. IF VOMITING OCCURS, THE HEAD SHOULD BE KEPT LOW SO THAT STOMACH VOMIT DOESN"T ENTER THE LUNGS.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.

INDICATION OF ANYNOIMMEDIATE MEDICALATTENTION AND SPECIALTREATMENT NEEDEDV

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SUITABLE EXTINGUISHING MEDIA WATER SPRAY, FOG, CO2, DRY CHEMICAL, OR ALCOHOL RESISTANT FOAM.
	UNSUITABLE EXTINGUISHING MEDIA DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER AND SPREAD FIRE.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	FIRE MAY PRODUCE IRRITATING, CORROSIVE AND/OR TOXIC GASES.
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO WITHOUT RISK. WATER RUNOFF CAN CAUSE ENVIRONMENTAL DAMAGE. VENTILATE CLOSED SPACES BEFORE ENTERING THEM. KEEP RUN-OFF WATER OUT OF SEWERS AND WATER SOURCES. DIKE FOR WATER CONTROL.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS. STATIC CHARGES GENERATED BY EMPTYING PACKAGE IN OR NEAR FLAMMABLE VAPOR MAY CAUSE FLASH FIRE.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS.
	FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET-BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID INHALATION OF VAPOUR OR MIST. KEEP AWAY FROM SOURCES OF IGNITION NO SMOKING TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE.
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER CLOSED. HANDLE CONTAINERS WITH CARE. OPEN SLOWLY IN ORDER TO CONTROL POSSIBLE PRESSURE RELEASE. STORE IN A COOL, WELL- VENTILATED AREA.
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL
WORKPLACE CONTROL	EXPOSURE LIMIT VALUES.
PARAMETERS	

EXPOSURE CONTROLS

APPROPRIATE	USE EXPLOSION-PROOF VENTILATION EQUIPMENT TO STAY
ENGINEERING CONTROLS	BELOW EXPOSURE LIMITS. ADEQUATE VENTILATION
	SHOULD BE PROVIDED SO THAT EXPOSURE LIMITS ARE
	NOT EXCEEDED.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTIPURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless to slightly yellow liquid
ODOUR	CHARACTERISTIC.
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
BOILING POINT	239 - 240 °C
FLASH POINT	> 93 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	0.01 MM HG AT 25 C
VAPOUR DENSITY	7.3
RELATIVE DENSITY	0.95

WATER SOLUBILITY	INSOLUBLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NOT EXPLOSIVE
OXIDIZING PROPERTIES	NOT OXIDIZING

OTHER SAFETY INFORMATION

SPECIFIC GRAVITY0.95 AT 25 C

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	THE PRODUCT IS STABLE AND NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.
CONDITIONS TO AVOID	AVOID TEMPERATURES EXCEEDING THE FLASH POINT. CONTACT WITH INCOMPATIBLE MATERIALS.
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS
HAZARDOUS DECOMPOSITION PRODUCTS	NO HAZARDOUS DECOMPOSITION PRODUCTS IF STORED AND HANDLED AS INDICATED.
	IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL RAT - >= 5000 MG/KG INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE

SKIN CORROSION/IRRITATION	CAUSES SKIN IRRITATION.
SERIOUS EYE DAMAGE/EYE IRRITATION	CAUSES SERIOUS EYE IRRITATION. CAUSES MILD EYE IRRITATION.
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE
GERM CELL MUTAGENICITY	NO DATA AVAILABLE
CARCINOGENICITY IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC
ACGIH:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.
REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.
	RTECS: NOT AVAILABLE
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
OTHER ADVERSE EFFECTS	NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL.
CONTAMINATED PACKAGING	DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Terpinyl propionate FCC)
UN NUMBER:	3082
CLASS:	9
PACKING GROUP:	III
REPORTABLE QUANTITY	155
(RQ):	
MARINE POLLUTANT:	YES
IMDG PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (Terpinyl propionate FCC)

UN NUMBER:	3082
CLASS:	9
PACKING GROUP:	III
MARINE POLLUTANT:	YES

IATA NOT DANGEROUS GOODS

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.		
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.		
SARA 311/312 HAZARDS	YES		
MASSACHUSETTS RIGHT TO KNOW COMPONENTS			
	CAS #	REVISION DATE	
Terpinyl propionate FCC	80-27-3		
PENNSYLVANIA RIGHT TO KNOW COMPONENTS			
	CAS #	REVISION DATE	
Terpinyl propionate FCC	80-27-3		
NEW JERSEY RIGHT TO KNOW COMPONENTS			
	CAS #	REVISION DATE	
Terpinyl propionate FCC	80-27-3		
CALIFORNIA PROP. 65 COMPONENTS	THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.		

SECTION 16. OTHER INFORMATION

H315	CAUSES SKIN IRRITATION
H315 + H320	CAUSES SKIN AND EYE IRRITATION
H319	CAUSES SERIOUS EYE IRRITATION
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS

HMIS RATINGHEALTH HAZARD:2CHRONIC HEALTH HAZARD:2

FLAMMABILITY:	1
PHYSICAL HAZARD	0
NFPA RATING	

HEALTH HAZARD:	2
FIRE HAZARD:	1
REACTIVITY HAZARD:	0

MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1.

REVISION DATE: 01/27/2017