Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	35261
NAME:	Zinc sulfate heptahydrate
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) ACUTE TOXICITY, ORAL (CATEGORY 4), H302 SERIOUS EYE DAMAGE (CATEGORY 1), H318 ACUTE AQUATIC TOXICITY (CATEGORY 1), H400

CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM



SIGNAL WORD

HAZARD STATEMENT(S)

H302	HARMFUL IF SWALLOWED.
H318	CAUSES SERIOUS EYE DAMAGE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

PRECAUTIONARY STATEMENT(S)

FRECAUTIONART STAT	ENIENI(S)
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE
	PROTECTION.
P301 + P312	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN IF YOU FEEL UNWELL.
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
	EASY TO DO. CONTINUE RINSING.
P310	IMMEDIATELY CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN.
P330	RINSE MOUTH.
P391	COLLECT SPILLAGE.
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
	WASTE DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	$ZnSO_4 \cdot 7H_2O$
MW:	287.5
CAS-NO.	7446-20-0

PURITY: \geq 99.99% (Trace metals basis)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Zinc sulfate heptahydrat	e	
	ACUTE TOX. 4; EYE DAM. 1;	<= 100 %
	AQUATIC ACUTE 1; AQUATIC	
	CHRONIC 1; H302, H318, H410	
FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION. SEE		

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	SULPHUR OXIDES, BORANE/BORON OXIDES, ZINC/ZINC OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	THE PRODUCT ITSELF DOES NOT BURN.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.

HYGROSCOPIC.

Store at RT

SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH	CONTAINS NO SUBSTANCES WITH OCCUPATIONAL
WORKPLACE CONTROL	EXPOSURE LIMIT VALUES.
PARAMETERS	

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS
CONTROLS	BEFORE BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE''S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
	FULL CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	SPLASH CONTACT MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)
	IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL EXPOSURE	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	initiation of the offering of
APPEARANCE	White crystalline powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	4.0 - 6.0 AT 50 G/L AT 20 C
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	
AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	965 G/L AT 20 C
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

OTHER SAFETY INFORMATION

BULK DENSITY 800 - 1,000 KG/M3

SECTION 10. **STABILITY AND REACTIVITY**

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE	STRONG OXIDIZING AGENTS
MATERIALS	
HAZARDOUS	OTHER DECOMPOSITION PRODUCTS - NO
DECOMPOSITION	AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

DATA

SECTION 11. TOXICOLOGICAL INFORMATION

PRODUCTS

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 2,150 MG/KG

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

LD50 INTRAPERITONEAL - RAT - 200 MG/KG

SKIN NO DATA AVAILABLE CORROSION/IRRITATION

SERIOUS EYEEYES - RABBITDAMAGE/EYE IRRITATIONRESULT: MODERATE EYE IRRITATION
(DRAIZE TEST)

RESPIRATORY OR SKIN NO DATA AVAILABLE **SENSITISATION**

GERM CELL NO DATA AVAILABLE MUTAGENICITY

CARCINOGENICITY IARC:

ACGIH:

NTP:

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA.

REPRODUCTIVE TOXICITY	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	NO DATA AVAILABLE
ASPIRATION HAZARD	NO DATA AVAILABLE
ADDITIONAL INFORMATION	RTECS: ZH5300000
	ZINC OXIDE DUST OR FUME CAN IRRITATE THE
	RESPIRATORY TRACT. PROLONGED SKIN CONTACT
	CAN PRODUCE A SEVERE DERMATITIS CALLED
	OXIDE POX. EXPOSURE TO HIGH LEVELS OF DUST OR
	FUME CAN CAUSE METALLIC TASTE, MARKED
	THIRST, COUGHING, FATIGUE, WEAKNESS,
	MUSCULAR PAIN, AND NAUSEA FOLLOWED BY
	FEVER AND CHILLS. SEVERE OVEREXPOSURE MAY
	RESULT IN BRONCHITIS OR PNEUMONIA WITH A
	BLUISH TINT TO THE SKIN., BURNING SENSATION,
	COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF
	BREATH, HEADACHE, NAUSEA, VOMITING, AIRWAY
	RESISTANCE, CARDIOVASCULAR EFFECTS.,
	PULMONARY EDEMA, CONGESTIVE HEART FAILURE
	STOMACH - IRREGULARITIES - BASED ON HUMAN
	EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY TOXICITY TO FISH	MORTALITY LC50 - OTHER FISH - 1 - 10 MG/L - 96.0 H
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE
RESULTS OF PBT AND VPVB ASSESSMENT	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTOFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
TO A LICENSED DISPOSAL COMPANY. CONTACT A
LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE
TO DISPOSE OF THIS MATERIAL.**CONTAMINATED**
PACKAGINGDISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.(Zinc sulfate heptahydrate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III
REPORTABLE QUANTITY	1000 LBS
(RQ):	
POISON INHALATION	NO
HAZARD:	
IMDG	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Zinc sulfate heptahydrate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III
EMS-NO:	F-A, S-F
MARINE POLLUTANT:	YES
IATA	
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S.(Zinc sulfate heptahydrate)
UN NUMBER:	3077
CLASS:	9
PACKING GROUP:	III

FURTHER INFORMATION

EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	NO CHEMICALS IN THIS M THE REPORTING REQUIRE SECTION 302.	
SARA 313 COMPONENTS	THE FOLLOWING COMPONENTS ARE SUBJECT TO	
	REPORTING LEVELS ESTAI SECTION 313:	BLISHED BY SARA TITLE III,
	CAS-NO.	REVISION DATE
Zinc sulfate heptahydrate	7446-20-0	4/24/1993
SARA 311/312 HAZARDS	ACUTE HEALTH HAZARD,	CHRONIC HEALTH HAZARD
MASSACHUSETTS RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Zinc sulfate heptahydrate	7446-20-0	4/24/1993
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
	CAS-NO.	REVISION DATE
Zinc sulfate heptahydrate	7446-20-0	4/24/1993
NEW JERSEY RIGHT TO KI	NOW COMPONENTS	
	CAS-NO.	REVISION DATE
Zinc sulfate heptahydrate	7446-20-0	4/24/1993
CALIFORNIA PROP. 65 COMPONENTS	THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.	

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
EYE DAM.	SERIOUS EYE DAMAGE
H302	HARMFUL IF SWALLOWED.
H318	CAUSES SERIOUS EYE DAMAGE.
H400	VERY TOXIC TO AQUATIC LIFE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

HMIS RATING

2
*
0
0

NFPA RATING

HEALTH HAZARD:	2
FIRE HAZARD:	0
REACTIVITY HAZARD:	0

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
ΙΜΟΟΡΤΑΝΙΤ	

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1 REVISION DATE: 01/27/2017