Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 35264

NAME: Manganese(II) chloride tetrahydrate

SYNONYMS:

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 3), H301 SERIOUS EYE DAMAGE (CATEGORY 1), H318

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), BRAIN,

SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 3), H402

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H301 TOXIC IF SWALLOWED.

H318 CAUSES SERIOUS EYE DAMAGE.

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

H402 HARMFUL TO AQUATIC LIFE

PRECAUTIONARY STATEMENT(S)

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR EYE PROTECTION/ FACE PROTECTION
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON

CENTER/DOCTOR, RINSE MOUTH.

P305 + P351 + P338 + IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

P310 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A

POISON CENTER/DOCTOR.

P314 GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC) OR NOT COVERED

BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: $MnCl_2 \cdot 4H_2O$

MW: 197.91

CAS-NO. 13446-34-9

PURITY: 98 - 101% (Assay)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION					
Manganese(II) chloride tetrahydrate							
	ACUTE TOX. 3; EYE DAM. 1;	<= 100%					
	STOT RE 2; AQUATIC ACUTE						
	3; H301, H318, H373, H402						

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE SHOW THIS MATERIAL SAFETY DATA SHEET TO THE

DOCTOR IN ATTENDANCE.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/ SHOWER.

CONSULT A PHYSICIAN.

IN CASE OF EYE

CONTACT

RINSE OUT WITH PLENTY OF WATER. IMMEDIATELY CALL IN OPHTHALMOLOGIST. REMOVE CONTACT

LENSES.

IF SWALLOWED IF SWALLOWED: GIVE WATER TO DRINK (TWO

GLASSES AT MOST). SEEK MEDICAL ADVICE IMMEDIATELY. IN EXCEPTIONAL CASES ONLY, IF

MEDICAL CARE IS NOT AVAILABLE WITHIN ONE HOUR, INDUCE VOMITING (ONLY IN PERSONS WHO ARE WIDE

AWAKE AND FULLY CONSCIOUS), ADMINISTER ACTIVATED CHARCOAL (20 - 40 G IN A 10% SLURRY) AND CONSULT A DOCTOR AS QUICKLY AS POSSIBLE.

MOST IMPORTANT SYMPTOMS AND THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

EFFECTS, BOTH ACUTE AND DELAYED

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE SUITABLE EXTINGUISHING MEDIA

EXTINGUISHING MEDIA USE EXTINGUISHING MEASURES THAT ARE

APPROPRIATE TO LOCAL CIRCUMSTANCES AND THE

SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA

FOR THIS SUBSTANCE/MIXTURE NO LIMITATIONS OF

EXTINGUISHING AGENTS ARE GIVEN.

HYDROGEN CHLORIDE GAS, SPECIAL HAZARDS

ARISING FROM THE MANGANESE/MANGANESE OXIDES

SUBSTANCE OR MIXTURE NOT COMBUSTIBLE.

AMBIENT FIRE MAY LIBERATE HAZARDOUS VAPOURS.

ADVICE FOR STAY IN DANGER AREA ONLY WITH SELF-CONTAINED **FIREFIGHTERS**

BREATHING APPARATUS. PREVENT SKIN CONTACT BY

KEEPING A SAFE DISTANCE OR BY WEARING SUITABLE PROTECTIVE CLOTHING.

FURTHER INFORMATION SUPPRESS (KNOCK DOWN) GASES/VAPORS/MISTS

WITH A WATER SPRAY JET. PREVENT FIRE

EXTINGUISHING WATER FROM CONTAMINATING SURFACE WATER OR THE GROUND WATER SYSTEM.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL ADVICE FOR NON-EMERGENCY PERSONNEL: AVOID PRECAUTIONS, INHALATION OF DUSTS. AVOID SUBSTANCE CONTACT. **PROTECTIVE** ENSURE ADEQUATE VENTILATION. EVACUATE THE **EQUIPMENT AND** DANGER AREA, OBSERVE EMERGENCY PROCEDURES,

EMERGENCY CONSULT AN EXPERT.

PROCEDURES FOR PERSONAL PROTECTION SEE SECTION 8. **ENVIRONMENTAL PRECAUTIONS**

DO NOT LET PRODUCT ENTER DRAINS.

METHODS AND MATERIALS FOR **CONTAINMENT AND CLEANING UP**

COVER DRAINS. COLLECT, BIND, AND PUMP OFF SPILLS. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SEE SECTIONS 7 AND 10). TAKE UP CAREFULLY. DISPOSE OF PROPERLY. CLEAN UP AFFECTED AREA.

AVOID GENERATION OF DUSTS.

REFERENCE TO OTHER **SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS FOR SAFE WORK UNDER HOOD. DO NOT INHALE

SUBSTANCE/MIXTURE.

CHANGE CONTAMINATED CLOTHING. PREVENTIVE SKIN PROTECTION RECOMMENDED. WASH HANDS

AFTER WORKING WITH SUBSTANCE. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES TIGHTLY CLOSED. DRY. KEEP IN A WELL-VENTILATED PLACE. KEEP LOCKED UP OR IN AN AREA ACCESSIBLE ONLY TO QUALIFIED OR AUTHORIZED PERSONS.

STORAGE CLASS (TRGS 510): 6.1D: NON-COMBUSTIBLE, ACUTE TOXIC CAT.3 / TOXIC HAZARDOUS MATERIALS OR HAZARDOUS MATERIALS CAUSING CHRONIC **EFFECTS**

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	

Manganese(II) chloride tetrahydrate	13446-34-9	С	5 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS	
		TWA	0.1 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)	
	REMARKS	NOT CLASSIFIABLE AS A HUMAN CARCINOGEN			
		TWA	0.02 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)	
		NOT CLASSIFIABLE AS A HUMAN CARCINOGEN			
		TWA	1 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS	
		ST	3 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS	
		PEL	0.2 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS (TITLE 8, ARTICLE 107)	

EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS

CHANGE CONTAMINATED CLOTHING. PREVENTIVE SKIN PROTECTION RECOMMENDED. WASH HANDS AFTER WORKING WITH SUBSTANCE.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION USE EQUIPMENT FOR EYE PROTECTION TESTED AND

APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU). TIGHTLY FITTING SAFETY GOGGLES

SKIN PROTECTION

THIS RECOMMENDATION APPLIES ONLY TO THE PRODUCT STATED IN THE SAFETY DATA SHEET, SUPPLIED BY US AND FOR THE DESIGNATED USE. WHEN DISSOLVING IN OR MIXING WITH OTHER SUBSTANCES AND UNDER CONDITIONS DEVIATING FROM THOSE STATED IN EN 16523-1 PLEASE CONTACT THE SUPPLIER OF CE-APPROVED GLOVES (E.G. KCL GMBH, D-36124 EICHENZELL).

FULL CONTACT

MATERIAL: NITRILE RUBBER MINIMUM LAYER THICKNESS: 0.11 MM BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:KCL 741 DERMATRIL $\,L\,$

THIS RECOMMENDATION APPLIES ONLY TO THE PRODUCT STATED IN THE SAFETY DATA SHEET, SUPPLIED BY US AND FOR THE DESIGNATED USE. WHEN DISSOLVING IN OR MIXING WITH OTHER SUBSTANCES AND UNDER CONDITIONS DEVIATING FROM THOSE STATED IN EN 16523-1 PLEASE CONTACT THE SUPPLIER OF CE-APPROVED GLOVES (E.G. KCL GMBH, D-36124 EICHENZELL).

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:KCL 741 DERMATRIL L

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

RECOMMENDED FILTER TYPE: FILTER TYPE P3
THE ENTREPENEUR HAS TO ENSURE THAT
MAINTENANCE, CLEANING AND TESTING OF

RESPIRATORY PROTECTIVE DEVICES ARE CARRIED OUT ACCORDING TO THE INSTRUCTIONS OF THE PRODUCER.

THESE MEASURES HAVE TO BE PROPERLY

DOCUMENTED.

REQUIRED WHEN DUSTS ARE GENERATED.

OUR RECOMMENDATIONS ON FILTERING RESPIRATORY

PROTECTION ARE BASED ON THE FOLLOWING STANDARDS: DIN EN 143, DIN 14387 AND OTHER

ACCOMPANYING STANDARDS RELATING TO THE USED

RESPIRATORY PROTECTION SYSTEM.

CONTROL OF ENVIRONMENTAL EXPOSURE DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Pink slightly deliquescent crystals

ODOUR ODOURLESS

ODOUR THRESHOLD NO DATA AVAILABLE PH 3.5 - 6 AT 50 G/L AT 25 C

MELTING 58 °C (Lit.)

POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE

FLAMMABILITY (SOLID, THE PRODUCT IS NOT FLAMMABLE. - FLAMMABILITY

GAS) (SOLIDS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY 2.01 (Lit.)

WATER SOLUBILITY 1,980 G/L AT 20 C 757 G/L AT 20 C - REGULATION (EC)

NO. 440/2008, ANNEX, A.6 - COMPLETELY SOLUBLE

PARTITION COEFFICIENT: NOT APPLICABLE FOR INORGANIC SUBSTANCES

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION 106 - 198 C - ELIMINATION OF WATER OF

TEMPERATURE CRYSTALLISATION
VISCOSITY NO DATA AVAILABLE
EXPLOSIVE PROPERTIES NO DATA AVAILABLE

OXIDIZING PROPERTIES NONE

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY THE PRODUCT IS CHEMICALLY STABLE UNDER

STANDARD AMBIENT CONDITIONS (ROOM

TEMPERATURE).

POSSIBILITY OF RISK OF EXPLOSION WITH:

HAZARDOUS ALKALI METALS

REACTIONS ZINC

VIOLENT REACTIONS POSSIBLE WITH:

ACIDS

CONDITIONS TO AVOID NO DATA AVAILABLE

INCOMPATIBLE MATERIALS

METALS, LIGHT METALS

HAZARDOUS DECOMPOSITION

PRODUCTS

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - FEMALE - 236 MG/KG

REMARKS: (ECHA)

THE VALUE IS GIVEN IN ANALOGY TO THE FOLLOWING SUBSTANCES: MANGANESE(II)

CHLORIDE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN - RABBIT

CORROSION/IRRITATION RESULT: NO SKIN IRRITATION - 4 H

(OECD TEST GUIDELINE 404)

SERIOUS EYE EYES RABBIT

DAMAGE/EYE IRRITATION RESULT: CAUSES SERIOUS EYE DAMAGE.

(OECD TEST GUIDELINE 405)

RESPIRATORY OR SKIN

SENSITISATION

LOCAL LYMPH NODE ASSAY (LLNA) MOUSE

RESULT: NEGATIVE

(OECD TEST GUIDELINE 429)

THE VALUE IS GIVEN IN ANALOGY TO THE FOLLOWING SUBSTANCES: MANGANESE(II)

CHLORIDE

GERM CELL MUTAGENICITY TEST TYPE: MUTAGENICITY (MAMMAL CELL TEST):

CHROMOSOME ABERRATION.

TEST SYSTEM: HUMAN LYMPHOCYTES

METABOLIC ACTIVATION: WITH AND WITHOUT

METABOLIC ACTIVATION

METHOD: OECD TEST GUIDELINE 473

RESULT: NEGATIVE

TEST TYPE: AMES TEST

TEST SYSTEM: ESCHERICHIA COLI/SALMONELLA

TYPHIMURIUM

METABOLIC ACTIVATION: WITH AND WITHOUT

METABOLIC ACTIVATION

METHOD: OECD TEST GUIDELINE 471

RESULT: NEGATIVE

TEST TYPE: IN VITRO MAMMALIAN CELL GENE

MUTATION TEST

TEST SYSTEM: MOUSE LYMPHOMA TEST

METABOLIC ACTIVATION: WITH AND WITHOUT

METABOLIC ACTIVATION

METHOD: OECD TEST GUIDELINE 476

RESULT: NEGATIVE

THE VALUE IS GIVEN IN ANALOGY TO THE FOLLOWING SUBSTANCES: MANGANESE(II) CHLORIDE TEST TYPE: MICRONUCLEUS TEST

SPECIES: MOUSE

CELL TYPE: RED BLOOD CELLS (ERYTHROCYTES)

APPLICATION ROUTE: ORAL

METHOD: OECD TEST GUIDELINE 474

RESULT: NEGATIVE

CARCINOGENICITY

IARC: NO INGREDIENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO INGREDIENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA'S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN TOXICITY - REPEATED

EXPOSURE

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. - BRAIN **ASPIRATION HAZARD** NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: OO9650000

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

AFTER ABSORPTION:

WE HAVE NO DESCRIPTION OF ANY TOXIC

SYMPTOMS. OTHER DANGEROUS PROPERTIES CAN

NOT BE EXCLUDED.

THIS SUBSTANCE SHOULD BE HANDLED WITH

PARTICULAR CARE.

LIVER - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

TOXICITY TO ALGAE STATIC TEST ERC50 - DESMODESMUS SUBSPICATUS

(GREEN ALGAE) - 61 MG/L - 72 H (OECD TEST GUIDELINE 201)

REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

THE VALUE IS GIVEN IN ANALOGY TO THE

FOLLOWING SUBSTANCES: MANGANESE SULPHATE

(MANGANESE DICHLORIDE TETRAHYDRATE)

SEMI-STATIC TEST NOEC - LEMNA MINOR

(DUCKWEED) - 30.72 MG/L - 7 D

REMARKS: (ECHA)

THE VALUE IS GIVEN IN ANALOGY TO THE

FOLLOWING SUBSTANCES: MANGANESE(II) CHLORIDE

(MANGANESE DICHLORIDE TETRAHYDRATE)

TOXICITY TO BACTERIA REMARKS: (IN ANALOGY TO SIMILAR PRODUCTS)

THE VALUE IS GIVEN IN ANALOGY TO THE

 $FOLLOWING\ SUBSTANCES:\ MANGANESE\ SULPHATE$

(MANGANESE DICHLORIDE TETRAHYDRATE)

PERSISTENCE AND DEGRADABILITY

THE METHODS FOR DETERMINING THE BIOLOGICAL

DEGRADABILITY ARE NOT APPLICABLE TO

INORGANIC SUBSTANCES.

BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT ANDPBT/VPVB ASSESSMENT NOT AVAILABLE AS **VPVB ASSESSMENT**CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT WASTE MATERIAL MUST BE DISPOSED OF IN

ACCORDANCE WITH THE NATIONAL AND LOCAL REGULATIONS. LEAVE CHEMICALS IN ORIGINAL CONTAINERS. NO MIXING WITH OTHER WASTE. HANDLE UNCLEANED CONTAINERS LIKE THE

PRODUCT ITSELF.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE

DICHLORIDE TETRAHYDRATE)

UN NUMBER: 3288 CLASS: 6.1 PACKING GROUP: III

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE

DICHLORIDE TETRAHYDRATE)

UN NUMBER: 3288
CLASS: 6.1
PACKING GROUP: III
EMS-NO: F-A, S-A
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: TOXIC SOLID, INORGANIC, N.O.S. (MANGANESE

DICHLORIDE TETRAHYDRATE)

UN NUMBER: 3288 CLASS: 6.1 PACKING GROUP: III

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY

COMPONENTS WITH A SECTION 302 EHS TPO.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. REVISION DATE

Manganese(II) chloride

tetrahydrate

13446-34-9 07-08-2015

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Manganese(II) chloride

tetrahydrate

13446-34-9 07-08-2015

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H301 TOXIC IF SWALLOWED.

H318 CAUSES SERIOUS EYE DAMAGE.

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR

REPEATED EXPOSURE.

H402 HARMFUL TO AQUATIC LIFE.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.2 REVISION DATE: 02/01/2024