

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	35403
NAME:	Antimony(V) chloride
SYNONYMS:	Antimony pentachloride
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
SKIN CORROSION (CATEGORY 1B), H314  
SERIOUS EYE DAMAGE (CATEGORY 1), H318  
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401  
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.  
H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**PRECAUTIONARY STATEMENT(S)**

P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P301 + P330 + P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.  
P303 + P361 + P353 IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.  
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.  
P305 + P351 + P338 + P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER/DOCTOR.  
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.  
P391 COLLECT SPILLAGE.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF: SbCl<sub>5</sub>  
MW: 299.03  
CAS-NO. 7647-18-9

PURITY:  $\geq 99.5\%$  (Trace metals basis)

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Antimony(V) chloride	SKIN CORR. 1B; EYE DAM. 1; AQUATIC CHRONIC 2; H314, H318, H411	$\leq 100\%$

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

## SECTION 4. FIRST-AID MEASURES

---

### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
<b>IF SWALLOWED</b>	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY  
CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE** HYDROGEN CHLORIDE GAS, ANTIMONY OXIDE

**ADVICE FOR  
FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** NO DATA AVAILABLE

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES** USE PERSONAL PROTECTIVE EQUIPMENT. AVOID  
BREATHING VAPOURS, MIST OR GAS. ENSURE  
ADEQUATE VENTILATION. EVACUATE PERSONNEL TO  
SAFE AREAS.

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE  
TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.  
DISCHARGE INTO THE ENVIRONMENT MUST BE  
AVOIDED.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP** SOAK UP WITH INERT ABSORBENT MATERIAL AND  
DISPOSE OF AS HAZARDOUS WASTE. KEEP IN  
SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER  
SECTIONS** FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE  
HANDLING** AVOID INHALATION OF VAPOUR OR MIST.  
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE  
STORAGE, INCLUDING** KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND  
WELL-VENTILATED PLACE. CONTAINERS WHICH ARE

**ANY INCOMPATIBILITIES** OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.  
STORE UNDER INERT GAS. REACTS VIOLENTLY WITH WATER. AIR SENSITIVE.

Store at RT

**SPECIFIC END USE(S)** APART FROM THE USES MENTIONED IN SECTION 1.2  
NO OTHER SPECIFIC USES ARE STIPULATED.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### CONTROL PARAMETERS

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Antimony(V) chloride	7647-18-9	TWA	0.5 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS
		TWA	0.5 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	UPPER RESPIRATORY TRACT IRRITATION SKIN IRRITATION		
		TWA	0.5 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		PEL	0.5 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

### EXPOSURE CONTROLS

**APPROPRIATE ENGINEERING CONTROLS** HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY.

### PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE PROTECTION** TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION** HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT  
MATERIAL: NATURE LATEX/CHLOROPRENE  
MINIMUM LAYER THICKNESS: 0.6 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:LAPREN (KCL 706, SIZE M)

SPLASH CONTACT  
MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 30 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

**BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

**RESPIRATORY PROTECTION** WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

**CONTROL OF ENVIRONMENTAL EXPOSURE** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

**INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Yellow liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	92 °C (Lit.)
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	
VAPOUR PRESSURE	1 HPA AT 23 C 8.961 HPA AT 55 C
VAPOUR DENSITY	10.32 - (AIR = 1.0)
RELATIVE DENSITY	2.36 (Lit.)
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	LOG POW: 5
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE

**OTHER SAFETY INFORMATION**

RELATIVE VAPOUR DENSITY	10.32 - (AIR = 1.0)
-------------------------	---------------------

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	HEAT
<b>INCOMPATIBLE MATERIALS</b>	STRONG OXIDIZING AGENTS, REACTS VIOLENTLY WITH WATER.

**HAZARDOUS  
DECOMPOSITION  
PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS FORMED  
UNDER FIRE CONDITIONS. - HYDROGEN CHLORIDE  
GAS, ANTIMONY OXIDE  
OTHER DECOMPOSITION PRODUCTS - NO DATA  
AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY**

NO DATA AVAILABLE

INHALATION: CORROSIVE TO RESPIRATORY SYSTEM.

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

**SKIN  
CORROSION/IRRITATION**

NO DATA AVAILABLE

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

CAUSES SERIOUS EYE DAMAGE.

**RESPIRATORY OR SKIN  
SENSITISATION**

NO DATA AVAILABLE

**GERM CELL  
MUTAGENICITY**

AMES TEST  
RESULT: NEGATIVE  
(HSDB)

**CARCINOGENICITY**

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS  
IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED  
HUMAN CARCINOGEN BY IARC.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS  
IDENTIFIED AS A KNOWN OR ANTICIPATED  
CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT  
LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON  
OSHA S LIST OF REGULATED CARCINOGENS.

**REPRODUCTIVE TOXICITY**

NO DATA AVAILABLE

**SPECIFIC TARGET ORGAN  
TOXICITY - SINGLE  
EXPOSURE**

NO DATA AVAILABLE



<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: CC5075000  MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

<b>PRODUCT</b>	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME:	ANTIMONY PENTACHLORIDE, LIQUID
UN NUMBER:	1730
CLASS:	8
PACKING GROUP:	II
REPORTABLE QUANTITY (RQ):	1000 LBS
POISON INHALATION HAZARD:	NO

**IMDG**

PROPER SHIPPING NAME:	ANTIMONY PENTACHLORIDE, LIQUID
UN NUMBER:	1730
CLASS:	8
PACKING GROUP:	II
EMS-NO:	F-A, S-B
MARINE POLLUTANT:	YES

**IATA**

PROPER SHIPPING NAME:	ANTIMONY PENTACHLORIDE, LIQUID
UN NUMBER:	1730
CLASS:	8
PACKING GROUP:	II

---

**SECTION 15. REGULATORY INFORMATION**

---

<b>SARA 302 COMPONENTS</b>	NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.
----------------------------	---

<b>SARA 313 COMPONENTS</b>	THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.
----------------------------	--

	CAS-NO.	REVISION DATE
Antimony(V) chloride	7647-18-9	03-01-2007

**SARA 311/312 HAZARDS**  
ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**  
NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

	CAS-NO.	REVISION DATE
Antimony(V) chloride	7647-18-9	03-01-2007

---

## SECTION 16. OTHER INFORMATION

---

### FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

### MSDS LEGEND

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

### IMPORTANT:

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1.

REVISION DATE: 01/26/2017