

Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

| | |
|---------------------------------|---|
| CATALOG #: | 35441 |
| NAME: | Drierite with indicator, 4 mesh |
| SYNONYMS: | Calcium sulfate Gypsum |
| 24 HOUR EMERGENCY TELEPHONE: | (800) 535-5053(USA) 352-323-3500 (INTERNATIONAL) |
| TO REQUEST AN MSDS: | (800) 869-9290 |
| CUSTOMER SERVICE: | (630) 766-2112 |

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)
EYE IRRITATION (CATEGORY 2A), H319
RESPIRATORY SENSITISATION (CATEGORY 1), H334

SKIN SENSITISATION (CATEGORY 1), H317
GERM CELL MUTAGENICITY (CATEGORY 2), H341
CARCINOGENICITY (CATEGORY 1B), H350
REPRODUCTIVE TOXICITY (CATEGORY 1B), H360
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 3), H412

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS
PICTOGRAM**



SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
H319 CAUSES SERIOUS EYE IRRITATION.
H334 MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR
BREATHING DIFFICULTIES IF INHALED.
H341 SUSPECTED OF CAUSING GENETIC DEFECTS.
H350 MAY CAUSE CANCER.
H360 MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H401 TOXIC TO AQUATIC LIFE.
H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING
EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE
BEEN READ AND UNDERSTOOD.
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/
SPRAY.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE
ALLOWED OUT OF THE WORKPLACE.
P273 AVOID RELEASE TO THE ENVIRONMENT.
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
PROTECTION/ FACE PROTECTION.
P285 IN CASE OF INADEQUATE VENTILATION WEAR
RESPIRATORY PROTECTION.
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P304 + P341 IF INHALED: IF BREATHING IS DIFFICULT, REMOVE VICTIM
TO FRESH AIR AND KEEP AT REST IN A POSITION
COMFORTABLE FOR BREATHING.
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND
EASY TO DO. CONTINUE RINSING.
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/
ATTENTION.
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL
ADVICE/ ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
ATTENTION.
P363 WASH CONTAMINATED CLOTHING BEFORE REUSE.
P405 STORE LOCKED UP.
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED
WASTE DISPOSAL PLANT.

**HAZARDS NOT
OTHERWISE
CLASSIFIED (HNOC)
OR NOT COVERED
BY GHS** NONE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: CaSO₄
MW: 136.14
CAS-NO. 7778-18-9
PURITY:

HAZARDOUS COMPONENTS

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|-----------------|----------------|------------------|
| CALCIUM SULFATE | | |
| | - | >= 90 - <= 100 % |

| COBALT DICHLORIDE | | |
|-------------------|--|--------------|
| | ACUTE TOX. 4; EYE DAM. 1; RESP. SENS. 1; SKIN SENS. 1; MUTA. 2; CARC. 1B; REPR. 1B; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H302, H318, H334, H317, H341, H350I, H360, H400, H410 M-FACTOR - AQUATIC ACUTE: 10 | >= 1 - < 5 % |

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

| | |
|---|--|
| GENERAL ADVICE | CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA. |
| IF INHALED | IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN. |
| IN CASE OF SKIN CONTACT | WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN. |
| IN CASE OF EYE CONTACT | RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. |
| IF SWALLOWED | NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN. |
| MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED | THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11. |
| INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED | NO DATA AVAILABLE |

SECTION 5. FIRE AND EXPLOSION DATA

| | |
|--|--|
| EXTINGUISHING MEDIA | |
| SUITABLE EXTINGUISHING MEDIA | USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY CHEMICAL OR CARBON DIOXIDE. |
| SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE | SULPHUR OXIDES, HYDROGEN CHLORIDE GAS, COBALT/COBALT OXIDES, CALCIUM OXIDE |
| ADVICE FOR FIREFIGHTERS | WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY. |
| FURTHER INFORMATION | NO DATA AVAILABLE |

SECTION 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES**

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL
PRECAUTIONS**

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

**METHODS AND
MATERIALS FOR
CONTAINMENT AND
CLEANING UP**

PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER
SECTIONS**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

**PRECAUTIONS FOR SAFE
HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE
STORAGE, INCLUDING
ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.
HYGROSCOPIC

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

| COMPONENT | CAS-NO. | VALUE | CONTROL PARAMETERS | BASIS |
|-------------------|-----------|--|--------------------|--|
| CALCIUM SULFATE | 7778-18-9 | TWA | 5 MG/M3 | USA. NIOSH RECOMMENDED EXPOSURE LIMITS |
| | REMARKS | GYPSUM IS THE DIHYDRATE FORM & PLASTER OF PARIS IS THE HEMIHYDRATE FORM. | | |
| | | TWA | 10 MG/M3 | USA. NIOSH RECOMMENDED EXPOSURE LIMITS |
| | | GYPSUM IS THE DIHYDRATE FORM & PLASTER OF PARIS IS THE HEMIHYDRATE FORM. | | |
| | | TWA | 15 MG/M3 | USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS |
| | | TWA | 5 MG/M3 | USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS |
| | | PEL | 10 MG/M3 | CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS |
| | | PEL | 5 MG/M3 | CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS |
| | | THE CONCENTRATION AND PERCENTAGE OF THE PARTICULATE USED FOR THIS LIMIT ARE DETERMINED FROM THE FRACTION PASSING A SIZE SELECTOR WITH THE FOLLOWING CHARACTERISTICS: AERODYNAMIC DIAMETER IN MICROMETERS (UNIT DENSITY SPHERE)..... PERCENT PASSING SELECTOR 0 100 1 97 2 91 3 74 4 50 5 30 6 17 7 9 8 5 10 1 | | |
| | | TWA | 10 MG/M3 | USA. ACGIH THRESHOLD LIMIT VALUES (TLV) |
| | | NASAL SYMPTOMS | | |
| COBALT DICHLORIDE | 7646-79-9 | TWA | 0.02 MG/M3 | USA. ACGIH THRESHOLD LIMIT VALUES (TLV) |

| | | |
|--|--|---|
| | | PULMONARY FUNCTION ASTHMA MYOCARDIAL EFFECTS ADOPTED VALUES OR NOTATIONS ENCLOSED ARE THOSE FOR WHICH CHANGES ARE PROPOSED IN THE NIC SEE NOTICE OF INTENDED CHANGES (NIC) SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) CONFIRMED ANIMAL CARCINOGEN WITH UNKNOWN RELEVANCE TO HUMANS VARIES |
|--|--|---|

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

| COMPONENT | CAS-NO. | PARAMETERS | VALUE | BIOLOGICAL SPECIMEN | BASIS |
|----------------------|-----------|---------------------------------|--------|---------------------|--|
| COBALT DICHLORIDE | 7646-79-9 | COBALT | 15 G/L | URINE | ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI) |
| | REMARKS | END OF SHIFT AT END OF WORKWEEK | | | |
| | | COBALT | | URINE | ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI) |
| | | END OF SHIFT AT END OF WORKWEEK | | | |

EXPOSURE CONTROLS

**APPROPRIATE
ENGINEERING
CONTROLS**

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

**EYE/FACE
PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR
EYE PROTECTION TESTED AND APPROVED UNDER
APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH
(US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER

MINIMUM LAYER THICKNESS: 0.11 MM

BREAK THROUGH TIME: 480 MIN

MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|--|
| APPEARANCE | Blue irregular and pink when exhausted |
| ODOUR | NO DATA AVAILABLE |
| ODOUR THRESHOLD | NO DATA AVAILABLE |
| PH | NO DATA AVAILABLE |
| MELTING POINT/FREEZING POINT | |
| INITIAL BOILING POINT AND BOILING RANGE | |
| FLASH POINT | |
| EVAPORATION RATE | NO DATA AVAILABLE |
| FLAMMABILITY (SOLID, GAS) | NO DATA AVAILABLE |
| UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS | NO DATA AVAILABLE |
| VAPOUR PRESSURE | NO DATA AVAILABLE |
| VAPOUR DENSITY | NO DATA AVAILABLE |
| RELATIVE DENSITY | |
| WATER SOLUBILITY | NO DATA AVAILABLE |
| PARTITION COEFFICIENT: N- OCTANOL/WATER | NO DATA AVAILABLE |
| AUTO-IGNITION TEMPERATURE | NO DATA AVAILABLE |
| DECOMPOSITION TEMPERATURE | NO DATA AVAILABLE |
| VISCOSITY | NO DATA AVAILABLE |
| EXPLOSIVE PROPERTIES | NO DATA AVAILABLE |
| OXIDIZING PROPERTIES | NO DATA AVAILABLE |
| OTHER SAFETY INFORMATION | NO DATA AVAILABLE |

SECTION 10. STABILITY AND REACTIVITY

| | |
|---|--|
| REACTIVITY | NO DATA AVAILABLE |
| CHEMICAL STABILITY | STABLE UNDER RECOMMENDED STORAGE CONDITIONS. |
| POSSIBILITY OF HAZARDOUS REACTIONS | NO DATA AVAILABLE |
| CONDITIONS TO AVOID | NO DATA AVAILABLE |

| | |
|---|--|
| INCOMPATIBLE MATERIALS | OXIDIZING AGENTS, ALKALI METALS, STRONG OXIDIZING AGENTS |
| HAZARDOUS DECOMPOSITION PRODUCTS | HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - SULPHUR OXIDES, HYDROGEN CHLORIDE GAS, COBALT/COBALT OXIDES, CALCIUM OXIDE OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5 |

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

| | |
|---|--|
| ACUTE TOXICITY | NO DATA AVAILABLE INHALATION: NO DATA AVAILABLE DERMAL: NO DATA AVAILABLE NO DATA AVAILABLE |
| SKIN CORROSION/IRRITATION | NO DATA AVAILABLE |
| SERIOUS EYE DAMAGE/EYE IRRITATION | NO DATA AVAILABLE |
| RESPIRATORY OR SKIN SENSITISATION | NO DATA AVAILABLE |
| GERM CELL MUTAGENICITY | NO DATA AVAILABLE |
| CARCINOGENICITY | |
| IARC: | 2B - GROUP 2B: POSSIBLY CARCINOGENIC TO HUMANS |
| NTP: | RAHC - REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN |
| OSHA: | NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS. |
| REPRODUCTIVE TOXICITY | NO DATA AVAILABLE |
| SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE | NO DATA AVAILABLE |

| | |
|---|--|
| SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE | NO DATA AVAILABLE |
| ASPIRATION HAZARD | NO DATA AVAILABLE |
| ADDITIONAL INFORMATION | RTECS: NOT AVAILABLE BLOOD DISORDERS, NAUSEA, VOMITING, DIARRHOEA STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE |

SECTION 12. ECOLOGICAL INFORMATION

| | |
|---|--|
| TOXICITY | NO DATA AVAILABLE |
| PERSISTENCE AND DEGRADABILITY | NO DATA AVAILABLE |
| BIOACCUMULATIVE POTENTIAL | NO DATA AVAILABLE |
| MOBILITY IN SOIL | NO DATA AVAILABLE |
| RESULTS OF PBT AND VPVB ASSESSMENT | PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED |
| OTHER ADVERSE EFFECTS | AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE. |

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

| | |
|-------------------------------|--|
| PRODUCT | OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. |
| CONTAMINATED PACKAGING | DISPOSE OF AS UNUSED PRODUCT. |

SECTION 14. TRANSPORT INFORMATION

DOT (US)
NOT DANGEROUS GOODS

IMDG
 PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Drierite with indicator, 4 mesh)
 UN NUMBER: 3077
 CLASS: 9
 PACKING GROUP: III
 EMS-NO: F-A, S-F
 MARINE POLLUTANT: YES

IATA
 PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Drierite with indicator, 4 mesh)
 UN NUMBER: 3077
 CLASS: 9
 PACKING GROUP: III

FURTHER INFORMATION EHS-MARK REQUIRED (IMDG CODE 2.10.3) FOR SINGLE PACKAGINGS AND COMBINATION PACKAGINGS CONTAINING INNER PACKAGINGS WITH DANGEROUS GOODS > 5L FOR LIQUIDS OR > 5KG FOR SOLIDS.

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

| | | |
|---|--|-----------------------------|
| COBALT DICHLORIDE | CAS-NO. 7646-79-9 | REVISION DATE 07-08-2015 |
| SARA 311/312 HAZARDS | ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD | |
| MASSACHUSETTS RIGHT TO KNOW COMPONENTS | | |
| CALCIUM SULFATE | CAS-NO. 7778-18-9 | REVISION DATE 09-09-2016 |
| PENNSYLVANIA RIGHT TO KNOW COMPONENTS | | |
| CALCIUM SULFATE | CAS-NO. 7778-18-9 | REVISION DATE 09-09-2016 |
| COBALT DICHLORIDE | CAS-NO. 7646-79-9 | REVISION DATE 07-08-2015 |
| CALIFORNIA PROP. 65 COMPONENTS | THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM. | |

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

| | |
|------|--|
| H317 | MAY CAUSE AN ALLERGIC SKIN REACTION. |
| H319 | CAUSES SERIOUS EYE IRRITATION. |
| H334 | MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. |
| H341 | SUSPECTED OF CAUSING GENETIC DEFECTS. |
| H350 | MAY CAUSE CANCER. |
| H360 | MAY DAMAGE FERTILITY OR THE UNBORN CHILD. |
| H401 | TOXIC TO AQUATIC LIFE. |
| H412 | HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. |

MSDS LEGEND

| | |
|--------|--|
| MW: | MOLECULAR WEIGHT |
| MF: | MOLECULAR FORMULA |
| VOC: | VOLATILE ORGANIC COMPOUNDS |
| ACGIH: | AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS |
| CAS: | CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER |
| OSHA: | OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION |
| PEL: | PERMISSIBLE EXPOSURE LIMIT (OSHA) |
| TLV: | THRESHOLD LIMIT VALUE (ACGIH) |

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE.

*USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.1.

REVISION DATE: 01/27/2017