Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #:	35629
NAME:	Lead(II) perchlorate hydrate
SYNONYMS:	
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) OXIDIZING SOLIDS (CATEGORY 2), H272 ACUTE TOXICITY, ORAL (CATEGORY 4), H302 ACUTE TOXICITY, INHALATION (CATEGORY 4), H332 CARCINOGENICITY (CATEGORY 1B), H350 REPRODUCTIVE TOXICITY (CATEGORY 1A), H360 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD



HAZARD STATEMENT(S)

H272	MAY INTENSIFY FIRE; OXIDISER.
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED
H350	MAY CAUSE CANCER.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED
	OR REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

PRECAUTIONARY STATEMENT(S)

P201	OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE
	BEEN READ AND UNDERSTOOD.
P210	KEEP AWAY FROM HEAT.
P220	KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE
	MATERIALS.
P221	TAKE ANY PRECAUTION TO AVOID MIXING WITH
	COMBUSTIBLES.
P260	DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/
	SPRAY.
P264	WASH SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS
	PRODUCT.
P271	USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE
	PROTECTION/ FACE PROTECTION.
P301 + P312 + P330	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/
	PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH.
P304 + P340 + P312	IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP
	COMFORTABLE FOR BREATHING. CALL A POISON CENTER
	OR DOCTOR/ PHYSICIAN IF YOU FEEL UNWELL.
P308 + P313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/
	ATTENTION.
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR
	ALCOHOL-RESISTANT FOAM TO EXTINGUISH.
P391	COLLECT SPILLAGE.
P405	STORE LOCKED UP.

DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	Pb(ClO ₄) ₂ ·xH ₂ O
	10(0104)220

MW: 406.10

CAS-NO. 207500-00-3

PURITY: ≥98% (Pb : ≥40%)

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Lead(II) perchlorate hyd	Irate	
	OX. SOL. 2; ACUTE TOX. 4; CARC. 1B; REPR. 1A; STOT RE 2; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H272, H302, H332, H350, H360, H373, H400, H410 M-FACTOR - AQUATIC ACUTE: 10	<= 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

P501

IN CASE OF SKIN CONTACT	WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	FLUSH EYES WITH WATER AS A PRECAUTION.
IF SWALLOWED	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED	NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	DRY POWDER DRY SAND
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	HYDROGEN CHLORIDE GAS, LEAD OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID
PRECAUTIONS,	DUST FORMATION. AVOID BREATHING VAPOURS, MIST
PROTECTIVE	OR GAS. ENSURE ADEQUATE VENTILATION.
EQUIPMENT AND	EVACUATE PERSONNEL TO SAFE AREAS. AVOID
EMERGENCY	BREATHING DUST. FOR PERSONAL PROTECTION SEE
PROCEDURES	SECTION 8.

ENVIRONMENTAL PRECAUTIONS	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	SWEEP UP AND SHOVEL. CONTAIN SPILLAGE, AND THEN COLLECT WITH AN ELECTRICALLY PROTECTED VACUUM CLEANER OR BY WET- BRUSHING AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.
REFERENCE TO OTHER SECTIONS	FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE	AVOID CONTACT WITH SKIN AND EYES. AVOID
HANDLING	FORMATION OF DUST AND AEROSOLS.FURTHER
	PROCESSING OF SOLID MATERIALS MAY RESULT IN
	THE FORMATION OF COMBUSTIBLE DUSTS. THE
	POTENTIAL FOR COMBUSTIBLE DUST FORMATION
	SHOULD BE TAKEN INTO CONSIDERATION BEFORE
	ADDITIONAL PROCESSING OCCURS.
	PROVIDE APPROPRIATE EXHAUST VENTILATION AT
	PLACES WHERE DUST IS FORMED KEEP AWAY FROM
	SOURCES OF IGNITION - NO SMOKING KEEP AWAY
	FROM HEAT AND SOURCES OF IGNITION
	FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE	KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND
STORAGE, INCLUDING	WELL-VENTILATED PLACE
ANY INCOMPATIBILITIES	
	HYGROSCOPIC
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2
	NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

PARAMETERS Lead(II) perchlorate 207500-00-3 TWA 0.05 MG/M3 USA. ACGIH THRE LIMIT VALUES (TLV) REMARKS CENTRAL NERVOUS SYSTEM IMPAIRMENT HEMATOLOGIC EFFECTS Impairment substances for Which there is a Biologic EXPOSURE INDEX OR INDICES (ONFIRMED ANIMAL CARCINOGEN WITH UNKN RELEVANCE TO HUMANS	
hydrate LIMIT VALUES (TLV) REMARKS CENTRAL NERVOUS SYSTEM IMPAIRMENT HEMATOLOGIC EFFECTS PERIPHERAL NERVOUS SYSTEM IMPAIRMENT SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	attors
(TLV) REMARKS CENTRAL NERVOUS SYSTEM IMPAIRMENT HEMATOLOGIC EFFECTS PERIPHERAL NERVOUS SYSTEM IMPAIRMENT SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	SHOLD
REMARKS CENTRAL NERVOUS SYSTEM IMPAIRMENT HEMATOLOGIC EFFECTS PERIPHERAL NERVOUS SYSTEM IMPAIRMENT SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	
HEMATOLOGIC EFFECTS PERIPHERAL NERVOUS SYSTEM IMPAIRMENT SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	
PERIPHERAL NERVOUS SYSTEM IMPAIRMENT SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	
SUBSTANCES FOR WHICH THERE IS A BIOLOGIC EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKN	
EXPOSURE INDEX OR INDICES CONFIRMED ANIMAL CARCINOGEN WITH UNKY	
CONFIRMED ANIMAL CARCINOGEN WITH UNKN	CAL
RELEVANCE TO HUMANS	NOWN
KELE VANCE TO HOWAND	
VARIES	
PEL 0.05 MG/M3 OSHA SPECIFICAL	LY
REGULATED	
CHEMICALS/CARO	CINOGENS
1910.1025	
IF AN EMPLOYEE IS EXPOSED TO LEAD FOR MO	
8 HOURS IN ANY WORK DAY, THE PERMISSIBLE	
EXPOSURE LIMIT, AS A TIME WEIGHTED AVERA	
FOR THAT DAY, SHALL BE REDUCED ACCORDIN	
FOLLOWING FORMULA: MAXIMUM PERMISSIBI	
(IN G/M3)=400 HOURS WORKED IN THE DAY TH	
SECTION APPLIES TO ALL OCCUPATIONAL EXPC	
LEAD, EXCEPT AS PROVIDED IN PARAGRAPH (A	
DOES NOT APPLY TO THE CONSTRUCTION INDU	
TO AGRICULTURAL OPERATIONS COVERED BY 2	29 CFR
PART 1928.	
OSHA SPECIFICALLY REGULATED CARCINOGEN	1
TWA 0.05 MG/M3 USA. NIOSH	
RECOMMENDED	
EXPOSURE LIMITS	S
SEE APPENDIX C	
PEL 0.05 MG/M3 CALIFORNIA PERM	MISSIBLE
EXPOSURE LIMITS	S FOR
CHEMICAL	
CONTAMINANTS ((TITLE 8,
ARTICLE 107)	
SEE SECTION 5198	

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS

COMPONENT	CAS-NO.	PARAMETERS	VALUE	BIOLOGICAL SPECIMEN	BASIS
Lead(II) perchlorate hydrate	207500-00-3	LEAD	200 G/L		ACGIH - BIOLOGICAL EXPOSURE INDICES (BEI)
	REMARKS	NOT CRITICAL			

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

- EYE/FACESAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TOPROTECTIONEN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND
APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS
SUCH AS NIOSH (US) OR EN 166(EU).
- SKIN PROTECTIONHANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR
TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE
(WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID
SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF
CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH
APPLICABLE LAWS AND GOOD LABORATORY PRACTICES.
WASH AND DRY HANDS.
- **BODY PROTECTION** COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
- RESPIRATORYWHERE RISK ASSESSMENT SHOWS AIR-PURIFYINGPROTECTIONRESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLERESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143)RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERINGCONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OFPROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR.USE RESPIRATORS AND COMPONENTS TESTED ANDAPPROVED UNDER APPROPRIATE GOVERNMENT STANDARDSSUCH AS NIOSH (US) OR CEN (EU).

CONTROL OFPREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DOENVIRONMENTALSO. DO NOT LET PRODUCT ENTER DRAINS.EXPOSUREDISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE ODOUR ODOUR THRESHOLD PH MELTING POINT/FREEZING POINT INITIAL BOILING POINT AND BOILING RANGE FLASH POINT EVAPORATION RATE

White crystals NO DATA AVAILABLE NO DATA AVAILABLE NO DATA AVAILABLE

NO DATA AVAILABLE

FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	2.60
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS
	OXIDIZING WITH THE CATEGORY 2.
OTHER SAFETY	NO DATA AVAILABLE
INFORMATION	

INFORMATION

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	NO DATA AVAILABLE
CONDITIONS TO AVOID	EXPOSURE TO MOISTURE MAY AFFECT PRODUCT QUALITY.
INCOMPATIBLE MATERIALS	STRONG REDUCING AGENTS, ORGANIC MATERIALS, POWDERED METALS
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS HYDROGEN CHLORIDE GAS, LEAD OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS		
ACUTE TOXICITY	NO DATA AVAILABLE	
	INHALATION: NO DATA AVAILABLE	
	DERMAL: NO DATA AVAILABLE	
	NO DATA AVAILABLE	
SKIN CORROSION/IRRITATION	NO DATA AVAILABLE	
SERIOUS EYE DAMAGE/EYE IRRITATION	NO DATA AVAILABLE	
RESPIRATORY OR SKIN SENSITISATION	NO DATA AVAILABLE	
GERM CELL MUTAGENICITY	NO DATA AVAILABLE	
CARCINOGENICITY IARC: NTP:	2A - GROUP 2A: PROBABLY CARCINOGENIC TO HUMANS (LEAD DIPERCHLORATE HYDRATE) NO COMPONENT OF THIS PRODUCT PRESENT AT	
OSHA:	LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP. NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.	
REPRODUCTIVE TOXICITY	DAMAGE TO FETUS POSSIBLE KNOWN HUMAN REPRODUCTIVE TOXICANT	
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	NO DATA AVAILABLE	
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.	
ASPIRATION HAZARD	NO DATA AVAILABLE	

ADDITIONAL INFORMATION RTECS: NOT AVAILABLE

LEAD SALTS HAVE BEEN REPORTED TO CROSS THE PLACENTA AND TO INDUCE EMBRYO- AND FETOMORTALITY. THEY ALSO HAVE TERATOGENIC EFFECT IN SOME ANIMAL SPECIES. NO TERATOGENIC EFFECTS HAVE BEEN REPORTED WITH EXPOSURE TO ORGANOMETALLIC LEAD COMPOUNDS. ADVERSE EFFECTS OF LEAD ON HUMAN REPRODUCTION, EMBRYONIC AND FETAL DEVELOPMENT, AND POSTNATAL (E.G., MENTAL) DEVELOPMENT HAVE BEEN REPORTED. EXCESSIVE EXPOSURE CAN AFFECT BLOOD, NERVOUS, AND DIGESTIVE SYSTEMS. THE SYNTHESIS OF HEMOGLOBIN IS INHIBITED AND RESULTS IN ANEMIA. IF LEFT UNTREATED, NEUROMUSCULAR DYSFUNCTION, POSSIBLE PARALYSIS, AND ENCEPHALOPATHY CAN RESULT. ADDITIONAL SYMPTOMS OF OVEREXPOSURE INCLUDE: JOINT AND MUSCLE PAIN, WEAKNESS OF THE EXTENSOR MUSCLES (FREQUENTLY THE HAND AND WRIST), HEADACHE, DIZZINESS, ABDOMINAL PAIN, DIARRHEA, CONSTIPATION, NAUSEA, VOMITING, BLUE LINE ON THE GUMS, INSOMNIA, AND METALLIC TASTE. HIGH BODY LEVELS PRODUCE INCREASED CEREBROSPINAL PRESSURE, BRAIN DAMAGE, AND STUPOR LEADING TO COMA AND OFTEN DEATH.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NO DATA AVAILABLE
PERSISTENCE AND DEGRADABILITY	NO DATA AVAILABLE
BIOACCUMULATIVE POTENTIAL	NO DATA AVAILABLE
MOBILITY IN SOIL	NO DATA AVAILABLE

RESULTS OF PBT AND PBT/VPVB ASSESSMENT NOT AVAILABLE AS **VPVB ASSESSMENT** CHEMICAL SAFETY ASSESSMENT NOT **REQUIRED/NOT CONDUCTED OTHER ADVERSE EFFECTS** AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT	OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS
	TO A LICENSED DISPOSAL COMPANY. BURN IN A
	CHEMICAL INCINERATOR EQUIPPED WITH AN
	AFTERBURNER AND SCRUBBER BUT EXERT EXTRA
	CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
	FLAMMABLE. CONTACT A LICENSED PROFESSIONAL
	WASTE DISPOSAL SERVICE TO DISPOSE OF THIS
	MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A
	COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL
	INCINERATOR EQUIPPED WITH AN AFTERBURNER AND
	SCRUBBER.

CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US)	
PROPER SHIPPING NAME:	LEAD PERCHLORATE, SOLID (Lead(II) perchlorate hydrate)
UN NUMBER:	1470
CLASS:	5.1 (6.1)
PACKING GROUP:	II
REPORTABLE QUANTITY	
(RQ):	
MARINE POLLUTANT:	YES
POISON INHALATION	NO
HAZARD:	

IMDG	
PROPER SHIPPING NAME:	LEAD PERCHLORATE, SOLID (Lead(II) perchlorate hydrate)
UN NUMBER:	1470
CLASS:	5.1 (6.1)
PACKING GROUP:	II
EMS-NO:	F-H, S-Q
MARINE POLLUTANT:	YES
IATA	
PROPER SHIPPING NAME:	LEAD PERCHLORATE, SOLID (Lead(II) perchlorate hydrate)
UN NUMBER:	1470
CLASS:	5.1 (6.1)
PACKING GROUP:	II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS	THIS MATERIAL DOES NOT CONTAIN ANY
	COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS

THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Lead(II) perchlorate hydrate	207500-00-3	03/01/2007

SARA 311/312 HAZARDS REACTIVITY HAZARD, ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H272	MAY INTENSIFY FIRE; OXIDISER.
H302 + H332	HARMFUL IF SWALLOWED OR IF INHALED
H350	MAY CAUSE CANCER.
H360	MAY DAMAGE FERTILITY OR THE UNBORN CHILD.
H373	MAY CAUSE DAMAGE TO ORGANS THROUGH
	PROLONGED OR REPEATED EXPOSURE.
H410	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING
	EFFECTS.

MSDS LEGEND MW: MOLECULAR WEIGHT

MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1

REVISION DATE: 01/27/2017