Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 35689

NAME: Mercury(II) iodide

SYNONYMS: Mercuric iodide red

24 HOUR EMERGENCY

TELEPHONE:

(800) 535-5053(USA)

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, ORAL (CATEGORY 2), H300 ACUTE TOXICITY, INHALATION (CATEGORY 2), H330 ACUTE TOXICITY, DERMAL (CATEGORY 1), H310 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (CATEGORY 2), H373 SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 1), H400 LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGER

HAZARD STATEMENT(S)

H300 + H310 + H330 FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED

OR REPEATED EXPOSURE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

PRECAUTIONARY STATEMENT(S)

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P262 DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.
P264 WASH SKIN THOROUGHLY AFTER HANDLING.
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS

PRODUCT.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P273 AVOID RELEASE TO THE ENVIRONMENT.

P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE

PROTECTION/ FACE PROTECTION.

P284 WEAR RESPIRATORY PROTECTION.

P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/PHYSICIAN. RINSE MOUTH.

P302 + P350 + P310 IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAP AND

WATER. IMMEDIATELY CALL A POISON CENTER OR

DOCTOR/PHYSICIAN.

P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A

POISON CENTER OR DOCTOR/PHYSICIAN.

P314 GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL.
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

P391 COLLECT SPILLAGE.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: HgI_2

MW: 454.40

CAS-NO. 7774-29-0

PURITY: ≥99.99% Metals basis

HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
Mercury(II) iodide		
	ACUTE TOX. 2; ACUTE TOX. 1; STOT RE 2; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H300, H330, H310, H373, H400, H410 M-FACTOR - AQUATIC ACUTE:	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT

OF DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN

CONTACT

WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A

PHYSICIAN.

IN CASE OF EYE

CONTACT

FLUSH EYES WITH WATER AS A PRECAUTION.

IF SWALLOWED NEVER GIVE ANYTHING BY MOUTH TO AN

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY

EXTINGUISHING MEDIA CHEMICAL OR CARBON DIOXIDE.

SPECIAL HAZARDS ARISING FROM THE HYDROGEN IODIDE, MERCURY/MERCURY OXIDES.

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF-CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIREFIGHTING IF NECESSARY.

FURTHER INFORMATION NO DATA AVAILABLE

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL
PRECAUTIONS,
PROTECTIVE
EQUIPMENT AND
EMERGENCY
PROCEDURES

WEAR RESPIRATORY PROTECTION. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.

FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL PRECAUTIONS

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE

AVOIDED.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT

PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

ANY INCOMPATIBILITIES LIGHT SENSITIVE. KEEP IN A DRY PLACE.

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2

NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS
			PARAMETERS	
	REMARKS	SEE TABLE Z-2		
Mercury(II) iodide	7774-29-0	TWA	0.01 PPM	USA. ACGIH
				THRESHOLD LIMIT
				VALUES (TLV)
		UPPER RESPIRATORY TRACT IRRITATION		
		HYPOTHYROIDISM		
		ADOPTE	D VALUES OR NO	OTATIONS ENCLOSED
		ARE THO	OSE FOR WHICH	CHANGES ARE
		PROPOS	ED IN THE NIC	
		SEE NOT	TICE OF INTENDE	ED CHANGES (NIC)
		NOT CLA	ASSIFIABLE AS A	HUMAN
		CARCIN	OGEN	
		VARIES		

TWA 0.025 MG/M3 USA, ACGIH THRESHOLD LIMIT VALUES (TLV) CENTRAL NERVOUS SYSTEM IMPAIRMENT KIDNEY DAMAGE SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA, NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA, NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS		0.0553500			
CENTRAL NERVOUS SYSTEM IMPAIRMENT KIDNEY DAMAGE SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	TWA	0.025 MG/M3	USA. ACGIH		
CENTRAL NERVOUS SYSTEM IMPAIRMENT KIDNEY DAMAGE SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS					
KIDNEY DAMAGE SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			VALUES (TLV)		
SUBSTANCES FOR WHICH THERE IS A BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	CENTR	` '			
BIOLOGICAL EXPOSURE INDEX OR INDICES (SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	KIDNE	KIDNEY DAMAGE			
(SEE BEI SECTION) NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	SUBST	SUBSTANCES FOR WHICH THERE IS A			
NOT CLASSIFIABLE AS A HUMAN CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	BIOLOGICAL EXPOSURE INDEX OR INDICES				
CARCINOGEN DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	(SEE BEI SECTION)				
DANGER OF CUTANEOUS ABSORPTION VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	NOT C	NOT CLASSIFIABLE AS A HUMAN			
VARIES TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	CARCINOGEN				
TWA 0.05 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	DANGER OF CUTANEOUS ABSORPTION				
RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS	VARIES				
POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS	TWA	0.05 MG/M3	USA. NIOSH		
POTENTIAL FOR DERMAL ABSORPTION C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS			RECOMMENDED		
C 0.1 MG/M3 USA. NIOSH RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS			EXPOSURE LIMITS		
RECOMMENDED EXPOSURE LIMITS POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS	POTEN	POTENTIAL FOR DERMAL ABSORPTION			
POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS FOR CHEMICAL CONTAMINANTS	С	0.1 MG/M3	USA. NIOSH		
POTENTIAL FOR DERMAL ABSORPTION PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			RECOMMENDED		
PEL 0.025 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			EXPOSURE LIMITS		
PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	POTEN	POTENTIAL FOR DERMAL ABSORPTION			
EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	PEL	0.025 MG/M3	CALIFORNIA		
FOR CHEMICAL CONTAMINANTS SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			PERMISSIBLE		
SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			EXPOSURE LIMITS		
SKIN C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			FOR CHEMICAL		
C 0.1 MG/M3 CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS			CONTAMINANTS		
PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	SKIN				
EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS	С	0.1 MG/M3	CALIFORNIA		
FOR CHEMICAL CONTAMINANTS			PERMISSIBLE		
CONTAMINANTS			EXPOSURE LIMITS		
			FOR CHEMICAL		
SKIN			CONTAMINANTS		
	SKIN	<u> </u>	<u>. </u>		

EXPOSURE CONTROLS

APPROPRIATE AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
ENGINEERING WASH HANDS BEFORE BREAKS AND IMMEDIATELY
CONTROLS AFTER HANDLING THE PRODUCT.

CONTROLS AFTER HANDLING THE FROD

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT

FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR EN 166(EU).

SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

FULL CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED: DERMATRIL (KCL 740, SIZE M)

SPLASH CONTACT

MATERIAL: NITRILE RUBBER
MINIMUM LAYER THICKNESS: 0.11 MM
BREAK THROUGH TIME: 480 MIN
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER FROM EN 374, CONTACT THE SUPPLIER OF THE CE APPROVED GLOVES. THIS RECOMMENDATION IS ADVISORY ONLY AND MUST BE EVALUATED BY AN INDUSTRIAL HYGIENIST AND SAFETY OFFICER FAMILIAR WITH THE SPECIFIC SITUATION OF ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR ANY SPECIFIC USE SCENARIO.

BODY PROTECTION

COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY PROTECTION

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL EXPOSURE PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Red solid
ODOUR ODOURLESS

ODOUR THRESHOLD NO DATA AVAILABLE PH NO DATA AVAILABLE MELTING 259 °C (Approx.)

POINT/FREEZING POINT

INITIAL BOILING POINT 354 °C

AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

WATER SOLUBILITY SOLUBLE

PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE EXPLOSIVE PROPERTIES NO DATA AVAILABLE OXIDIZING PROPERTIES NO DATA AVAILABLE

OTHER SAFETY INFORMATION

BULK DENSITY 6.28 G/L

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

POSSIBILITY OF NO DATA AVAILABLE

HAZARDOUS REACTIONS

CONDITIONS TO AVOID EXPOSURE TO LIGHT MAY AFFECT PRODUCT QUALITY.

INCOMPATIBLE MATERIALS

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - HYDROGEN IODIDE,

MERCURY/MERCURY OXIDES.

OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY LD50 ORAL - RAT - 18 MG/KG

INHALATION: NO DATA AVAILABLE

LD50 DERMAL - RAT - 75 MG/KG

NO DATA AVAILABLE

SKIN NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE

DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE

SENSITISATION

MUTAGENICITY

GERM CELL NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: OW5250000

COUGH, SHORTNESS OF BREATH, HEADACHE, NAUSEA, VOMITING, PROLONGED OR REPEATED EXPOSURE CAN CAUSE: NEUROTOXIC EFFECTS. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE

NOT BEEN THOROUGHLY INVESTIGATED.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

BIODEGRADABILITY RESULT: - NOT READILY BIODEGRADABLE.

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND

VPVB ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS AN ENVIRONMENTAL HAZARD CANNOT BE

EXCLUDED IN THE EVENT OF UNPROFESSIONAL

HANDLING OR DISPOSAL.

VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS

TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN

AFTERBURNER AND SCRUBBER.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: MERCURY IODIDE

UN NUMBER: 1638 CLASS: 6.1 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

MARINE POLLUTANT: YES POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: MERCURY IODIDE

UN NUMBER: 1638
CLASS: 6.1
PACKING GROUP: II
EMS-NO: F-A, S-A
MARINE POLLUTANT: YES

IATA

PROPER SHIPPING NAME: MERCURY IODIDE

UN NUMBER: 1638 CLASS: 6.1 PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY

COMPONENTS WITH A SECTION 302 EHS TPQ.

SARA 313 COMPONENTS THE FOLLOWING COMPONENTS ARE SUBJECT TO

REPORTING LEVELS ESTABLISHED BY SARA TITLE III,

SECTION 313:

CAS-NO. REVISION DATE

Mercury(II) iodide 7774-29-0 03-01-2007

SARA 311/312 HAZARDS ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT NO COMPONENTS ARE SUBJECT TO THE TO KNOW COMPONENTS MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Mercury(II) iodide 7774-29-0 03-01-2007

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H300 + H310 + H330 FATAL IF SWALLOWED, IN CONTACT WITH SKIN OR IF

INHALED

H373 MAY CAUSE DAMAGE TO ORGANS THROUGH

PROLONGED OR REPEATED EXPOSURE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING

EFFECTS.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA) TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1. REVISION DATE: 01/27/2017