

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112  
E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)  
**Shipping and Correspondence:**  
935 Dillon Drive  
Wood Dale, IL 60191 USA

Fax: (630) 766-2218  
Web site: [www.chemimpex.com](http://www.chemimpex.com)  
**Manufacturing site:**  
825 Dillon Drive  
Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	35881
NAME:	Sodium selenite anhydrous
SYNONYMS:	Selenious acid disodium salt
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

**GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)**  
ACUTE TOXICITY, ORAL (CATEGORY 2), H300  
ACUTE TOXICITY, INHALATION (CATEGORY 2), H330  
SKIN IRRITATION (CATEGORY 2), H315

EYE IRRITATION (CATEGORY 2A), H319  
SKIN SENSITISATION (CATEGORY 1), H317  
SHORT-TERM (ACUTE) AQUATIC HAZARD (CATEGORY 2), H401  
LONG-TERM (CHRONIC) AQUATIC HAZARD (CATEGORY 2), H411

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H300 + H330 FATAL IF SWALLOWED OR IF INHALED.  
H315 CAUSES SKIN IRRITATION.  
H317 MAY CAUSE AN ALLERGIC SKIN REACTION.  
H319 CAUSES SERIOUS EYE IRRITATION.  
H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**PRECAUTIONARY STATEMENT(S)**

P260 DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOURS/  
SPRAY.  
P264 WASH SKIN THOROUGHLY AFTER HANDLING.  
P270 DO NOT EAT, DRINK OR SMOKE WHEN USING THIS  
PRODUCT.  
P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.  
P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE  
ALLOWED OUT OF THE WORKPLACE.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE  
PROTECTION.  
P284 WEAR RESPIRATORY PROTECTION.  
P301 + P310 + P330 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR  
DOCTOR/ PHYSICIAN. RINSE MOUTH.  
P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.  
P304 + P340 + P310 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP  
COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A  
POISON CENTER/DOCTOR.  
P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL  
MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND  
EASY TO DO. CONTINUE RINSING.  
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL  
ADVICE/ ATTENTION.  
P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/  
ATTENTION.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE  
REUSE.  
P391 COLLECT SPILLAGE.  
P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER  
TIGHTLY CLOSED.  
P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

MF:  $\text{Na}_2\text{SeO}_3$   
MW: 172.94  
CAS-NO. 10102-18-8  
PURITY:  $\geq 95\%$  AT

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>Sodium selenite anhydrous</b>		
	ACUTE TOX. 2; SKIN IRRIT. 2; EYE IRRIT. 2A; SKIN SENS. 1; AQUATIC ACUTE 2; AQUATIC CHRONIC 2; H300, H330, H315, H319, H317, H401, H411	$\leq 100\%$

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

### SECTION 4. FIRST-AID MEASURES

---

#### DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE** CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. MOVE OUT OF DANGEROUS AREA.

**IF INHALED** IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

**IN CASE OF SKIN CONTACT** WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.

<b>IN CASE OF EYE CONTACT</b>	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.
<b>IF SWALLOWED</b>	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

## **SECTION 5. FIRE AND EXPLOSION DATA**

---

<b>EXTINGUISHING MEDIA</b>	
<b>SUITABLE EXTINGUISHING MEDIA</b>	DRY POWDER DRY SAND
<b>SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE</b>	SODIUM OXIDES, SELENIUM/SELENIUM OXIDES
<b>ADVICE FOR FIREFIGHTERS</b>	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
<b>FURTHER INFORMATION</b>	NO DATA AVAILABLE

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

<b>PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES</b>	WEAR RESPIRATORY PROTECTION. AVOID DUST FORMATION. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. EVACUATE PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. FOR PERSONAL PROTECTION SEE SECTION 8.
<b>ENVIRONMENTAL PRECAUTIONS</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING DUST. SWEEP UP AND SHOVEL. DO NOT FLUSH WITH WATER. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER SECTIONS**

FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE HANDLING**

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS. FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE ADDITIONAL PROCESSING OCCURS. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED. FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE. NEVER ALLOW PRODUCT TO GET IN CONTACT WITH WATER DURING STORAGE. DO NOT STORE NEAR ACIDS. KEEP IN A DRY PLACE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
Sodium selenite anhydrous	10102-18-8	TWA	0.2 MG/M3	USA. OCCUPATIONAL EXPOSURE LIMITS (OSHA) - TABLE Z-1 LIMITS FOR AIR CONTAMINANTS

		TWA	0.2 MG/M3	USA. ACGIH THRESHOLD LIMIT VALUES (TLV)
	REMARKS	UPPER RESPIRATORY TRACT IRRITATION EYE IRRITATION		
		TWA	0.2 MG/M3	USA. NIOSH RECOMMENDED EXPOSURE LIMITS
		PEL	0.2 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS

## EXPOSURE CONTROLS

### APPROPRIATE ENGINEERING CONTROLS

AVOID CONTACT WITH SKIN, EYES AND CLOTHING.  
WASH HANDS BEFORE BREAKS AND IMMEDIATELY  
AFTER HANDLING THE PRODUCT.

## PERSONAL PROTECTIVE EQUIPMENT

### EYE/FACE PROTECTION

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT  
FOR EYE PROTECTION TESTED AND APPROVED UNDER  
APPROPRIATE GOVERNMENT STANDARDS SUCH AS  
NIOSH (US) OR EN 166(EU).

### SKIN PROTECTION

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED  
PRIOR TO USE. USE PROPER GLOVE REMOVAL  
TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER  
SURFACE) TO AVOID SKIN CONTACT WITH THIS  
PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER  
USE IN ACCORDANCE WITH APPLICABLE LAWS AND  
GOOD LABORATORY PRACTICES. WASH AND DRY  
HANDS.

#### FULL CONTACT

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

#### SPLASH CONTACT

MATERIAL: NITRILE RUBBER  
MINIMUM LAYER THICKNESS: 0.11 MM  
BREAK THROUGH TIME: 480 MIN  
MATERIAL TESTED:DERMATRIL (KCL 740, SIZE M)

IF USED IN SOLUTION, OR MIXED WITH OTHER  
SUBSTANCES, AND UNDER CONDITIONS WHICH DIFFER  
FROM EN 374, CONTACT THE SUPPLIER OF THE CE  
APPROVED GLOVES. THIS RECOMMENDATION IS  
ADVISORY ONLY AND MUST BE EVALUATED BY AN  
INDUSTRIAL HYGIENIST AND SAFETY OFFICER  
FAMILIAR WITH THE SPECIFIC SITUATION OF  
ANTICIPATED USE BY OUR CUSTOMERS. IT SHOULD  
NOT BE CONSTRUED AS OFFERING AN APPROVAL FOR  
ANY SPECIFIC USE SCENARIO.

<b>BODY PROTECTION</b>	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

## **SECTION 9.      PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	White to off-white crystalline powder
ODOUR	ODOURLESS
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING POINT/FREEZING POINT	> 350 °C
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NOT AUTO-FLAMMABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	< 0.00133 HPA AT 20 °C
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	898 G/L AT 25 °C - SOLUBLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	> 400 °C AT 1,013.25 HPA
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE

VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	THE SUBSTANCE OR MIXTURE IS NOT CLASSIFIED AS OXIDIZING.
<b>OTHER SAFETY INFORMATION</b>	NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

<b>REACTIVITY</b>	NO DATA AVAILABLE
<b>CHEMICAL STABILITY</b>	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>	NO DATA AVAILABLE
<b>CONDITIONS TO AVOID</b>	NO DATA AVAILABLE
<b>INCOMPATIBLE MATERIALS</b>	STRONG ACIDS
<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - SODIUM OXIDES, SELENIUM/SELENIUM OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**



**ACUTE TOXICITY**

LD50 ORAL - RAT - 7 MG/KG  
REMARKS: BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY). LUNGS, THORAX, OR RESPIRATION: DYSPNEA. DIARRHOEA  
LD50 ORAL - RAT - MALE - 7 MG/KG

LC50 INHALATION - RAT - MALE AND FEMALE - 4 H - >  
0.052 - 0.51 MG/L

DERMAL: NO DATA AVAILABLE

LD50 INTRAVENOUS - RAT - 3 MG/KG  
LD50 PARENTERAL - RAT - 6.57 MG/KG  
LD50 SUBCUTANEOUS - MOUSE - 13 MG/KG  
LD50 INTRAVENOUS - MOUSE - 5 MG/KG  
REMARKS: PERIPHERAL NERVE AND SENSATION: FLACCID PARALYSIS WITHOUT ANESTHESIA (USUALLY NEUROMUSCULAR BLOCKAGE). CARDIAC: OTHER CHANGES. LUNGS, THORAX, OR RESPIRATION: OTHER CHANGES.  
LD50 INTRACERVICAL - MOUSE - 0.3 MG/KG  
REMARKS: PERIPHERAL NERVE AND SENSATION: FLACCID PARALYSIS WITHOUT ANESTHESIA (USUALLY NEUROMUSCULAR BLOCKAGE). BEHAVIORAL: CHANGE IN MOTOR ACTIVITY (SPECIFIC ASSAY). LUNGS, THORAX, OR RESPIRATION: DYSPNEA.

LD50 INTRAVENOUS - DOG - 1.916 MG/KG  
REMARKS: CARDIAC: ARRHYTHMIAS (INCLUDING CHANGES IN CONDUCTION). LUNGS, THORAX, OR RESPIRATION: RESPIRATORY STIMULATION. DIARRHOEA

LD50 INTRAMUSCULAR - RABBIT - 2.53 MG/KG  
LD50 PARENTERAL - CHICKEN - 8.5 MG/KG  
LD50 INTRAMUSCULAR - DOMESTIC ANIMALS - 1.533 MG/KG  
REMARKS: SENSE ORGANS AND SPECIAL SENSES (NOSE, EYE, EAR, AND TASTE): OLFACTION: OTHER CHANGES. BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY). LUNGS, THORAX, OR RESPIRATION: DYSPNEA.

**SKIN  
CORROSION/IRRITATION**

SKIN - RECONSTRUCTED HUMAN EPIDERMIS (RHE)  
RESULT: IRRITATING TO SKIN.

**SERIOUS EYE  
DAMAGE/EYE IRRITATION**

NO DATA AVAILABLE

**RESPIRATORY OR SKIN  
SENSITISATION**

MOUSE  
MAY CAUSE ALLERGIC SKIN REACTION.

<b>GERM CELL MUTAGENICITY</b>	REVERSE MUTATION ASSAY SALMONELLA TYPHIMURIUM RESULT: NEGATIVE
	MOUSE MALE RESULT: NEGATIVE
<b>CARCINOGENICITY</b>	THIS PRODUCT IS OR CONTAINS A COMPONENT THAT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY BASED ON ITS IARC, ACGIH, NTP, OR EPA CLASSIFICATION.
IARC:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF REGULATED CARCINOGENS.
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: NOT AVAILABLE
	SALIVATION, TREMORS, ALOPECIA., VOMITING, DERMATITIS
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

**SECTION 12. ECOLOGICAL INFORMATION**

---

**TOXICITY**

TOXICITY TO FISH	LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 2.75 MG/L - 96.0 H LC50 - ONCORHYNCHUS MYKISS (RAINBOW TROUT) - 8.1 MG/L - 96 H REMARKS: (LIT.)
TOXICITY TO DAPHNIA AND OTHER AQUATIC INVERTEBRATES	LC50 - DAPHNIA MAGNA (WATER FLEA) - 0.25 MG/L - 48 H
TOXICITY TO ALGAE	STATIC TEST EC50 - CHLAMYDOMONAS REINHARDTII (GREEN ALGAE) - 6.32 MG/L - 96 H
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	
BIOACCUMULATION	LEPOMIS MACROCHIRUS - 120 D - 10 G/L(SODIUM SELENITE) BIOCONCENTRATION FACTOR (BCF): 1,850
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED
<b>OTHER ADVERSE EFFECTS</b>	AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

---

### **WASTE TREATMENT METHODS**

<b>PRODUCT</b>	CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY.
<b>CONTAMINATED PACKAGING</b>	DISPOSE OF AS UNUSED PRODUCT.

---

## **SECTION 14. TRANSPORT INFORMATION**

---

---

**DOT (US)**

PROPER SHIPPING NAME: SELENITES (SODIUM SELENITE)  
UN NUMBER: 2630  
CLASS: 6.1  
PACKING GROUP: I  
REPORTABLE QUANTITY (RQ): 100 LBS  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: SELENITES (SODIUM SELENITE)  
UN NUMBER: 2630  
CLASS: 6.1  
PACKING GROUP: I  
EMS-NO: F-A, S-A  
MARINE POLLUTANT: YES

**IATA**

PROPER SHIPPING NAME: SELENITES (SODIUM SELENITE)  
UN NUMBER: 2630  
CLASS: 6.1  
PACKING GROUP: I

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS**

	CAS-NO.	REVISION DATE
Sodium selenite anhydrous	10102-18-8	11/03/2008

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Sodium selenite anhydrous	10102-18-8	11/03/2008

**SARA 311/312 HAZARDS** ACUTE HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Sodium selenite anhydrous	10102-18-8	11/03/2008

---

**SECTION 16. OTHER INFORMATION**

---

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

H300 + H330	FATAL IF SWALLOWED OR IF INHALED.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H319	CAUSES SERIOUS EYE IRRITATION.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**MSDS LEGEND**

MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION: 3.1

REVISION DATE: 01/27/2017