

# *Chem-Impex International Inc.*

---

Tel: (630) 766-2112

E-mail: [sales@chemimpex.com](mailto:sales@chemimpex.com)

Shipping and Correspondence:

935 Dillon Drive

Wood Dale, IL 60191 USA

Fax: (630) 766-2218

Web site: [www.chemimpex.com](http://www.chemimpex.com)

Manufacturing site:

825 Dillon Drive

Wood Dale, IL 60191 USA

## SAFETY DATA SHEET

---

### SECTION 1. CHEMICAL IDENTIFICATION

---

CATALOG #:	36275
NAME:	Bis(triphenylsilyl) chromate
SYNONYMS:	Bis(triphenylsilyl) ester chromic acid
24 HOUR EMERGENCY TELEPHONE:	(800) 535-5053(USA) 352-323-3500 (INTERNATIONAL)
TO REQUEST AN MSDS:	(800) 869-9290
CUSTOMER SERVICE:	(630) 766-2112

---

### SECTION 2. HAZARDS IDENTIFICATION

---

#### CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)

ACUTE TOXICITY, DERMAL (CATEGORY 3), H311

SKIN SENSITISATION (CATEGORY 1), H317

CARCINOGENICITY (CATEGORY 1B), H350

ACUTE AQUATIC TOXICITY (CATEGORY 1), H400

CHRONIC AQUATIC TOXICITY (CATEGORY 1), H410

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

**GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS  
PICTOGRAM**



SIGNAL WORD DANGER

**HAZARD STATEMENT(S)**

H311 TOXIC IN CONTACT WITH SKIN.  
H317 MAY CAUSE AN ALLERGIC SKIN REACTION.  
H350 MAY CAUSE CANCER.  
H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

**PRECAUTIONARY STATEMENT(S)**

P201 OBTAIN SPECIAL INSTRUCTIONS BEFORE USE.  
P202 DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.  
P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/ SPRAY.  
P272 CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE.  
P273 AVOID RELEASE TO THE ENVIRONMENT.  
P280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION.  
P302 + P352 + P312 IF ON SKIN: WASH WITH PLENTY OF WATER. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.  
P308 + P313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION.  
P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION.  
P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.  
P391 COLLECT SPILLAGE.  
P405 STORE LOCKED UP.  
P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

**HAZARDS NOT OTHERWISE CLASSIFIED (HNOC) OR NOT COVERED BY GHS** NONE

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

MF:  $C_{36}H_{30}CrO_4Si_2$

MW: 634.79  
CAS-NO. 1624-02-8  
PURITY:  $\geq$  96%

#### HAZARDOUS COMPONENTS

COMPONENT	CLASSIFICATION	CONCENTRATION
<b>Bis(triphenylsilyl) chromate</b>		
	ACUTE TOX. 3; SKIN SENS. 1; CARC. 1B; AQUATIC ACUTE 1; AQUATIC CHRONIC 1; H311, H317, H350, H410	$\leq$ 100%

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

---

## SECTION 4. FIRST-AID MEASURES

---

### DESCRIPTION OF FIRST AID MEASURES

<b>GENERAL ADVICE</b>	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
<b>IF INHALED</b>	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
<b>IN CASE OF SKIN CONTACT</b>	WASH OFF WITH SOAP AND PLENTY OF WATER. TAKE VICTIM IMMEDIATELY TO HOSPITAL. CONSULT A PHYSICIAN.
<b>IN CASE OF EYE CONTACT</b>	FLUSH EYES WITH WATER AS A PRECAUTION.
<b>IF SWALLOWED</b>	NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
<b>MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED</b>	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11
<b>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</b>	NO DATA AVAILABLE

---

**SECTION 5. FIRE AND EXPLOSION DATA**

---

**EXTINGUISHING MEDIA**

**SUITABLE  
EXTINGUISHING MEDIA** USE WATER SPRAY, ALCOHOL-RESISTANT FOAM, DRY  
CHEMICAL OR CARBON DIOXIDE.

**SPECIAL HAZARDS  
ARISING FROM THE  
SUBSTANCE OR MIXTURE** NO DATA AVAILABLE

**ADVICE FOR  
FIREFIGHTERS** WEAR SELF-CONTAINED BREATHING APPARATUS FOR  
FIREFIGHTING IF NECESSARY.

**FURTHER INFORMATION** NO DATA AVAILABLE

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL  
PRECAUTIONS,  
PROTECTIVE  
EQUIPMENT AND  
EMERGENCY  
PROCEDURES** WEAR RESPIRATORY PROTECTION. AVOID DUST  
FORMATION. AVOID BREATHING VAPOURS, MIST OR  
GAS. ENSURE ADEQUATE VENTILATION. EVACUATE  
PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST.  
FOR PERSONAL PROTECTION SEE SECTION 8.

**ENVIRONMENTAL  
PRECAUTIONS** PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO  
DO SO. DO NOT LET PRODUCT ENTER DRAINS.  
DISCHARGE INTO THE ENVIRONMENT MUST BE  
AVOIDED.

**METHODS AND  
MATERIALS FOR  
CONTAINMENT AND  
CLEANING UP** PICK UP AND ARRANGE DISPOSAL WITHOUT CREATING  
DUST. SWEEP UP AND SHOVEL. KEEP IN SUITABLE,  
CLOSED CONTAINERS FOR DISPOSAL.

**REFERENCE TO OTHER  
SECTIONS** FOR DISPOSAL SEE SECTION 13.

---

**SECTION 7. HANDLING AND STORAGE**

---

**PRECAUTIONS FOR SAFE  
HANDLING** AVOID CONTACT WITH SKIN AND EYES. AVOID  
FORMATION OF DUST AND AEROSOLS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.  
FOR PRECAUTIONS SEE SECTION 2.2.

**CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.  
HANDLE AND STORE UNDER INERT GAS.

AIR AND MOISTURE SENSITIVE.

Store at RT

**SPECIFIC END USE(S)**

APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**CONTROL PARAMETERS**

**COMPONENTS WITH WORKPLACE CONTROL PARAMETERS**

COMPONENT	CAS-NO.	VALUE	CONTROL PARAMETERS	BASIS
	REMARKS	SEE TABLE Z-2 FOR THE EXPOSURE LIMIT FOR ANY OPERATIONS OR SECTORS WHERE THE EXPOSURE LIMIT IN 1910.1026 IS STAYED OR IS OTHERWISE NOT IN EFFECT SUBSTANCE LISTED; FOR MORE INFORMATION SEE OSHA DOCUMENT 1910.1026		
Bis(triphenylsilyl) chromate	1624-02-8	PEL	0.005000 MG/M3	OSHA SPECIFICALLY REGULATED CHEMICALS/CARCINOGENS

		<p>1910.1026  THIS STANDARD APPLIES TO OCCUPATIONAL EXPOSURES TO CHROMIUM (VI) IN ALL FORMS AND COMPOUNDS IN GENERAL INDUSTRY, EXCEPT: (A) EXPOSURES THAT OCCUR IN THE APPLICATION OF PESTICIDES REGULATED BY THE ENVIRONMENTAL PROTECTION AGENCY OR ANOTHER FEDERAL GOVERNMENT AGENCY ( E.G., THE TREATMENT OF WOOD WITH PRESERVATIVES); (B) EXPOSURES TO PORTLAND CEMENT; OR (C) WHERE THE EMPLOYER HAS OBJECTIVE DATA DEMONSTRATING THAT A MATERIAL CONTAINING CHROMIUM OR A SPECIFIC PROCESS, OPERATION, OR ACTIVITY INVOLVING CHROMIUM CANNOT RELEASE DUSTS, FUMES, OR MISTS OF CHROMIUM (VI) IN CONCENTRATIONS AT OR ABOVE 0.5 GM/M3 AS AN 8-HOUR TIME-WEIGHTED AVERAGE (TWA) UNDER ANY EXPECTED CONDITIONS OF USE.  CHROMIUM (VI) [HEXAVALENT CHROMIUM OR CR(VI)] MEANS CHROMIUM WITH A VALENCE OF POSITIVE SIX, IN ANY FORM AND IN ANY COMPOUND OSHA SPECIFICALLY REGULATED CARCINOGEN</p>		
		PEL	0.005000 MG/M3	OSHA SPECIFICALLY REGULATED CHEMICALS/CARCINOGENS
		<p>1910.1026  THIS STANDARD APPLIES TO OCCUPATIONAL EXPOSURES TO CHROMIUM (VI) IN ALL FORMS AND COMPOUNDS IN GENERAL INDUSTRY, EXCEPT: (A) EXPOSURES THAT OCCUR IN THE APPLICATION OF PESTICIDES REGULATED BY THE ENVIRONMENTAL PROTECTION AGENCY OR ANOTHER FEDERAL GOVERNMENT AGENCY ( E.G., THE TREATMENT OF WOOD WITH PRESERVATIVES); (B) EXPOSURES TO PORTLAND CEMENT; OR (C) WHERE THE EMPLOYER HAS OBJECTIVE DATA DEMONSTRATING THAT A MATERIAL CONTAINING CHROMIUM OR A SPECIFIC PROCESS, OPERATION, OR ACTIVITY INVOLVING CHROMIUM CANNOT RELEASE DUSTS, FUMES, OR MISTS OF CHROMIUM (VI) IN CONCENTRATIONS AT OR ABOVE 0.5 GM/M3 AS AN 8-HOUR TIME-WEIGHTED AVERAGE (TWA) UNDER ANY EXPECTED CONDITIONS OF USE.  CHROMIUM (VI) [HEXAVALENT CHROMIUM OR CR(VI)] MEANS CHROMIUM WITH A VALENCE OF POSITIVE SIX, IN ANY FORM AND IN ANY COMPOUND OSHA SPECIFICALLY REGULATED CARCINOGEN</p>		
		PEL	0.005 MG/M3	OSHA SPECIFICALLY REGULATED CHEMICALS/CARCINOGENS

		1910.1026 THIS STANDARD APPLIES TO OCCUPATIONAL EXPOSURES TO CHROMIUM (VI) IN ALL FORMS AND COMPOUNDS IN GENERAL INDUSTRY, EXCEPT: (A) EXPOSURES THAT OCCUR IN THE APPLICATION OF PESTICIDES REGULATED BY THE ENVIRONMENTAL PROTECTION AGENCY OR ANOTHER FEDERAL GOVERNMENT AGENCY ( E.G., THE TREATMENT OF WOOD WITH PRESERVATIVES); (B) EXPOSURES TO PORTLAND CEMENT; OR (C) WHERE THE EMPLOYER HAS OBJECTIVE DATA DEMONSTRATING THAT A MATERIAL CONTAINING CHROMIUM OR A SPECIFIC PROCESS, OPERATION, OR ACTIVITY INVOLVING CHROMIUM CANNOT RELEASE DUSTS, FUMES, OR MISTS OF CHROMIUM (VI) IN CONCENTRATIONS AT OR ABOVE 0.5 GM/M3 AS AN 8-HOUR TIME-WEIGHTED AVERAGE (TWA) UNDER ANY EXPECTED CONDITIONS OF USE. CHROMIUM (VI) [HEXAVALENT CHROMIUM OR CR(VI)] MEANS CHROMIUM WITH A VALENCE OF POSITIVE SIX, IN ANY FORM AND IN ANY COMPOUND OSHA SPECIFICALLY REGULATED CARCINOGEN		
		PEL	0.005 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		SEE SECTIONS 1532.2, 5206 & 8359		
		C	0.1 MG/M3	CALIFORNIA PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS
		SEE SECTIONS 1532.2, 5206 & 8359		

**EXPOSURE CONTROLS**

**APPROPRIATE ENGINEERING CONTROLS**

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WASH HANDS BEFORE BREAKS AND IMMEDIATELY AFTER HANDLING THE PRODUCT.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYE/FACE PROTECTION**

FACE SHIELD AND SAFETY GLASSES USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

**SKIN PROTECTION**

HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE'S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.

<b>BODY PROTECTION</b>	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
<b>RESPIRATORY PROTECTION</b>	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN 143) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
<b>CONTROL OF ENVIRONMENTAL EXPOSURE</b>	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS. DISCHARGE INTO THE ENVIRONMENT MUST BE AVOIDED.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

---

### **INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Yellow to light orange powder
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	159 °C (dec.)
POINT/FREEZING POINT	
INITIAL BOILING POINT AND BOILING RANGE	
FLASH POINT	
EVAPORATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID, GAS)	NO DATA AVAILABLE
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	NO DATA AVAILABLE
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE
RELATIVE DENSITY	
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT: N- OCTANOL/WATER	NO DATA AVAILABLE
AUTO-IGNITION TEMPERATURE	NO DATA AVAILABLE
DECOMPOSITION TEMPERATURE	NO DATA AVAILABLE
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE



OXIDIZING PROPERTIES NO DATA AVAILABLE

**OTHER SAFETY INFORMATION** NO DATA AVAILABLE

---

**SECTION 10. STABILITY AND REACTIVITY**

---

**REACTIVITY** NO DATA AVAILABLE

**CHEMICAL STABILITY** STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

**POSSIBILITY OF HAZARDOUS REACTIONS** NO DATA AVAILABLE

**CONDITIONS TO AVOID** AIR AVOID MOISTURE.

**INCOMPATIBLE MATERIALS** STRONG OXIDIZING AGENTS

**HAZARDOUS DECOMPOSITION PRODUCTS** HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS. - CARBON OXIDES, SILICON OXIDES, CHROMIUM OXIDES  
OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE  
IN THE EVENT OF FIRE: SEE SECTION 5

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

---

**INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY** LD50 ORAL - RAT - 3,360 MG/KG  
INHALATION: NO DATA AVAILABLE  
LD50 DERMAL - RABBIT - 710 MG/KG  
NO DATA AVAILABLE

**SKIN CORROSION/IRRITATION** NO DATA AVAILABLE

**SERIOUS EYE DAMAGE/EYE IRRITATION** NO DATA AVAILABLE

<b>RESPIRATORY OR SKIN SENSITISATION</b>	NO DATA AVAILABLE
<b>GERM CELL MUTAGENICITY</b>	NO DATA AVAILABLE
<b>CARCINOGENICITY</b>	POSSIBLE HUMAN CARCINOGEN
IARC:	1 - GROUP 1: CARCINOGENIC TO HUMANS (BIS(TRIPHENYLSILYL) CHROMATE)
NTP:	NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.
OSHA:	OSHA SPECIFICALLY REGULATED CARCINOGEN (BIS(TRIPHENYLSILYL) CHROMATE)
<b>REPRODUCTIVE TOXICITY</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE</b>	NO DATA AVAILABLE
<b>SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE</b>	NO DATA AVAILABLE
<b>ASPIRATION HAZARD</b>	NO DATA AVAILABLE
<b>ADDITIONAL INFORMATION</b>	RTECS: GB2685000
	TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

---

## SECTION 12. ECOLOGICAL INFORMATION

---

<b>TOXICITY</b>	NO DATA AVAILABLE
<b>PERSISTENCE AND DEGRADABILITY</b>	NO DATA AVAILABLE
<b>BIOACCUMULATIVE POTENTIAL</b>	NO DATA AVAILABLE
<b>MOBILITY IN SOIL</b>	NO DATA AVAILABLE
<b>RESULTS OF PBT AND VPVB ASSESSMENT</b>	PBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

**OTHER ADVERSE EFFECTS** AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF UNPROFESSIONAL HANDLING OR DISPOSAL. VERY TOXIC TO AQUATIC LIFE.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

---

**WASTE TREATMENT METHODS**

**PRODUCT** OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF THIS MATERIAL. DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

**CONTAMINATED PACKAGING** DISPOSE OF AS UNUSED PRODUCT.

---

**SECTION 14. TRANSPORT INFORMATION**

---

**DOT (US)**

PROPER SHIPPING NAME: TOXIC SOLIDS, ORGANIC, N.O.S. (Bis(triphenylsilyl) chromate)  
UN NUMBER: 2811  
CLASS: 6.1  
PACKING GROUP: III  
MARINE POLLUTANT: YES  
POISON INHALATION HAZARD: NO

**IMDG**

PROPER SHIPPING NAME: TOXIC SOLIDS, ORGANIC, N.O.S. (Bis(triphenylsilyl) chromate)  
UN NUMBER: 2811  
CLASS: 6.1  
PACKING GROUP: III  
EMS-NO: F-A, S-A

**IATA**

PROPER SHIPPING NAME: TOXIC SOLIDS, ORGANIC, N.O.S. (Bis(triphenylsilyl) chromate)  
UN NUMBER: 2811  
CLASS: 6.1  
PACKING GROUP: III

---

**SECTION 15. REGULATORY INFORMATION**

---

**SARA 302 COMPONENTS** NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III, SECTION 302.

**SARA 313 COMPONENTS** THE FOLLOWING COMPONENTS ARE SUBJECT TO REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313:

	CAS-NO.	REVISION DATE
Bis(triphenylsilyl) chromate	1624-02-8	08/11/1989

**SARA 311/312 HAZARDS** ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

**MASSACHUSETTS RIGHT TO KNOW COMPONENTS**

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

**PENNSYLVANIA RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Bis(triphenylsilyl) chromate	1624-02-8	08/11/1989

**NEW JERSEY RIGHT TO KNOW COMPONENTS**

	CAS-NO.	REVISION DATE
Bis(triphenylsilyl) chromate	1624-02-8	08/11/1989

**CALIFORNIA PROP. 65 COMPONENTS**

WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

	CAS-NO.	REVISION DATE
Bis(triphenylsilyl) chromate	1624-02-8	06/06/2014

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

	CAS-NO.	REVISION DATE
Bis(triphenylsilyl) chromate	1624-02-8	06/06/2014

---

**SECTION 16. OTHER INFORMATION**

---

**FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.**

ACUTE TOX.	ACUTE TOXICITY
AQUATIC ACUTE	ACUTE AQUATIC TOXICITY
AQUATIC CHRONIC	CHRONIC AQUATIC TOXICITY
CARC.	CARCINOGENICITY
H311	TOXIC IN CONTACT WITH SKIN.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H350	MAY CAUSE CANCER.
H400	VERY TOXIC TO AQUATIC LIFE.

H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.  
SKIN SENS. SKIN SENSITISATION

**HMIS RATING**

HEALTH HAZARD: 2  
CHRONIC HEALTH HAZARD: \*  
FLAMMABILITY: 0  
PHYSICAL HAZARD 0

**NFPA RATING**

HEALTH HAZARD: 2  
FIRE HAZARD: 0  
REACTIVITY HAZARD: 0

**MSDS LEGEND**

MW: MOLECULAR WEIGHT  
MF: MOLECULAR FORMULA  
VOC: VOLATILE ORGANIC COMPOUNDS  
ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGINISTS  
CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER  
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION  
PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)  
TLV: THRESHOLD LIMIT VALUE (ACGIH)

**IMPORTANT:**

*THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.*

VERSION:3.1

REVISION DATE: 01/27/2017