Chem-Impex International Inc.

Tel: (630) 766-2112 E-mail: <u>sales@chemimpex.com</u> Shipping and Correspondence: 935 Dillon Drive Wood Dale, IL 60191 USA Fax: (630) 766-2218 Web site: <u>www.chemimpex.com</u> Manufacturing site: 825 Dillon Drive Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 36334 NAME: Butyl(chloro)dimethylsilane SYNONYMS: Butyldimethylchlorosilane Butyldimethylsilyl chloride 24 HOUR EMERGENCY (800) 535-5053(USA) TELEPHONE: 352-323-3500 (INTERNATIONAL) TO REQUEST AN MSDS: (800) 869-9290 **CUSTOMER** (630) 766-2112 SERVICE:

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) FLAMMABLE LIQUIDS (CATEGORY 2), H225 SKIN CORROSION (CATEGORY 1B), H314 SERIOUS EYE DAMAGE (CATEGORY 1), H318 FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS DICTOCD ANA

PICTOGRAM	



SIGNAL WORD

HAZARD STATEME	CNT(S)
11007	

HAZARD STATEMENT			
H225	HIGHLY FLAMMABLE LIQUID AND VAPOUR.		
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.		
PRECAUTIONARY STATEMENT(S)			
P210	KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES.		
	NO SMOKING.		
P233	KEEP CONTAINER TIGHTLY CLOSED.		
P240	GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT.		
P241	USE EXPLOSION-PROOF ELECTRICAL/ VENTILATING/ LIGHTING		
	EQUIPMENT.		
P242	USE ONLY NON-SPARKING TOOLS.		
P243	TAKE PRECAUTIONARY MEASURES AGAINST STATIC		
	DISCHARGE.		
P264	WASH SKIN THOROUGHLY AFTER HANDLING.		
P280	WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE		
	PROTECTION/ FACE PROTECTION.		
P301 + P330 + P331	IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING.		
P303 + P361 + P353	IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL		
	CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/		
	SHOWER.		
P304 + P340	IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST		
	IN A POSITION COMFORTABLE FOR BREATHING.		
P305 + P351 + P338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL		
	MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY		
	TO DO. CONTINUE RINSING.		
P310	IMMEDIATELY CALL A POISON CENTER/DOCTOR.		
P321	SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID		
	INSTRUCTIONS ON THIS LABEL).		
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.		
P370 + P378	IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR		
	ALCOHOL-RESISTANT FOAM FOR EXTINCTION.		
P403 + P235	STORE IN A WELL-VENTILATED PLACE. KEEP COOL.		
P405	STORE LOCKED UP.		
P501	DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED WASTE		
	DISPOSAL PLANT.		

HAZARDS NOT NONE OTHERWISE CLASSIFIED (HNOC) **OR NOT COVERED BY** GHS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF:	C ₆ H ₁₅ ClSi

MW: 150.72

CAS-NO. 1000-50-6

PURITY:

97 - 102% (Assay by titration)

COMPONENT	CLASSIFICATION	CONCENTRATION
Butyl(chloro)dimethylsilar	ie	
	FLAM. LIQ. 2; SKIN CORR. 1B; EYE DAM. 1; H225, H314, H318	<= 100 %

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE	CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF DANGEROUS AREA.
IF INHALED	IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.
IN CASE OF SKIN CONTACT	TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN.
IN CASE OF EYE CONTACT	RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN.CONTINUE RINSING EYES DURING TRANSPORT TO HOSPITAL.
IF SWALLOWED	DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER. CONSULT A PHYSICIAN.
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED	THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11.

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	SMALL (INCIPIENT) FIRES MUST BE EXTINGUISHED WITH ALCOHOL RESISTANT FOAM, DRY CHEMICAL POWDER OR CARBON DIOXIDE. LARGE AMOUNTS OF WATER ARE INEFFECTIVE. COOL CONTAINERS WITH LARGE AMOUNTS OF WATER.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	CARBON OXIDES, HYDROGEN CHLORIDE GAS, SILICON OXIDES
ADVICE FOR FIREFIGHTERS	WEAR SELF-CONTAINED BREATHING APPARATUS FOR FIREFIGHTING IF NECESSARY.
FURTHER INFORMATION	USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPOURS, MIST OR GAS. ENSURE ADEQUATE VENTILATION. REMOVE ALL SOURCES OF IGNITION. EVACUATE PERSONNEL TO SAFE AREAS. BEWARE OF VAPOURS ACCUMULATING TO FORM EXPLOSIVE CONCENTRATIONS. VAPOURS CAN ACCUMULATE IN LOW AREAS. FOR PERSONAL PROTECTION SEE SECTION 8.
ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO
PRECAUTIONS	SO. DO NOT LET PRODUCT ENTER DRAINS.
METHODS AND	CONTAIN SPILLAGE, AND THEN COLLECT WITH AN
MATERIALS FOR	ELECTRICALLY PROTECTED VACUUM CLEANER OR BY
CONTAINMENT AND	WETBRUSHING AND PLACE IN CONTAINER FOR DISPOSAL
CLEANING UP	ACCORDING TO LOCAL REGULATIONS (SEE SECTION 13).

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	AVOID INHALATION OF VAPOUR OR MIST. USE EXPLOSION-PROOF EQUIPMENT.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.TAKE MEASURES TO PREVENT THE BUILD UP OF ELECTROSTATIC CHARGE. FOR PRECAUTIONS SEE SECTION 2.2.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	STORE IN COOL PLACE.KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE.CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.
	Store at RT
SPECIFIC END USE(S)	APART FROM THE USES MENTIONED IN SECTION 1.2 NO OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.

EXPOSURE CONTROLS

APPROPRIATE	HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL
ENGINEERING	HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE
CONTROLS	BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION TIGHTLY FITTING SAFETY GOGGLES. FACESHIELD (8-INCH MINIMUM). USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION	HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. USE PROPER GLOVE REMOVAL TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER SURFACE) TO AVOID SKIN CONTACT WITH THIS PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY HANDS.
BODY PROTECTION	COMPLETE SUIT PROTECTING AGAINST CHEMICALS, FLAME RETARDANT ANTISTATIC PROTECTIVE CLOTHING. THE TYPE OF PROTECTIVE EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS SUBSTANCE AT THE SPECIFIC WORKPLACE.
RESPIRATORY PROTECTION	WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACE RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).
CONTROL OF ENVIRONMENTAL	PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

EXPOSURE

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colorless liquid
ODOUR	NO DATA AVAILABLE
ODOUR THRESHOLD	NO DATA AVAILABLE
PH	NO DATA AVAILABLE
MELTING	
POINT/FREEZING POINT	
INITIAL BOILING POINT	138 °C/752 mmHg
AND BOILING RANGE	
FLASH POINT	18 °C
EVAPOURATION RATE	NO DATA AVAILABLE
FLAMMABILITY (SOLID,	NO DATA AVAILABLE
GAS)	
UPPER/LOWER	NO DATA AVAILABLE
FLAMMABILITY OR	
EXPLOSIVE LIMITS	
VAPOUR PRESSURE	NO DATA AVAILABLE
VAPOUR DENSITY	NO DATA AVAILABLE

RELATIVE DENSITY	0.868
WATER SOLUBILITY	NO DATA AVAILABLE
PARTITION COEFFICIENT:	NO DATA AVAILABLE
N- OCTANOL/WATER	
AUTO-IGNITION	NO DATA AVAILABLE
TEMPERATURE	
DECOMPOSITION	NO DATA AVAILABLE
TEMPERATURE	
VISCOSITY	NO DATA AVAILABLE
EXPLOSIVE PROPERTIES	NO DATA AVAILABLE
OXIDIZING PROPERTIES	NO DATA AVAILABLE
OTHER SAFETY	NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

INFORMATION

REACTIVITY	NO DATA AVAILABLE
CHEMICAL STABILITY	STABLE UNDER RECOMMENDED STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS	VAPOURS MAY FORM EXPLOSIVE MIXTURE WITH AIR.
CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS. EXTREMES OF TEMPERATURE AND DIRECT SUNLIGHT.
INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS, WATER
HAZARDOUS DECOMPOSITION PRODUCTS	HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONSCARBON OXIDES, HYDROGEN CHLORIDE GAS, SILICON OXIDES OTHER DECOMPOSITION PRODUCTS - NO DATA AVAILABLE IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON OSHA S LIST OF

KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

CARCINOGEN BY IARC.

REGULATED CARCINOGENS.

SKIN NO DATA AVAILABLE CORROSION/IRRITATION

SERIOUS EYE NO DATA AVAILABLE DAMAGE/EYE IRRITATION

RESPIRATORY OR SKIN NO DATA AVAILABLE **SENSITISATION**

GERM CELL NO DATA AVAILABLE

MUTAGENICITY

CARCINOGENICITY IARC:

ACGIH:

NTP:

OSHA:

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN NO DATA AVAILABLE TOXICITY - SINGLE EXPOSURE

SPECIFIC TARGET ORGAN NO DATA AVAILABLE TOXICITY - REPEATED EXPOSURE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION RTECS: NOT AVAILABLE

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN, SPASM, INFLAMMATION AND EDEMA OF THE LARYNX, SPASM, INFLAMMATION AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA, BURNING SENSATION, COUGH, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

NO DATA AVAILABLE

PERSISTENCE AND NO DATA AVAILABLE DEGRADABILITY

BIOACCUMULATIVE NO DATA AVAILABLE **POTENTIAL**

MOBILITY IN SOIL NO DATA AVAILABLE

RESULTS OF PBT AND VPVBPBT/VPVB ASSESSMENT NOT AVAILABLE AS CHEMICAL**ASSESSMENT**SAFETY ASSESSMENT NOT REQUIRED/NOT CONDUCTED

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCTBURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN
AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE
IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE.
OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO
A LICENSED DISPOSAL COMPANY. CONTACT A LICENSED
PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE
OF THIS MATERIAL.CONTAMINATEDDISPOSE OF AS UNUSED PRODUCT.

PACKAGING

SECTION 14. TRANSPORT INFORMATION

DOT (US) PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: POISON INHALATION HAZARD:	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S. 2985 3 (8) II NO
IMDG PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: EMS-NO:	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S. 2985 3 (8) II F-E, S-C
IATA PROPER SHIPPING NAME: UN NUMBER: CLASS: PACKING GROUP: IATA PASSENGER:	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S. 2985 3 (8) II NOT PERMITTED FOR TRANSPORT

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS		ATERIAL ARE SUBJECT TO THE TS OF SARA TITLE III, SECTION
SARA 313 COMPONENTS	THIS MATERIAL DOES NOT COMPONENTS WITH KNOW EXCEED THE THRESHOLD (LEVELS ESTABLISHED BY S	N CAS NUMBERS THAT
SARA 311/312 HAZARDS	FIRE HAZARD	
MASSACHUSETTS RIGHT TO KNOW COMPONENTS NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.		
PENNSYLVANIA RIGHT TO KNOW COMPONENTS		
Butyl(chloro)dimethylsilane	CAS-NO. 1000-50-6	REVISION DATE
NEW JERSEY RIGHT TO KNOW COMPONENTS		
Butyl(chloro)dimethylsilane	CAS-NO. 1000-50-6	REVISION DATE

CALIFORNIA PROP. 65 COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS KNOWN TO STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, OR ANY OTHER REPRODUCTIVE HARM.

SECTION 16. OTHER INFORMATION

FULL TEXT	OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.
H225	HIGHLY FLAMMABLE LIQUID AND VAPOUR.
H314	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MSDS LEGEND	
MW:	MOLECULAR WEIGHT
MF:	MOLECULAR FORMULA
VOC:	VOLATILE ORGANIC COMPOUNDS
ACGIH:	AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL
	HYGINISTS
CAS:	CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA:	OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL:	PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV:	THRESHOLD LIMIT VALUE (ACGIH)
IMPORTANT:	

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL **CII** BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF **CII** HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

VERSION: 3.1

REVISION DATE: 01/27/2017