Chem-Impex International Inc.

Tel: (630) 766-2112
E-mail: sales@chemimpex.com
Shipping and Correspondence:
935 Dillon Drive
Wood Dale, IL 60191 USA

Fax: (630) 766-2218
Web site: www.chemimpex.com
Manufacturing site:
825 Dillon Drive
Wood Dale, IL 60191 USA

SAFETY DATA SHEET

SECTION 1. CHEMICAL IDENTIFICATION

CATALOG #: 36537

NAME: Manganese(II) perchlorate hydrate

SYNONYMS:

24 HOUR EMERGENCY

(800) 535-5053(USA)

TELEPHONE:

352-323-3500 (INTERNATIONAL)

TO REQUEST AN MSDS: (800) 869-9290

CUSTOMER SERVICE:

(630) 766-2112

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS) OXIDIZING SOLIDS (CATEGORY 2), H272 SKIN IRRITATION (CATEGORY 2), H315 EYE IRRITATION (CATEGORY 2A), H319

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (CATEGORY 3), RESPIRATORY SYSTEM, H335

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

PICTOGRAM

SIGNAL WORD DANGE

HAZARD STATEMENT(S)

H272 MAY INTENSIFY FIRE; OXIDISER.
 H315 CAUSES SKIN IRRITATION.
 H319 CAUSES SERIOUS EYE IRRITATION.
 H335 MAY CAUSE RESPIRATORY IRRITATION.

PRECAUTIONARY STATEMENT(S)

P210	KEEP AWAY FROM HEAT.

P220 KEEP/STORE AWAY FROM CLOTHING/ COMBUSTIBLE

MATERIALS.

P221 TAKE ANY PRECAUTION TO AVOID MIXING WITH

COMBUSTIBLES.

P261 AVOID BREATHING DUST/ FUME/ GAS/ MIST/ VAPOURS/

SPRAY.

P264 WASH SKIN THOROUGHLY AFTER HANDLING.

P271 USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.
P280 WEAR PROTECTIVE GLOVES/ EYE PROTECTION/ FACE

PROTECTION.

P302 + P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER P304 + P340 + P312 IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP

COMFORTABLE FOR BREATHING. CALL A POISON

CENTER/DOCTOR IF YOU FEEL UNWELL.

P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL

MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND

EASY TO DO. CONTINUE RINSING.

P332 + P313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/

ATTENTION.

P337 + P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/

ATTENTION.

P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE

REUSE.

P370 + P378 IN CASE OF FIRE: USE DRY SAND, DRY CHEMICAL OR

ALCOHOL-RESISTANT FOAM FOR EXTINCTION.

P403 + P233 STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER

TIGHTLY CLOSED.

P405 STORE LOCKED UP.

P501 DISPOSE OF CONTENTS/ CONTAINER TO AN APPROVED

WASTE DISPOSAL PLANT.

HAZARDS NOT NONE

OTHERWISE

CLASSIFIED (HNOC)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

MF: MnCl₂O₈·xH₂O

MW: 253.84

698999-57-4 CAS-NO.

PURITY: \geq 99% (Assay)

COMPONENT	CLASSIFICATION	CONCENTRATION
Manganese(II)		
perchlorate hydrate		
	OX. SOL. 2; SKIN IRRIT. 2; EYE	<= 100 %
	IRRIT. 2A; STOT SE 3; H272,	
	H315, H319, H335	

FOR THE FULL TEXT OF THE H-STATEMENTS MENTIONED IN THIS SECTION, SEE SECTION 16.

SECTION 4. FIRST-AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA

SHEET TO THE DOCTOR IN ATTENDANCE.MOVE OUT OF

DANGEROUS AREA.

IF INHALED IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF

NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN WASH OFF WITH SOAP AND PLENTY OF WATER.

CONTACT CONSULT A PHYSICIAN.

RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT IN CASE OF EYE

LEAST 15 MINUTES AND CONSULT A PHYSICIAN. **CONTACT**

NEVER GIVE ANYTHING BY MOUTH TO AN IF SWALLOWED

UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

CONSULT A PHYSICIAN.

THE MOST IMPORTANT KNOWN SYMPTOMS AND MOST IMPORTANT

SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE EFFECTS, BOTH ACUTE AND DELAYED

SECTION 2.2) AND/OR IN SECTION 11.

INDICATION OF ANY IMMEDIATE MEDICAL

ATTENTION AND SPECIAL TREATMENT

NEEDED

NO DATA AVAILABLE

SECTION 5. FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA

SUITABLE DRY POWDER DRY SAND

EXTINGUISHING MEDIA

SPECIAL HAZARDS HYDROGEN CHLORIDE GAS,

ARISING FROM THE MANGANESE/MANGANESE OXIDES

SUBSTANCE OR MIXTURE

ADVICE FOR WEAR SELF CONTAINED BREATHING APPARATUS FOR

FIREFIGHTERS FIRE FIGHTING IF NECESSARY.

FURTHER INFORMATION USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL USE PERSONAL PROTECTIVE EQUIPMENT. AVOID DUST PRECAUTIONS, FORMATION. AVOID BREATHING VAPOURS, MIST OR PROTECTIVE GAS. ENSURE ADEQUATE VENTILATION. EVACUATE EQUIPMENT AND PERSONNEL TO SAFE AREAS. AVOID BREATHING DUST. EMERGENCY

PROCEDURES FOR PERSONAL PROTECTION SEE SECTION 8.

ENVIRONMENTAL DO NOT LET PRODUCT ENTER DRAINS. **PRECAUTIONS**

METHODS ANDSWEEP UP AND SHOVEL. CONTAIN SPILLAGE, ANDMATERIALS FORTHEN COLLECT WITH AN ELECTRICALLY PROTECTEDCONTAINMENT ANDVACUUM CLEANER OR BY WET-BRUSHING AND PLACECLEANING UPIN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL
REGULATIONS (SEE SECTION 13). KEEP IN SUITABLE,

CLOSED CONTAINERS FOR DISPOSAL.

REFERENCE TO OTHER FOR DISPOSAL SEE SECTION 13.

SECTIONS

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

AVOID CONTACT WITH SKIN AND EYES. AVOID FORMATION OF DUST AND AEROSOLS.FURTHER PROCESSING OF SOLID MATERIALS MAY RESULT IN THE FORMATION OF COMBUSTIBLE DUSTS. THE POTENTIAL FOR COMBUSTIBLE DUST FORMATION SHOULD BE TAKEN INTO CONSIDERATION BEFORE

ADDITIONAL PROCESSING OCCURS.

PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.KEEP AWAY

FROM HEAT AND SOURCES OF IGNITION. FOR PRECAUTIONS SEE SECTION 2.2.

CONDITIONS FOR SAFE STORAGE, INCLUDING

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND

WELL-VENTILATED PLACE.

ANY INCOMPATIBILITIES HYGROSCOPIC

Store at RT

SPECIFIC END USE(S)

APART FROM THE USES MENTIONED IN SECTION 1.2 NO

OTHER SPECIFIC USES ARE STIPULATED

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

COMPONENT	CAS-NO.	VALUE	CONTROL	BASIS		
			PARAMETERS			
Manganese(II)	698999-57-4	С	5 MG/M3	USA. OCCUPATIONAL		
perchlorate hydrate				EXPOSURE LIMITS (OSHA) -		
				TABLE Z-1 LIMITS FOR AIR		
				CONTAMINANTS		
	REMARKS	CEILING LIMIT IS TO BE DETERMINED FROM				
		BREATHING-ZONE AIR SAMPLES.				
		TWA	1 MG/M3	USA. NIOSH		
				RECOMMENDED EXPOSURE		
				LIMITS		
		ST	3 MG/M3	USA. NIOSH		
				RECOMMENDED EXPOSURE		
				LIMITS		
		PEL	0.2 MG/M3	CALIFORNIA PERMISSIBLE		
				EXPOSURE LIMITS FOR		
				CHEMICAL CONTAMINANTS		

APPROPRIATE ENGINEERING CONTROLS HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH HANDS BEFORE

BREAKS AND AT THE END OF WORKDAY.

PERSONAL PROTECTIVE EQUIPMENT

EYE/FACE PROTECTION SAFETY GLASSES WITH SIDE-SHIELDS CONFORMING TO

EN166 USE EQUIPMENT FOR EYE PROTECTION TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR EN 166(EU).

SKIN PROTECTION HANDLE WITH GLOVES. GLOVES MUST BE INSPECTED

PRIOR TO USE. USE PROPER GLOVE REMOVAL
TECHNIQUE (WITHOUT TOUCHING GLOVE"S OUTER
SURFACE) TO AVOID SKIN CONTACT WITH THIS

PRODUCT. DISPOSE OF CONTAMINATED GLOVES AFTER USE IN ACCORDANCE WITH APPLICABLE LAWS AND GOOD LABORATORY PRACTICES. WASH AND DRY

HANDS.

BODY PROTECTION IMPERVIOUS CLOTHING, THE TYPE OF PROTECTIVE

EQUIPMENT MUST BE SELECTED ACCORDING TO THE CONCENTRATION AND AMOUNT OF THE DANGEROUS

SUBSTANCE AT THE SPECIFIC WORKPLACE.

RESPIRATORY WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING **PROTECTION** RESPIRATORS ARE APPROPRIATE USE A FULLFACE

RESPIRATORS ARE APPROPRIATE USE A FULLFACE PARTICLE RESPIRATOR TYPE N100 (US) OR TYPE P3 (EN

143) RESPIRATOR CARTRIDGES AS A BACKUP TO

ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS

NIOSH (US) OR CEN (EU).

CONTROL OF ENVIRONMENTAL

EXPOSURE

DO NOT LET PRODUCT ENTER DRAINS.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Light pink crystalline powder
ODOUR NO DATA AVAILABLE
ODOUR THRESHOLD NO DATA AVAILABLE
PH NO DATA AVAILABLE

MELTING

POINT/FREEZING POINT

INITIAL BOILING POINT AND BOILING RANGE

FLASH POINT

EVAPORATION RATE NO DATA AVAILABLE FLAMMABILITY (SOLID, NO DATA AVAILABLE

GAS)

UPPER/LOWER NO DATA AVAILABLE

FLAMMABILITY OR EXPLOSIVE LIMITS

VAPOUR PRESSURE NO DATA AVAILABLE VAPOUR DENSITY NO DATA AVAILABLE

RELATIVE DENSITY

NO DATA AVAILABLE WATER SOLUBILITY PARTITION COEFFICIENT: NO DATA AVAILABLE

N- OCTANOL/WATER

AUTO-IGNITION NO DATA AVAILABLE

TEMPERATURE

DECOMPOSITION NO DATA AVAILABLE

TEMPERATURE

VISCOSITY NO DATA AVAILABLE **EXPLOSIVE PROPERTIES** NO DATA AVAILABLE

OXIDIZING PROPERTIES THE SUBSTANCE OR MIXTURE IS CLASSIFIED AS

OXIDIZING WITH THE CATEGORY 2

OTHER SAFETY INFORMATION

NO DATA AVAILABLE

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY NO DATA AVAILABLE

CHEMICAL STABILITY STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS

NO DATA AVAILABLE

CONDITIONS TO AVOID AVOID MOISTURE.

INCOMPATIBLE STRONG REDUCING AGENTS, POWDERED METALS,

MATERIALS STRONG ACIDS

HAZARDOUS HAZARDOUS DECOMPOSITION PRODUCTS FORMED **DECOMPOSITION** UNDER FIRE CONDITIONS. - HYDROGEN CHLORIDE GAS. **PRODUCTS**

MANGANESE/MANGANESE OXIDES

OTHER DECOMPOSITION PRODUCTS - NO DATA

AVAILABLE

IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY NO DATA AVAILABLE

INHALATION: NO DATA AVAILABLE

DERMAL: NO DATA AVAILABLE

NO DATA AVAILABLE

SKIN

NO DATA AVAILABLE

CORROSION/IRRITATION

SERIOUS EYE DAMAGE/EYE IRRITATION

NO DATA AVAILABLE

RESPIRATORY OR SKIN

SENSITISATION

NO DATA AVAILABLE

GERM CELL MUTAGENICITY NO DATA AVAILABLE

CARCINOGENICITY

IARC: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS

IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED

HUMAN CARCINOGEN BY IARC.

NTP: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED

CARCINOGEN BY NTP.

OSHA: NO COMPONENT OF THIS PRODUCT PRESENT AT

LEVELS GREATER THAN OR EQUAL TO 0.1% IS ON

OSHA S LIST OF REGULATED CARCINOGENS.

REPRODUCTIVE TOXICITY NO DATA AVAILABLE

SPECIFIC TARGET ORGAN

TOXICITY - SINGLE

EXPOSURE

INHALATION - MAY CAUSE RESPIRATORY IRRITATION.

SPECIFIC TARGET ORGAN

TOXICITY - REPEATED

EXPOSURE

NO DATA AVAILABLE

ASPIRATION HAZARD NO DATA AVAILABLE

ADDITIONAL INFORMATION

RTECS: NOT AVAILABLE

MEN EXPOSED TO MANGANESE DUSTS SHOWED A DECREASE IN FERTILITY. CHRONIC MANGANESE POISONING PRIMARILY INVOLVES THE CENTRAL NERVOUS SYSTEM. EARLY SYMPTOMS INCLUDE LANGUOR, SLEEPINESS AND WEAKNESS IN THE LEGS. A STOLID MASK-LIKE APPEARANCE OF THE FACE,

EMOTIONAL DISTURBANCES SUCH AS

UNCONTROLLABLE LAUGHTER AND A SPASTIC GAIT WITH TENDENCY TO FALL IN WALKING ARE FINDINGS IN MORE ADVANCED CASES. HIGH INCIDENCE OF PNEUMONIA HAS BEEN FOUND IN WORKERS EXPOSED TO THE DUST OR FUME OF SOME

MANGANESE COMPOUNDS.

STOMACH - IRREGULARITIES - BASED ON HUMAN

EVIDENCE

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY NO DATA AVAILABLE

PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

BIOACCUMULATIVE

POTENTIAL

NO DATA AVAILABLE

MOBILITY IN SOIL NO DATA AVAILABLE

OTHER ADVERSE EFFECTS NO DATA AVAILABLE

RESULTS OF PBT AND VPVB

ASSESSMENT

PBT/VPVB ASSESSMENT NOT AVAILABLE AS

CHEMICAL SAFETY ASSESSMENT NOT

REQUIRED/NOT CONDUCTED

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

PRODUCT OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO

A LICENSED DISPOSAL COMPANY. BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE

TO DISPOSE OF THIS MATERIAL.

CONTAMINATED PACKAGING

DISPOSE OF AS UNUSED PRODUCT.

SECTION 14. TRANSPORT INFORMATION

DOT (US)

PROPER SHIPPING NAME: PERCHLORATES, INORGANIC, N.O.S. (Manganese(II)

perchlorate hydrate)

UN NUMBER: 1481 CLASS: 5.1 PACKING GROUP: II

REPORTABLE QUANTITY

(RQ):

POISON INHALATION NO

HAZARD:

IMDG

PROPER SHIPPING NAME: PERCHLORATES, INORGANIC, N.O.S. (Manganese(II)

perchlorate hydrate)

UN NUMBER: 1481
CLASS: 5.1
PACKING GROUP: II
EMS-NO: F-H, S-Q

IATA

PROPER SHIPPING NAME: PERCHLORATES, INORGANIC, N.O.S. (Manganese(II)

perchlorate hydrate)

UN NUMBER: 1481 CLASS: 5.1 PACKING GROUP: II

SECTION 15. REGULATORY INFORMATION

SARA 302 COMPONENTS NO CHEMICALS IN THIS MATERIAL ARE SUBJECT TO

THE REPORTING REQUIREMENTS OF SARA TITLE III,

SECTION 302.

SARA 313 COMPONENTS THIS MATERIAL DOES NOT CONTAIN ANY CHEMICAL

COMPONENTS WITH KNOWN CAS NUMBERS THAT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SARA TITLE III, SECTION 313.

07-08-2015

SARA 311/312 HAZARDS REACTIVITY HAZARD, ACUTE HEALTH HAZARD,

CHRONIC HEALTH HAZARD

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

NO COMPONENTS ARE SUBJECT TO THE MASSACHUSETTS RIGHT TO KNOW ACT.

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Manganese(II) perchlorate 698999-57-4

hydrate

NEW JERSEY RIGHT TO KNOW COMPONENTS

CAS-NO. REVISION DATE

Manganese(II) perchlorate 698999-57-4 07-08-2015

hydrate

SECTION 16. OTHER INFORMATION

FULL TEXT OF H-STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3.

H272 MAY INTENSIFY FIRE; OXIDISER.

H315 CAUSES SKIN IRRITATION.

H319 CAUSES SERIOUS EYE IRRITATION. H335 MAY CAUSE RESPIRATORY IRRITATION.

MSDS LEGEND

MW: MOLECULAR WEIGHT MF: MOLECULAR FORMULA

VOC: VOLATILE ORGANIC COMPOUNDS

ACGIH: AMERICAN CONFERENCE OF GOVERNMENENTAL INDUSTRIAL

HYGINISTS

CAS: CHEMICAL ABSTRACTS SERIVE REGISTRY NUMBER
OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT (OSHA)
TLV: THRESHOLD LIMIT VALUE (ACGIH)

IMPORTANT:

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL CII BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF CII HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.